BIOCHEMICAL JOURNAL

BIJOAK

AUTHOR AND KEYWORD INDEXES

for volumes

369–376 (2003)

The Biochemical Society, London © 2004

Fundamentals of Enzyme Kinetics (3rd Edition)

By A Cornish-Bowden (CNRS, Marseilles, France)
1 85578 158 1 • Paperback • January 2004 • 438 pages • £25.00

In this new edition of ***Fundamentals of Enzyme Kinetics*** all of the text has been thoroughly revised to explain concepts even more clearly, some of the material is reorganized into a more logical sequence, and there are many additions throughout the book. In particular, the important topic of irreversible inhibition is now covered in more detail than it was in previous editions, and there is a fuller discussion of methods for studying fast reactions. A novel feature is the inclusion of brief biographical sketches of ten of the scientists who developed our understanding and knowledge of enzyme catalysis. There are numerous new bibliographical references to take account of developments over recent years.

There is no pretence of an encyclopaedic approach, but instead the emphasis is on the principles of enzyme kinetics, and especially on explaining these principles as simply and accurately as possible, so that readers will be well equipped to take the subject as far as they need.

Contents

- Basic Principles of Chemical Kinetics
- Introduction to Enzyme Kinetics
- Practical Aspects of Kinetic Studies
- Deriving Steady-State Rate Equations
- Reversible Inhibition and Activation
- Tight-binding and Irreversible Inhibitors
- Reactions of More than One Substrate
- Use of Isotopes for Studying Enzyme Mechanisms
- Effect of pH on Enzyme Activity
- Temperature Effects on Enzyme Activity
- Control of Enzyme Activity
- Kinetics of Multi-Enzyme Systems
- Fast Reactions
- Estimation of Kinetic Constants

Biochemical Society Members Save 25%

To order contact:

Portland Customer Services,
Portland Press Ltd, Commerce Way,
Colchester CO2 8HP
☎ +44 (0) 1206 796351 +44 (0) 1206 799331
sales@portland-services.com

Please quote ZPPA2025 when ordering
Postage UK: please add £2.50 per book to a maximum of £7.50

Biochemical Journal

AUTHOR AND KEYWORD INDEXES

for volumes

369–376 (2003)

The Biochemical Society, London © 2004

Available from

Portland Customer Services, P.O. Box 32,
Commerce Way, Colchester CO2 8HP, U.K.
Fax (U.K.) 01206 799331
(from overseas) +44 1206 799331
e-mail sales@portland-services.com

All rights reserved. Apart from any fair dealing for the purposes of research or private study, or criticism or review, as permitted under the Copyright, Designs and Patents Act, 1988, this publication may be reproduced, stored or transmitted, in any forms or by any means, only with the prior permission in writing of the publishers, or in the case of reprographic reproduction in accordance with the terms of licences issued by the Copyright Licensing Agency. Inquiries concerning reproduction outside those terms should be sent to the publishers at the above-mentioned address.

Compiled, composed and printed in Great Britain by the University Press, Cambridge

Author Index

VOLUMES 369–376 (2003)

Abbruzzese, A. *See* Esposito, C.
Abdelraheim, S. R.
——; Spiller, D. G.; McLennan, A. G.
Mammalian NADH diphosphatases of the Nudix family: cloning and characterization of the human peroxisomal NUDT12 protein, 374:329
Abdollahi, M. *See* Bardwell, A. J.
Abe, T.
——; Lu, X.; Jiang, Y.; Boccone, C. E.; Qian, S.; Vattem, K. M.; Wek, R. C.; Walsh, J. P.
Site-directed mutagenesis of the active site of diacylglycerol kinase α: calcium and phosphatidylserine stimulate enzyme activity via distinct mechanisms, 375:673
Abedin, M. J. *See* Yonekura, H.
Abed-Viellard, D. *See* Cornette, R.
Abel, M.
——; Iversen, K.; Planas, A.; Christensen, U.
Pre-steady-state kinetics of *Bacillus licheniformis* 1,3-1,4-β-glucanase: evidence for a regulatory binding site, 371:997
Abrahamsen, H. *See* Yaqub, S.
Abrescia, C. *See* De Gregorio, E.
Abrescia, P. *See* Filosa, S.
Abt, B. *See* Haas, H.
Acharya, K. R. *See* Gordon, K.
Adams, D. R. *See* Houslay, M. D.
Adams, M. W. W. *See* Verhees, C. H.
Adams, R. A.
——; Liu, X.; Williams, D. S.; Newton, A. C.
Differential spatial and temporal phosphorylation of the visual receptor, rhodopsin, at two primary phosphorylation sites in mice exposed to light, 374:537
Adamson, P. *See* Chapple, J. P.
Adediran, S. A. *See* Anderson, J. W.
Ademark, P. *See* Henriksson, H.
Adhya, S. *See* Ghosh, S.
Adolph, S. K. *See* Nielsen, J.
Agalou, S. *See* Thornalley, P. J.
Agarwal, A. *See* Chang, S.-H.
Agianian, B. *See* Qiu, F.
Agosti, V. *See* Pierantoni, G. M.
Agrawal, N. *See* Rajagopal, R.
Aguado, B. *See* de Vet, E. C. J. M.
Aguilera, J. *See* Gil, C.
Ahlfors, H. *See* Pellinen, T.
Ahmad, M. *See* Fu, M.
Ahmad, S. *See* Rajagopal, R.
Ahmed, N. *See* Thornalley, P. J.
Ahmed, R. *See* Schroeter, H.
Ahmed, Z.
——; Pillay, T. S.
Adapter protein with a pleckstrin homology (PH) and an Src homology 2 (SH2) domain (APS) and SH2-B enhance insulin-receptor autophosphorylation, extracellular-signal-regulated kinase and phosphoinositide 3-kinase-dependent signalling, 371:405
Aitken, J. F.
——; Loomes, K. M.; Konarkowska, B.; Cooper, G. J. S.
Suppression by polycyclic compounds of the conversion of human amylin into insoluble amyloid, 374:779
Aitken, S. M.
——; Ouellet, M.; Percival, M. D.; English, A. M.
Mechanism of horseradish peroxidase inactivation by benzhydrazide: a critical evaluation of arylhydrazides as peroxidase inhibitors, 375:613
Aizawa, S. *See* Mayama, J.
Akazawa, T. *See* Yagi, T.
Akinsanya, K. O. *See* Qi, S. Y.
Akkerman, J.-W. N. *See* Relou, I. A. M.
Alam, J. *See* Balogun, E.
Alami, M.
——; Vacher, H.; Bosmans, F.; Devaux, C.; Rosso, J.-P.; Bougis, P. E.; Tytgat, J.; Darbon, H.; Martin-Eauclaire, M.-F.
Characterization of Amm VIII from *Androctonus mauretanicus mauretanicus*: a new scorpion toxin that discriminates between neuronal and skeletal sodium channels, 375:551
Alape-Girón, A. *See* Higuita, J.
Albanesi, J. P. *See* Shelton, S. N.
Albar, J. P. *See* Moyano, J. V.
Alder-Baerens, N. *See* Woehlecke, H.
Alessi, D. R. *See* Lizcano, J. M.; Boudeau, J.; Kimber, W. A.; Komander, D.; Milburn, C. C.
Alexeev, D. *See* Zhu, H.
Alexeyev, M. F. *See* Allocati, N.
Alexyev, M. F. *See* Aronson, Jr, N. N.
Alfieri, R. R. *See* Brigotti, M.
Ali, V.
——; Shigeta, Y.; Nozaki, T.
Molecular and structural characterization of NADPH-dependent D-glycerate dehydrogenase from the enteric parasitic protist *Entamoeba histolytica*, 375:729
Alibert-Franco, S. *See* Malléa, M.
Alifano, P. *See* Quaresima, B.
Allemann, R. K. *See* Maglia, G.
Allen, J. W. A.
——; Ferguson, S. J.
Variation of the axial haem ligands and haem-binding motif as a probe of the *Escherichia coli c*-type cytochrome maturation (Ccm) system, 375:721
Allocati, N.
——; Favaloro, B.; Masulli, M.; Alexeyev, M. F.; Di Ilio, C.
Proteus mirabilis glutathione S-transferase B1-1 is involved in protective mechanisms against oxidative and chemical stresses, 373:305
Alonso, F. J. *See* Pérez-Gómez, C.
Alrubaie, S. *See* Lizcano, J. M.
Altenberg, G. A. *See* Lee, S. H.
Alves, M. F. M.
——; Puzer, L.; Cotrin, S. S.; Juliano, M. A.; Juliano, L.; Brömme, D.; Carmona, A. K.
S3 to S3′ subsite specificity of recombinant human cathepsin K and development of selective internally quenched fluorescent substrates, 373:981
Amable, L. *See* Aronson, Jr, N. N.
Amann, R. *See* Egger, T.
Amara, A. A.
——; Rehm, B. H. A.
Replacement of the catalytic nucleophile cysteine-296 by serine in class II polyhydroxyalkanoate synthase from *Pseudomonas aeruginosa*-mediated synthesis of a new polyester: identification of catalytic residues, 374:413
Amara, F. M. *See* Kashour, T.
Ameer-Beg, S. M. *See* Calleja, V.
Amoresano, A. *See* Galliano, M.
Amoroso, A. *See* Boniotto, M.
Amri, E.-Z. *See* Madsen, L.
Amstrup, J.
——; Novak, I.
$P2X_7$ receptor activates extracellular signal-regulated kinases ERK1 and ERK2 independently of Ca^{2+} influx, 374:51
Amutha, B.
——; Pain, D.
Nucleoside diphosphate kinase of *Saccharomyces cerevisiae*, Ynk1p: localization to the mitochondrial intermembrane space, 370:805
Anders, M. W. *See* Board, P. G.
Andersen, C. B.
——; Sakaue, H.; Nedachi, T.; Kovacina, K. S.; Clayberger, C.; Conti, M.; Roth, R. A.
Protein kinase B/Akt is essential for the insulin- but not progesterone-stimulated resumption of meiosis in *Xenopus* oocytes, 369:227
Andersen, H. S. *See* Drake, P. G.
Andersen, J. S. *See* Leung, A. K. L.
Anderson, E. L. *See* Davies, P. S.
Anderson, J. S. *See* Waugh, M. G.
Anderson, J. W.
——; Adediran, S. A.; Charlier, P.; Nguyen-Distèche, M.; Frère, J.-M.; Nicholas, R. A.; Pratt, R. F.
On the substrate specificity of bacterial DD-peptidases: evidence from two series of peptidoglycan-mimetic peptides, 373:949
Andersson, K. B. *See* Matre, V.
Andersson, K. K. *See* Basu, P.
Andersson, T. *See* Pörn-Ares, M. I.; Melander, F.
Ando, H. *See* Hirota, J.
Ando, K. *See* Lee, B. R.
Andrade, R. P. *See* Soares-Silva, I.
Andrade-Gordon, P. *See* Chen, Cailin
Andreani, M. *See* Antonio, V.
Andreasen, P. A. *See* Pedersen, K. E.; Behrendt, N.; Einholm, A. P.
Andreu, D. *See* Luque-Ortega, J. R.
Andrews, N. W. *See* Hemerly, J. P.
Andrieux, A. *See* Ceni, C.
Andrioli, L. P. M.
——; Zaini, P. A.; Viviani, W.; da Silva, A. M.
Dictyostelium discoideum protein phosphatase-1 catalytic subunit exhibits distinct biochemical properties, 373:703
Angelini, E. *See* Dewilde, S.
Annereau, J. P.
——; Ko, Y. H.; Pedersen, P. L.
Cystic fibrosis transmembrane conductance regulator: the NBF1 + R (nucleotide-binding fold 1 and regulatory domain) segment acting alone catalyses a $Co^{2+}/Mn^{2+}/Mg^{2+}$-ATPase activity markedly

© 2004 Biochemical Society

inhibited by both Cd^{2+} and the transition-state analogue orthovanadate, 371:451
Antcheva, N. *See* Boniotto, M.
Antipov, A. N.
——; Sorokin, D. Y.; L'vov, N. P.; Kuenen, J. G.
New enzyme belonging to the family of molybdenum-free nitrate reductases, 369:185
Antonio, V.
——; Janvier, B.; Brouillet, A.; Andreani, M.; Raymondjean, M.
Oxysterol and 9-*cis*-retinoic acid stimulate the group IIA secretory phospholipase A_2 gene in rat smooth-muscle cells, 376:351
Antony, C. *See* Arrastua, L.
Appaji Rao, N. *See* Jala, V. R.
Applegren, N. B. *See* Murray-Stewart, T.
Aqeilan, R.
——; Kedar, R.; Ben-Yehudah, A.; Lorberboum-Galski, H.
Mechanism of action of interleukin-2 (IL-2)–Bax, an apoptosis-inducing chimaeric protein targeted against cells expressing the IL-2 receptor, 370:129
Aquilina, J. A.
——; Robinson, C. V.
Investigating interactions of the pentraxins serum amyloid P component and C-reactive protein by mass spectrometry, 375:323
Araki, N. *See* Watanabe, Y.
Araki, Y.
——; Nohara, M.; Yoshida-Komiya, H.; Kuramochi, T.; Ito, M.; Hoshi, H.; Shinkai, Y.; Sendai, Y.
Effect of a null mutation of the oviduct-specific glycoprotein gene on mouse fertilization, 374:551
Arandjelovic, S. *See* Mathew, S.
Arao, Y. *See* Inoue, A.
Araya, J. E. *See* González, J.
Araya, Z.
——; Tang, W.; Wikvall, K.
Hormonal regulation of the human sterol 27-hydroxylase gene CYP27A1, 372:529
Araysi, S. *See* El-Assaad, W.
Arce, C. A. *See* Purro, S. A.
Ardail, D.
——; Popa, I.; Bodennec, J.; Louisot, P.; Schmitt, D.; Portoukalian, J.
The mitochondria-associated endoplasmic-reticulum subcompartment (MAM fraction) of rat liver contains highly active sphingolipid-specific glycosyltransferases, 371:1013
Ardehali, H. *See* Whitesell, R. R.
Arenas, J. *See* Sánchez-Alcázar, J. A.
Ares, M. P. S. *See* Pörn-Ares, M. I.
Argasinska, J. *See* Thom, G.
Ariga, Y. *See* Watanabe, Takeshi
Arikawa, K. *See* Yamaguchi, H.
Arioka, M. *See* Nakashima, S.
Armand, S. *See* Hogg, D.
Arnold, K. S. *See* Hersberger, M.
Aronis, A. *See* Shilo, S.
Aronson, Jr, N. N.
——; Halloran, B. A.; Alexyev, M. F.; Amable, L.; Madura, J. D.; Pasupulati, L.; Worth, C.; Van Roey, P.
Family 18 chitinase–oligosaccharide substrate interaction: subsite preference and anomer selectivity of *Serratia marcescens* chitinase A, 376:87
Arrastua, L.
——; Sebastian, E. S.; Quincoces, A. F.; Antony, C.; Ugalde, U.
In vitro fusion between Saccharomyces cerevisiae secretory vesicles and cytoplasmic-side-out plasma membrane vesicles, 370:641
Arroyo, J. *See* Muñoz-Fontela, C.
Arroyo, M. M. *See* Dings, R. P. M.
Arruda, A. P.
——; da-Silva, W. S.; Carvalho, D. P.; de Meis, L.
Hyperthyroidism increases the uncoupled ATPase activity and heat production by the sarcoplasmic reticulum Ca^{2+}-ATPase, 375:753
Arulpragasam, A. *See* Butcher, N. J.
Arvan, P. *See* Jeso, B. D.
Asahara, H. *See* Mizushina, Y.
Asami, T.
——; Mizutani, M.; Shimada, Y.; Goda, H.; Kitahata, N.; Sekimata, K.; Han, S.-Y.; Fujioka, S.; Takatsuto, S.; Sakata, K.; Yoshida, S.
Triadimefon, a fungicidal triazole-type P450 inhibitor, induces brassinosteroid deficiency-like phenotypes in plants and binds to DWF4 protein in the brassinosteroid biosynthesis pathway, 369:71
Ashby, M. C.
——; Petersen, O. H.; Tepikin, A. V.
Spatial characterisation of ryanodine-induced calcium release in mouse pancreatic acinar cells, 369:441
Asker, N. *See* Lidell, M. E.
Atencio, D. P. *See* Bacman, S. R.
Atsumi, M. *See* Hirata, Y.
Attaix, D. *See* Tassa, A.
Aubareda, A. *See* Genescà, L.
Audinot, V. *See* Rodriguez, M.
Auron, P. E. *See* Osaki, M.
Avila, J. *See* Pérez, M.
Avilés, F. X. *See* Villanueva, J.
Avilov, S. V. *See* Böde, C.
Avvedimento, E. V. *See* Quaresima, B.
Ayscough, K. R. *See* Winder, S. J.
Azorín, F. *See* Torras-Llort, M.

Babaei-Jadidi, R. *See* Thornalley, P. J.
Babb, R.
——; Bowen, B. R.
SDP1 is a peroxisome-proliferator-activated $\gamma 2$ receptor co-activator that binds through its SCAN domain, 370:719
Babul, J. *See* Baez, M.
Baca, M. *See* Fairlie, W. D.
Bachrati, C. Z.
——; Hickson, I. D.
RecQ helicases: suppressors of tumorigenesis and premature aging, 374:577
Baciocchi, E. *See* Brück, T. B.
Bäckström, M.
——; Link, T.; Olson, F. J.; Karlsson, H.; Graham, R.; Picco, G.; Burchell, J.; Taylor-Papadimitriou, J.; Noll, T.; Hansson, G. C.
Recombinant MUC1 mucin with a breast cancer-like O-glycosylation produced in large amounts in Chinese-hamster ovary cells, 376:677
Bacman, S. R.
——; Atencio, D. P.; Moraes, C. T.
Decreased mitochondrial $tRNA^{Lys}$ steady-state levels and aminoacylation are associated with the pathogenic G8313A mitochondrial DNA mutation, 374:131
Baek, J. Y.
——; Jun, D. Y.; Taub, D.; Kim, Y. H.
Characterization of human phosphoserine aminotransferase involved in the phosphorylated pathway of L-serine biosynthesis, 373:191
Baez, M.
——; Rodríguez, P. H.; Babul, J.; Guixé, V.
Structural and functional roles of Cys-238 and Cys-295 in *Escherichia coli* phosphofructokinase-2, 376:277
Baggott, J. E.
——; MacKenzie, R. E.
5,10-Methenyltetrahydrofolate cyclohydrolase, rat liver and chemically catalysed formation of 5-formyltetrahydrofolate, 374:773
Bagossi, P. *See* Tözsér, J.
Bahr, U. *See* Friedl, C. H.
Bailey, T. A. *See* Chapple, J. P.
Bailey, T. S. F. *See* Hussain, S.
Baillie, G. S. *See* Shepherd, M.
Bain, J. *See* Komander, D.; Sarno, S.
——; McLauchlan, H.; Elliott, M.; Cohen, P.
The specificities of protein kinase inhibitors: an update, 371:199
Baines, A. J. *See* Bignone, P. A.
Bains, S. *See* Foresti, R.
Baker, D. A. *See* Deng, W.
Bal, N.
——; Wu, C. C.; Catty, P.; Guillain, F.; Mintz, E.
Cd^{2+} and the N-terminal metal-binding domain protect the putative membranous CPC motif of the Cd^{2+}-ATPase of *Listeria monocytogenes*, 369:681
Balasingam, G. *See* Riefler, G. M.
Baldari, C. T. *See* Bini, L.
Baldwin, J. E. *See* Long, A. J.
Baldwin, M. L. *See* Sim, A. T. R.
Balestra, M. E. *See* Hersberger, M.
Balestrieri, M. *See* Filosa, S.
Balestrini, R. *See* Montanini, B.
Bali, M. *See* Wang, P.
Balinger, A. *See* Waugh, M. G.
Balmanno, K. *See* Chalmers, C. J.
Balogun, E.
——; Hoque, M.; Gong, P.; Killeen, E.; Green, C. J.; Foresti, R.; Alam, J.; Motterlini, R.
Curcumin activates the haem oxygenase-1 gene via regulation of Nrf2 and the antioxidant-responsive element, 371:887
Balsitis, S. *See* Tan, F.
Baltazar, F. *See* Soares-Silva, I.
Bamba, T. *See* Hirooka, K.
Bánhegyi, G.
——; Csala, M.; Nagy, G.; Sorrentino, V.; Fulceri, R.; Benedetti, A.
Evidence for the transport of glutathione through ryanodine receptor channel type 1, 376:807
Banno, Y.
——; Takuwa, Y.; Yamada, M.; Takuwa, N.; Ohguchi, K.; Hara, A.; Nozawa, Y.
Involvement of phospholipase D in insulin-like growth factor-I-induced activation of extracellular signal-regulated kinase, but not phosphoinositide 3-kinase or Akt, in Chinese hamster ovary cells, 369:363
Banting, G. *See* Pattni, K.
Barac, A. *See* Soubeyran, P.
Baraniak, J. *See* Guranowski, A.
Barbe, J. *See* Malléa, M.
Barber, A. L. *See* Gangopadhyay, S. S.
Barber, D. *See* Calabozo, B.

© 2004 Biochemical Society

Barber, M. C.
——: Vallance, A. J.; Kennedy, H. T.; Travers, M. T.
Induction of transcripts derived from promoter III of the acetyl-CoA carboxylase-α gene in mammary gland is associated with recruitment of SREBP-1 to a region of the proximal promoter defined by a DNase I hypersensitive site, 375:489; 376:823 (Correction)
Barber, T. *See* Zaragozá, R.
Barciszewska, M. Z. *See* Szymański, M.
Barciszewski, J. *See* Szymański, M.
Bardwell, A. J.
——: Abdollahi, M.; Bardwell, L.
Docking sites on mitogen-activated protein kinase (MAPK) kinases, MAPK phosphatases and the Elk-1 transcription factor compete for MAPK binding and are crucial for enzymic activity, 370:1077
Bardwell, L. *See* Bardwell, A. J.
Barki-Harrington, L.
——: Bookout, A. L.; Wang, Goafeng; Lamb, M. E.; Leeb-Lundberg, L. M. F.; Daaka, Y.
Requirement for direct cross-talk between B1 and B2 kinin receptors for the proliferation of androgen-insensitive prostate cancer PC3 cells, 371:581
Barnes, L. D. *See* Ingram, S. W.; Hua, L. V.
Barnett, J. *See* Roughley, P. J.
Baroja-Fernández, E. *See* Yagi, T.
Baron, T. *See* Thackray, A. M.
Barra, D. *See* Ponti, D.
Barra, H. S. *See* Purro, S. A.
Barratt, C. L. R. *See* Harper, C. V.
Barrero, M. J.
——: Camarero, N.; Marrero, P. F.; Haro, D.
Control of human carnitine palmitoyltransferase II gene transcription by peroxisome proliferator-activated receptor through a partially conserved peroxisome proliferator-responsive element, 369:721
Barritt, G. J. *See* Chen, J.; Gregory, R. B.
Barron, A. J.
——: Finn, S. G.; Fuller, S. J.
Chronic activation of extracellular-signal-regulated protein kinases by phenylephrine is required to elicit a hypertrophic response in cardiac myocytes, 371:71
Barry, S. T. *See* Ludbrook, S. B.
Bartelds, B. *See* Price, N. T.
Barthel, A. *See* Leder, S.
Bartolucci, S. *See* Pedone, E.
Barylko, B. *See* Shelton, S. N.
Bârzu, O. *See* Munier-Lehmann, H.
Basak, A. *See* Bergeron, E.
——: Lazure, C.
Synthetic peptides derived from the prosegments of proprotein convertase 1/3 and furin are potent inhibitors of both enzymes, 373:231
Basu, P.
——: Katterle, B.; Andersson, K. K.; Dalton, H.
The membrane-associated form of methane mono-oxygenase from *Methylococcus capsulatus* (Bath) is a copper/iron protein, 369:417
Batanova, E. A. *See* Vrzheshch, P. V.
Battah, S. *See* Thornalley, P. J.
Battistutta, R. *See* Sarno, S.
Bautista, J. M. *See* Filosa, S.
Bax, L. A. B. *See* Relou, I. A. M.
Bayer, E. A. *See* Marttila, A. T.
Bayer, K.-U. *See* Nori, A.
Bayley, P. M. *See* Whyte, S. M.
Bayliss, M. T. *See* Wells, T.
Baz, E. *See* El-Assaad, W.
Beacham, I. R. *See* McMillen, L.
Bear, C. E. *See* Ramjeesingh, M.
Bearne, S. L. *See* Iyengar, A.
Beaudet, R. *See* Boyer, A.
Beauverger, P. *See* Rodriguez, M.
Bechet, D. M. *See* Tassa, A.
Beck, A. *See* Dolashka-Angelova, P.
Beck, R. *See* Raux, E.
Becker, R. P. *See* Tan, F.
Becker, W. *See* Leder, S.
Beechem, J. M. *See* Whitesell, R. R.
Begon, D. *See* Vernimmen, D.
Begum, N. *See* Moon, B.
Behrendt, N.
——: List, K.; Andreasen, P. A.; Danø, K.
The pro-urokinase plasminogen-activation system in the presence of serpin-type inhibitors and the urokinase receptor: rescue of activity through reciprocal pro-enzyme activation, 371:277
Behrmann, I. *See* Heinrich, P. C.
Belaunzarán, M. L. *See* Wainszelbaum, M. J.
Beldman, G. *See* van Alebeek, G.-J. W. M.
Béliveau, R. *See* Desrosiers, R. R.
Bell, S. L.
——: Xu, G.; Khatri, I. A.; Wang, R.; Rahman, S.; Forstner, J. F.
N-linked oligosaccharides play a role in disulphide-dependent dimerization of intestinal mucin Muc2, 373:893
Bellmann, K. *See* Desbiens, K. M.
Belozerskaya, T. A. *See* Grivennikova, V. G.
Beltramini, M. *See* Dewilde, S.; Dolashka-Angelova, P.
Belunis, C. *See* Xu, K.
Bendall, L. J. *See* Zannettino, A. C. W.
Benedetti, A. *See* Bánhegyi, G.
Benedetti, D. *See* Yang, L.
Benen, J. A. E. *See* Sánchez-Torres, P.
Beneš, H. *See* Sawicki, R.
Bennett, J. *See* McKenzie, E.
Bens, M. *See* Ouar, Z.
Ben-Yehudah, A. *See* Aqeilan, R.
Bera-Maillet, C. *See* Devillard, E.
Berg, T. *See* Mousavi, S. A.
Berge, R. K. *See* Madsen, L.
Berger, R. *See* de Koning, T. J.; Klomp, A. E. M.
Bergeron, E.
——: Basak, A.; Decroly, E.; Seidah, N. G.
Processing of α4 integrin by the proprotein convertases: histidine at position P6 regulates cleavage, 373:475
Bergman, M. R.
——: Cheng, S.; Honbo, N.; Piacentini, L.; Karliner, J. S.; Lovett, D. H.
A functional activating protein 1 (AP-1) site regulates matrix metalloproteinase 2 (MMP-2) transcription by cardiac cells through interactions with JunB–Fra1 and JunB–FosB heterodimers, 369:485
Berman, H. A. *See* Kovarik, Z.
Bernardi, F. *See* Toso, R.
Bernardo, M. M.
——: Fridman, R.
TIMP-2 (tissue inhibitor of metalloproteinase-2) regulates MMP-2 (matrix metalloproteinase-2) activity in the extracellular environment after pro-MMP-2 activation by MT1 (membrane type 1)-MMP, 374:739
Berninghausen, O. *See* Bruhn, H.
Bernini, A. *See* Bracci, L.
Berrin, J.-G.
——: Czjzek, M.; Kroon, P. A.; McLauchlan, W. R.; Puigserver, A.; Williamson, G.; Juge, N.
Substrate (aglycone) specificity of human cytosolic β-glucosidase, 373:41
Berry, D.
——: Shriver, Z.; Natke, B.; Kwan, C.-P.; Venkataraman, G.; Sasisekharan, R.
Heparan sulphate glycosaminoglycans derived from endothelial cells and smooth muscle cells differentially modulate fibroblast growth factor-2 biological activity through fibroblast growth factor receptor-1, 373:241
Bertoldi, M.
——: Cellini, B.; Paiardini, A.; Di Salvo, M.; Borri Voltattorni, C.
Treponema denticola cystalysin exhibits significant alanine racemase activity accompanied by transamination: mechanistic implications, 371:473
Bertrand, B. M. A. *See* George, C. H.
Bertrand, Y. *See* Desrosiers, R. R.
Besra, G. S. *See* Gibson, K. J. C.
Bess, K. L.
——: Swingler, T. E.; Rivett, A. J.; Gaston, K.; Jayaraman, P.-S.
The transcriptional repressor protein PRH interacts with the proteasome, 374:667
Betti, M. *See* Montanini, B.
Betz, H. *See* Birkenfeld, J.
Beugnet, A.
——: Tee, A. R.; Taylor, P. M.; Proud, C. G.
Regulation of targets of mTOR (mammalian target of rapamycin) signalling by intracellular amino acid availability, 372:555; 373:999 (Correction)
Beviglia, L.
——: Golubovskaya, V.; Xu, L.; Yang, X.; Craven, R. J.; Cance, W. G.
Focal adhesion kinase N-terminus in breast carcinoma cells induces rounding, detachment and apoptosis, 373:201
Bex, F. *See* Dewaste, V.
Beyer, W. F. *See* Mathew, S.
Bhaman, M. *See* McKenzie, E.
Bhatnagar, R. K. *See* Rajagopal, R.
Bhattacharyya, R.
——: Wedegaertner, P. B.
Characterization of $G\alpha_{13}$-dependent plasma membrane recruitment of p115RhoGEF, 371:709
Bi, M.
——: Hickox, J. R.; Winfrey, V. P.; Olson, G. E.; Hardy, D. M.
Processing, localization and binding activity of zonadhesin suggest a function in sperm adhesion to the zona pellucida during exocytosis of the acrosome, 375:477
Bibby, A. C. *See* Kirwan, A. F.
Bieth, J. G. *See* Bousquet, J.-A.
Bignone, P. A.
——: Baines, A. J.
Spectrin αII and βII isoforms interact with high affinity at the tetramerization site, 374:613
Bilkis, I. *See* Regev-Shoshani, G.
Billard, M. *See* Charrin, S.
Billman-Jacobe, H. *See* Patterson, J. H.
Bini, L.
——: Pacini, S.; Liberatori, S.; Valensin, S.; Pellegrini, Michela; Raggiaschi, R.; Pallini, V.; Baldari, C. T.
Extensive temporally regulated reorganization of the lipid raft proteome following T-cell

© 2004 Biochemical Society

antigen receptor triggering, 369:301
Binns, D. D. *See* Shelton, S. N.
Biondi, R. M.
——; Nebreda, A. R.
Signalling specificity of Ser/Thr protein kinases through docking-site-mediated interactions, 372:1
Bird, J. L. E. *See* Wells, T.
Birdsey, G. *See* Broadway, N. M.
Birdsey, G. M. *See* Lumb, M. J.
Birk, D. E. *See* Carlson, E. C.
Birkenfeld, J.
——; Betz, H.; Roth, D.
Identification of cofilin and LIM-domain-containing protein kinase 1 as novel interaction partners of 14-3-3ζ, 369:45
Birse, C. E. *See* Yenugu, S.
Bisig, C. G. *See* Purro, S. A.
Biswas, S. *See* Roy, S. S.
Bitar, F. F. *See* El-Assaad, W.
Björk, L. *See* Shafqat, N.
Björklund, S. *See* Hogback, S.
Bjourson, A. J. *See* Chen, T.
Black, F. E. *See* Jones, R. A.
Black, J. K. *See* Tan, F.
Black, J. P. J. *See* Newton, T.
Blackburn, M. L. *See* Yang, L.
Blackhall, F. H.
——; Merry, C. L. R.; Lyon, M.; Jayson, G. C.; Folkman, J.; Javaherian, K.; Gallagher, J. T.
Binding of endostatin to endothelial heparan sulphate shows a differential requirement for specific sulphates, 375:131
Blaie, S. *See* Gallet, C.
Blanchard, J. S. *See* Vogt, R. N.
Blanco-Aparicio, C. *See* Muñoz, J. J.
Blanes-Mira, C.
——; Pastor, M. T.; Valera, E.; Fernández-Ballester, G.; Merino, J. M.; Gutierrez, L. M.; Perez-Payá, E.; Ferrer-Montiel, A.
Identification of SNARE complex modulators that inhibit exocytosis from an α-helix-constrained combinatorial library, 375:159
Blank, J. L. *See* Hagemann, C.
Blaudschun, R. *See* Brenneisen, P.
Blöchl, A. *See* Tan, F.
Bloks, V. W. *See* Kok, T.
Blot, N. *See* Pellinen, T.
Blumenkrantz, D. *See* Waugh, M. G.
Board, P. G.
——; Taylor, M. C.; Coggan, M.; Parker, M. W.; Lantum, H. B.; Anders, M. W.
Clarification of the role of key active site residues of glutathione transferase Zeta/maleylacetoacetate isomerase by a new spectrophotometric technique, 374:731
Bobek, L. A. *See* Situ, H.
Boccone, C. E. *See* Abe, T.
Böde, C.
——; Tölgyesi, F. G.; Smeller, L.; Heremans, K.; Avilov, S. V.; Fidy, J.
Chaperone-like activity of α-crystallin is enhanced by high-pressure treatment, 370:859
Bodennec, J. *See* Ardail, D.
Bodin, S. *See* Giuriato, S.
Bødker, J. S. *See* Einholm, A. P.
Böer, U. *See* Neuschäfer-Rube, F.
Boileau, G. *See* Campos, M.
Bois-Joyeux, B. *See* Nacer-Cherif, H.
Bolchi, A. *See* Nakashima, S.
Bolger, G. B. *See* Shepherd, M.
Bollen, M. *See* Gijsbers, R.
Bond, H. *See* Pierantoni, G. M.
Bonelli, M. A. *See* Brigotti, M.
Bonfante, P. *See* Montanini, B.
Bongards, C.
——; Chew, B. S.; Lehming, N.
The TATA-binding protein is not an essential target of the transcriptional activators Gal4p and Gcn4p in *Saccharomyces cerevisiae*, 370:141
Boniotto, M.
——; Antcheva, N.; Zelezetsky, I.; Tossi, A.; Palumbo, V.; Verga Falzacappa, M. V.; Sgubin, S.; Braida, L.; Amoroso, A.; Crovella, S.
A study of host defence peptide β-defensin 3 in primates, 374:707
Bookout, A. L. *See* Barki-Harrington, L.
Bootman, M. D. *See* Samways, D. S. K.
Bordoy, R. *See* Olsen, J.
Borensztajn, J. *See* Fu, T.
Borges-Walmsley, M. I.
——; McKeegan, K. S.; Walmsley, A. R.
Structure and function of efflux pumps that confer resistance to drugs, 376:313
Borghetti, A. F. *See* Brigotti, M.
Börner, T. *See* Sielaff, H.
Bornstein, B. *See* Sánchez-Alcázar, J. A.
Borri Voltattorni, C. *See* Bertoldi, M.
Borst, J. *See* van Blitterswijk, W. J.
Borst, P. *See* Zelcer, N.
Bosmans, F. *See* Alami, M.
Bosscher, M. W. *See* Steenbakkers, P. J. M.
Bot, I. *See* Zelcer, N.
Boucard, A. A.
——; Sauvé, S. S.; Guillemette, G.; Escher, E.; Leduc, R.
Photolabelling the rat urotensin II/GPR14 receptor identifies a ligand-binding site in the fourth transmembrane domain, 370:829
Boucheix, C. *See* Charrin, S.
Bouchier, C. *See* Sielaff, H.
Boudeau, J.
——; Deak, M.; Lawlor, M. A.; Morrice, N. A.; Alessi, D. R.
Heat-shock protein 90 and Cdc37 interact with LKB1 and regulate its stability, 370:849
Boudot, C. *See* Lambert, E.
Bougis, P. E. *See* Alami, M.
Boukouvala, S.
——; Price, N.; Plant, K. E.; Sim, E.
Structure and transcriptional regulation of the *Nat2* gene encoding for the drug-metabolizing enzyme arylamine N-acetyltransferase type 2 in mice, 375:593
Boulay, F. *See* Tardif, M.
Boulias, K. *See* Kardassis, D.
Boulware, M. J.
——; Subramanian, V. S.; Said, H. M.; Marchant, J. S.
Polarized expression of members of the solute carrier *SLC19A* gene family of water-soluble multivitamin transporters: implications for physiological function, 376:43
Bousquet, J.-A.
——; Duranton, J.; Mély, Y.; Bieth, J. G.
Conformational change in elastase following complexation with α_1-proteinase inhibitor: a CD investigation, 370:345
Boustead, J. N.
——; Stadelmaier, B. T.; Eeds, A. M.; Wiebe, P. O.; Svitek, C. A.; Oeser, J. K.; O'Brien, R. M.
Hepatocyte nuclear factor-4α mediates the stimulatory effect of peroxisome proliferator-activated receptor γ co-activator-1α (PGC-1α) on glucose-6-phosphatase catalytic subunit gene transcription in H4IIE cells, 369:17
Boutin, J. A. *See* Rodriguez, M.
Bovalini, L. *See* Trabalzini, L.
Bowen, B. R. *See* Babb, R.
Bowles, D. J. *See* Lim, E.-K.
Boyd, C. S. *See* Schroeter, H.
Boyd, M. *See* Peng, G.
Boyer, A.
——; Pagé-Bélanger, R.; Saucier, M.; Villemur, R.; Lépine, F.; Juteau, P.; Beaudet, R.
Purification, cloning and sequencing of an enzyme mediating the reductive dechlorination of 2,4,6-trichlorophenol from *Desulfitobacterium frappieri* PCP-1, 373:297
Bracci, L.
——; Pini, A.; Bernini, A.; Lelli, B.; Ricci, C.; Scarselli, M.; Niccolai, N.; Neri, P.
Biochemical filtering of a protein–protein docking simulation identifies the structure of a complex between a recombinant antibody fragment and α-bungarotoxin, 371:423
Bradstock, K. F. *See* Zannettino, A. C. W.
Brady, H. J. M. *See* Crescenzi, E.
Braida, L. *See* Boniotto, M.
Braig, M. *See* Lindemann, R. K.
Brailoiu, E.
——; Patel, S.; Dun, N. J.
Modulation of spontaneous transmitter release from the frog neuromuscular junction by interacting intracellular Ca^{2+} stores: critical role for nicotinic acid–adenine dinucleotide phosphate (NAADP), 373:313 (*see* Rutter, G. A. for online-only commentary)
Branch, D. R. *See* Wang, P.
Brand, M. D. *See* Meirhaeghe, A.
——; Turner, N.; Ocloo, A.; Else, P. L.; Hulbert, A. J.
Proton conductance and fatty acyl composition of liver mitochondria correlates with body mass in birds, 376:741
Brandt, W. *See* Motshwene, P.
Brannigan, J. A. *See* Morillas, M.
Braulke, T. *See* Heine, C.; Partanen, S.
Brautigan, D. L. *See* Murthy, K. S.
Brea, G. *See* Sánchez-Alcázar, J. A.
Brech, A. *See* Mousavi, S. A.
Brecker, L. *See* Straganz, G. D.
Bredin, J.
——; Simonet, V.; Iyer, R.; Delcour, A. H.; Pagès, J.-M.
Colicins, spermine and cephalosporins: a competitive interaction with the OmpF eyelet, 376:245
Brennan, S. O. *See* Chapman, A. L. P.
Brenneisen, P.
——; Blaudschun, R.; Gille, J.; Schneider, L.; Hinrichs, R.; Wlaschek, M.; Eming, S.; Scharffetter-Kochanek, K.
Essential role of an activator protein-2 (AP-2)/specificity protein 1 (Sp1) cluster in the UVB-mediated induction of the human vascular endothelial growth factor in HaCaT keratinocytes, 369:341
Briat, J.-F. *See* Léon, S.
Bridges, C. C. *See* Hu, H.
Brigotti, M.
——; Petronini, P. G.; Carnicelli, D.; Alfieri, R. R.; Bonelli, M. A.; Borghetti, A. F.; Wheeler, K. P.

© 2004 Biochemical Society

Effects of osmolarity, ions and compatible osmolytes on cell-free protein synthesis, 369:369
Brindley, A. A. *See* Erskine, P. T.
Brisson, J.-R. *See* Kneidinger, B.
Briz, O.
——: Serrano, M. A.; Macias, R. I. R.; Gonzalez-Gallego, J.; Marin, J. J. G.
Role of organic anion-transporting polypeptides, OATP-A, OATP-C and OATP-8, in the human placenta-maternal liver tandem excretory pathway for foetal bilirubin, 371:897
Broadway, N. M.
——; Pease, R. J.; Birdsey, G.; Shayeghi, M.; Turner, N. A.; Saggerson, E. D.
The liver isoform of carnitine palmitoyltransferase 1 is not targeted to the endoplasmic reticulum, 370:223
Brocklehurst, K. *See* Gul, S.; Hussain, S.
Broekelmann, T. J. *See* Ritty, T. M.
Bröer, A. *See* Galić, S.
Bröer, S. *See* Galić, S.
Brömme, D. *See* Alves, M. F. M.; Lecaille, F.
Brorsson, M. M. *See* Olsen, J.
Brossut, R. *See* Cornette, R.; Rivière, S.
Brot-Laroche, E. *See* Gouyon, F.
Brouant, P. *See* Malléa, M.
Brouchon, L. *See* Tardif, M.
Brouillet, A. *See* Antonio, V.
Brouwer, M.
——: Hoexum Brouwer, T.; Grater, W.; Brown-Peterson, N.
Replacement of a cytosolic copper/zinc superoxide dismutase by a novel cytosolic manganese superoxide dismutase in crustaceans that use copper (haemocyanin) for oxygen transport, 374:219
Brown, D. *See* Pappa, A.
Brown, D. R. *See* Thackray, A. M.
Brown, J.
——: Brown, T.; Fox, K. R.
Cleavage of fragments containing DNA mismatches by enzymic and chemical probes, 371:697
Brown, K. *See* Haltia, T.
Brown, S. A. N.
——; Richards, C. M.; Hanscom, H. N.; Feng, S.-L. Y.; Winkles, J. A.
The Fn14 cytoplasmic tail binds tumour-necrosis-factor-receptor-associated factors 1, 2, 3 and 5 and mediates nuclear factor-κB activation, 371:395
Brown, T. *See* Brown, J.
Brown-Istvan, L. *See* King, S. C.
Brownlow, S. L.
——; Sage, S. O.
Rapid agonist-evoked coupling of type II Ins(1,4,5)P_3 receptor with human transient receptor potential (hTRPC1) channels in human platelets, 375:697
Brown-Peterson, N. *See* Brouwer, M.
Brück, T. B.
——; Gerini, M. F.; Baciocchi, E.; Harvey, P. J.
Oxidation of thioanisole and *p*-methoxythioanisole by lignin peroxidase: kinetic evidence of a direct reaction between compound II and a radical cation, 374:761
Brugnini, A. *See* Lorenzo, C.
Bruhn, H.
——; Riekens, B.; Berninghausen, O.; Leippe, M.
Amoebapores and NK-lysin, members of a class of structurally distinct antimicrobial and cytolytic peptides from protozoa and mammals: a comparative functional analysis, 375:737
Brulhart-Meynet, M.-C. *See* Deakin, S.
Brumer, III, H. *See* Henriksson, H.
Brun, V. *See* Ceni, C.
Brunati, A. M. *See* Donella-Deana, A.
Brüne, B. *See* Zech, B.; Shatrov, V. A.
Brunk, U. T. *See* Li, W.
Bruzzone, S.
——; De Flora, A.; Usai, C.; Graeff, R.; Lee, H. C.
Cyclic ADP-ribose is a second messenger in the lipopolysaccharide-stimulated proliferation of human peripheral blood mononuclear cells, 375:395
Buccellato, F. R. *See* Gianazza, E.
Buckingham, J. C. *See* Croxtall, J. D.
Budde, M. *See* van der Luit, A. H.
Bujdoso, R. *See* Thackray, A. M.
Bulina, M. E. *See* Gurskaya, N. G.
——; Verkhusha, V. V.; Staroverov, D. B.; Chudakov, D. M.; Lukyanov, K. A.
Hetero-oligomeric tagging diminishes non-specific aggregation of target proteins fused with Anthozoa fluorescent proteins, 371:109
Bullard, B. *See* Qiu, F.
Bulmer, K. *See* Holness, M. J.
Burchell, J. *See* Bäckström, M.
Burda, K.
——; Kruk, J.; Schmid, G. H.; Strzalka, K.
Inhibition of oxygen evolution in Photosystem II by Cu(II) ions is associated with oxidation of cytochrome b_{559}, 371:597
Burke, J. *See* Nathaniel, C.
Burke, T. *See* Kirwan, A. F.
Burns, D. M. *See* McMillen, L.
Burton, T. *See* Kashour, T.
Butcher, G. W. *See* Qiu, F.
Butcher, N. J.
——; Arulpragasam, A.; Pope, C.; Minchin, R. F.
Identification of a minimal promoter sequence for the human *N*-acetyltransferase Type 1 gene that binds AP-1 (activator protein 1) and YY-1 (Yin and Yang 1), 376:441
Butler, D. *See* Erskine, P. T.
Butler, J. *See* Newton, T.
Butters, T. D. *See* Mellor, H. R.
Buxton, P.
——; Zhang, X.-M.; Walsh, B.; Sriratana, A.; Schenberg, I.; Manickam, E.; Rowe, T.
Identification and characterization of Snapin as a ubiquitously expressed SNARE-binding protein that interacts with SNAP23 in non-neuronal cells, 375:433
Bysani, S. *See* Chandrasekar, B.

Cacciamani, T. *See* Pedone, E.
Caccuri, A. M. *See* Ricci, G.
Cadenas, E. *See* Schroeter, H.
Cadenas, S. *See* Mateo, J.
Cadiñanos, J.
——; Schmidt, W. K.; Fueyo, A.; Varela, I.; López-Otín, C.; Freije, J. M. P.
Identification, functional expression and enzymic analysis of two distinct CaaX proteases from *Caenorhabditis elegans*, 370:1047
Cadotte, N. *See* Kneidinger, B.
Calabozo, B.
——; Díaz-Perales, A.; Salcedo, G.; Barber, D.; Polo, F.
Cloning and expression of biologically active *Plantago lanceolata* pollen allergen Pla l 1 in the yeast *Pichia pastoris*, 372:889
Caldovic, L.
——: Tuchman, M.
N-Acetylglutamate and its changing role through evolution, 372:279
Caliendo, I. *See* Pierantoni, G. M.
Callebaut, I. *See* Proux-Gillardeaux, V.
Calleja, V.
——; Ameer-Beg, S. M.; Vojnovic, B.; Woscholski, R.; Downward, J.; Larijani, B.
Monitoring conformational changes of proteins in cells by fluorescence lifetime imaging microscopy, 372:33; 373:999 (Correction); (*see* Insall, R. for online-only commentary)
——; Ameer-Beg, S. M.; Vojnovic, B.; Woscholski, R.; Downward, J.; Larijani, B.
Monitoring conformational changes of proteins in cells by fluorescence lifetime imaging microscopy, 373:999
Callewaert, L. *See* Haelens, A.
Calnan, D. P. *See* Waugh, M. G.
Caloca, M. J.
——; Wang, H.; Kazanietz, M. G.
Characterization of the Rac-GAP (Rac-GTPase-activating protein) activity of β2-chimaerin, a 'non-protein kinase C' phorbol ester receptor, 375:313
Calothy, G. *See* Proux-Gillardeaux, V.
Calvete, J. J.
——; Moreno-Murciano, M. P.; Theakston, R. D. G.; Kisiel, D. G.; Marcinkiewicz, C.
Snake venom disintegrins: novel dimeric disintegrins and structural diversification by disulphide bond engineering, 372:725
Camadro, J.-M. *See* Santos, R.
Camarero, N. *See* Barrero, M. J.
Cambillau, C. *See* Haltia, T.; Mosbah, A.; Rivière, S.
Cameron, G. A. *See* Marek, C. J.
Cameron, J. M. *See* Price, N. T.; Chen, Y.-J.
Camire, R. M. *See* Toso, R.
Campagnoli, M. *See* Galliano, M.
Campagnolo, L. *See* Hooper, J. D.
Campanacci, V. *See* Mosbah, A.; Rivière, S.
Campàs, C. *See* López, J. M.
Campbell, D. G. *See* Mody, N.
Campbell, I. D. *See* Clarkson, J.
Campbell, R. D. *See* de Vet, E. C. J. M.
Campbell, V. *See* Fogarty, M. P.
Campillo, N. *See* Gonzalez, B.
Campión, J. *See* Subramaniam, N.
Campopiano, D. J. *See* Zhu, H.
Campos, M.
——; Couture, C.; Hirata, I. Y.; Juliano, M. A.; Loisel, T. P.; Crine, P.; Juliano, L.; Boileau, G.; Carmona, A. K.
Human recombinant endopeptidase PHEX has a strict S_1' specificity for acidic residues and cleaves peptides derived from fibroblast growth factor-23 and matrix extracellular phosphoglycoprotein, 373:271
Campuzano, I. D. G. *See* Henriksson, H.
Cance, W. G. *See* Beviglia, L.
Cansado, J. *See* Franco, A.
Cao, H. *See* Sanguinetti, A. R.
Cao, P. *See* Zhang, W.
Cao, W.
——; Matherly, L. H.
Characterization of a cysteine-less human reduced folate carrier: localization

© 2004 Biochemical Society

of a substrate-binding domain by cysteine-scanning mutagenesis and cysteine accessibility methods, 374:27
Cao, X. *See* Zhang, T.
Caprini, A. *See* Kitzmüller, C.
Caraglia, M. *See* Esposito, C.
Caramelo, J. J.
——; Florin-Christensen, J.; Delfino, J. M.
Phospholipase activity on *N*-acyl phosphatidylethanolamines is critically dependent on the *N*-acyl chain length, 374:109
Carbone, M. A.
——; Robinson, B. H.
Expression and characterization of a human pyruvate carboxylase variant by retroviral gene transfer, 370:275
Cárdenas, M. L. *See* Monasterio, O.
Carletti, E. *See* De Luca, A.
Carlomagno, M. S. *See* Cerchia, L.; De Gregorio, E.
Carlson, E. C.
——; Mamiya, K.; Liu, C.-Y.; Gendron, R. L.; Birk, D. E.; Funderburgh, J. L.; Kao, W. W.-Y.
Role of Cys^{41} in the N-terminal domain of lumican in *ex vivo* collagen fibrillogenesis by cultured corneal stromal cells, 369:461
Carmona, A. K. *See* Alves, M. F. M.; Campos, M.
Carnicelli, D. *See* Brigotti, M.
Carniel, E. *See* Munier-Lehmann, H.
Caron, H. N. *See* de Ruijter, A. J. M.
Carratore, V. *See* Pellegrini, Mariagiuseppina
Carrell, R. W. *See* Morris, E. C.
Carvalho, D. P. *See* Arruda, A. P.
Casado, F. J. *See* Soler, C.
Casal, M. *See* Soares-Silva, I.
Casarotto, M. G. *See* Green, D.; Haarmann, C. S.
Casbarra, A. *See* Galliano, M.
Casero, Jr, R. A. *See* Murray-Stewart, T.
Casey, J. R. *See* Fujinaga, J.
Cassetti, A. *See* Nori, A.
Cássio, F. *See* Soares-Silva, I.
Castagnola, M. *See* Pellegrini, Mariagiuseppina
Castelli, L. A. *See* Macaulay, S. L.
Catty, P. *See* Bal, N.
Cauci, M. *See* Galliano, M.
Celada, A. *See* Soler, C.
Cellini, B. *See* Bertoldi, M.
Ceni, C.
——; Pochon, N.; Brun, V.; Muller-Steffner, H.; Andrieux, A.; Grunwald, D.; Schuber, F.; De Waard, M.; Lund, F.; Villaz, M.; Moutin, M.-J.
CD38-dependent ADP-ribosyl cyclase activity in developing and adult mouse brain, 370:175
Cenni, V.
——; Sirri, A.; De Pol, A.; Maraldi, N. M.; Marmiroli, S.
Interleukin-1-receptor-associated kinase 2 (IRAK2)-mediated interleukin-1-dependent nuclear factor κB transactivation in Saos2 cells requires the Akt/protein kinase B kinase, 376:303
Cerbón, J.
——; López-Sánchez, R. d. C.
Diacylglycerol generated during sphingomyelin synthesis is involved in protein kinase C activation and cell proliferation in Madin–Darby canine kidney cells, 373:917
Cerchia, L.
——; Libri, D.; Carlomagno, M. S.; de Franciscis, V.
The soluble ectodomain of Ret^{C634Y} inhibits both the wild-type and the constitutively active Ret, 372:897
Cerdan, R. *See* Larvor, M.-P.
Cerruti, L. *See* Ting, S. B.
Cesaratto, L. *See* Pines, A.
Cesaro, L. *See* Donella-Deana, A.
Ceulemans, H. *See* Gijsbers, R.
Cha, S.-S. *See* Nam, G. H.
Chabot, B. *See* Gagné, J.-P.
Chad, J. *See* Newton, T.
Chaib-Oukadour, I. *See* Gil, C.
Chalmers, C. J.
——; Balmanno, K.; Hadfield, K.; Ley, R.; Cook, S. J.
Thrombin inhibits Bim (Bcl-2-interacting mediator of cell death) expression and prevents serum-withdrawal-induced apoptosis via protease-activated receptor 1, 375:99
Chambert, R. *See* Colomer-Pallas, A.
Chandrasekar, B.
——; Mummidi, S.; Perla, R. P.; Bysani, S.; Dulin, N. O.; Liu, F.; Melby, P. C.
Fractalkine (CX3CL1) stimulated by nuclear factor κB (NF-κB)-dependent inflammatory signals induces aortic smooth muscle cell proliferation through an autocrine pathway, 373:547
Chang, G.-G. *See* Chen, Y.-I.
Chang, K. N.
——; Lee, T. C.; Tam, M. F.; Chen, Y. C.; Lee, L. W.; Lee, S. Y.; Lin, P. J.; Huang, R. N.
Identification of galectin I and thioredoxin peroxidase II as two arsenic-binding proteins in Chinese hamster ovary cells, 371:495
Chang, S.-H.
——; Garcia, J.; Melendez, J. A.; Kilberg, M. S.; Agarwal, A.
Haem oxygenase 1 gene induction by glucose deprivation is mediated by reactive oxygen species via the mitochondrial electron-transport chain, 371:877
Chang, Z.-F. *See* Ke, P.-Y.
Chansky, H. A. *See* Yang, L.
Chantler, P. D. *See* Colegrave, M.
Chantret, I.
——; Frénoy, J.-P.; Moore, S. E. H.
Free-oligosaccharide control in the yeast *Saccharomyces cerevisiae*: roles for peptide:N-glycanase (Png1p) and vacuolar mannosidase (Ams1p), 373:901
Chao, C. C.-K. *See* Kamarajan, P.
Chapman, A. L. P.
——; Winterbourn, C. C.; Brennan, S. O.; Jordan, T. W.; Kettle, A. J.
Characterization of non-covalent oligomers of proteins treated with hypochlorous acid, 375:33
Chapman, S. K. *See* Pessanha, M.
Chapple, J. P.
——; Grayson, C.; Hardcastle, A. J.; Bailey, T. A.; Matter, K.; Adamson, P.; Graham, C. H.; Willison, K. R.; Cheetham, M. E.
Organization on the plasma membrane of the retinitis pigmentosa protein RP2: investigation of association with detergent-resistant membranes and polarized sorting, 372:427
Chardin, P. *See* Naud, N.
Charlier, P. *See* Anderson, J. W.
Charlton, P. *See* Einholm, A. P.
Charrin, S.
——; Le Naour, F.; Labas, V.; Billard, M.; Le Caer, J.-P.; Emile, J.-F.; Petit, M.-A.; Boucheix, C.; Rubinstein, E.
EWI-2 is a new component of the tetraspanin web in hepatocytes and lymphoid cells, 373:409
Cheah, K. S. E. *See* Osaki, M.
Cheetham, M. E. *See* Chapple, J. P.
Chen, Cailin
——; Darrow, A. L.; Qi, J.-s.; D'Andrea, M. R.; Andrade-Gordon, P.
A novel serine protease predominately expressed in macrophages, 374:97
Chen, Chin *See* Zhong, C.
Chen, F.
——; Ogawa, K.; Nagarajan, R. P.; Zhang, M.; Kuang, C.; Chen, Yan
Regulation of TG-interacting factor by transforming growth factor-β, 371:257
Chen, G. *See* Wang, J.
Chen, H.
——; Lo, S. H.
Regulation of tensin-promoted cell migration by its focal adhesion binding and Src homology domain 2, 370:1039
Chen, J.
——; Barritt, G. J.
Evidence that TRPC1 (transient receptor potential canonical 1) forms a Ca^{2+}-permeable channel linked to the regulation of cell volume in liver cells obtained using small interfering RNA targeted against TRPC1, 373:327
Chen, S. *See* Zhang, W.
Chen, T.
——; Farragher, S.; Bjourson, A. J.; Orr, D. F.; Rao, P.; Shaw, C.
Granular gland transcriptomes in stimulated amphibian skin secretions, 371:125
Chen, Y. C. *See* Chang, K. N.
Chen, Y. E. *See* Fu, M.
Chen, Y.-H. *See* Chen, Y.-I.
Chen, Y.-I.
——; Chen, Y.-H.; Chou, W.-Y.; Chang, G.-G.
Characterization of the interactions between Asp^{141} and Phe^{236} in the Mn^{2+}–L-malate binding of pigeon liver malic enzyme, 374:633
Chen, Y.-J.
——; Spence, H. J.; Cameron, J. M.; Jess, T.; Ilsley, J. L.; Winder, S. J.
Direct interaction of β-dystroglycan with F-actin, 375:329
Chen, Yan *See* Chen, F.
Chen, Ying
——; Vujcic, S.; Liang, P.; Diegelman, P.; Kramer, D. L.; Porter, C. W.
Genomic identification and biochemical characterization of a second spermidine/spermine N^1-acetyltransferase, 373:661
Chenal-Francisque, V. *See* Munier-Lehmann, H.
Cheng, H. *See* Wafa, L. A.
Cheng, S. *See* Bergman, M. R.
Cheng, W.-H.
——; Zheng, X.; Quimby, F. R.; Roneker, C. A.; Lei, X. G.
Low levels of glutathione peroxidase 1 activity in selenium-deficient mouse liver affect c-Jun N-terminal kinase activation and p53 phosphorylation on Ser-15 in pro-oxidant-induced aponecrosis, 370:927
Cherri, S. *See* Fini, C.
Cheung, C. Y. *See* Jones, R. A.

© 2004 Biochemical Society

Chevalier, J. *See* Malléa, M.
Chew, B. S. *See* Bongards, C.
Chiang, T.-A. *See* Chuang, L.-Y.
Chiappetta, G. *See* Pierantoni, G. M.
Chinami, M. *See* Takeuchi, S.
Ching, Y.-P. *See* Zhou, Yuan
Chitnis, C. E. *See* Singh, S. K.
Chiu, S.-K.
——; Hsu, M.; Ku, W.-C.; Tu, C.-Y.; Tseng, Y.-T.; Lau, W.-K.; Yan, R.-Y.; Ma, J.-T.; Tzeng, C.-M.
Synergistic effects of epoxy- and amine-silanes on microarray DNA immobilization and hybridization, 374:625
Chiva, C. *See* Luque-Ortega, J. R.
Cho, H.
——; Harrison, K.; Schwartz, O.; Kehrl, J. H.
The aorta and heart differentially express RGS (regulators of G-protein signalling) proteins that selectively regulate sphingosine 1-phosphate, angiotensin II and endothelin-1 signalling, 371:973
Choi, E. *See* Chun, Y.-S.
Choi, K. Y. *See* Nam, G. H.
Chou, W.-Y. *See* Chen, Y.-I.
Choudhury, Q. *See* Croxtall, J. D.
Choy, B. K. *See* Osaki, M.
Christen, P. *See* Han, W.
Christensen, A. *See* Einholm, A. P.; Pedersen, K. E.
Christensen, N. D. *See* Wang, Guirong
Christensen, U. *See* Abel, M.
Christiaens, V. *See* Haelens, A.
Christiansen, J. *See* Nielsen, J.
Christova, P. *See* Munier-Lehmann, H.
Chu, W. *See* Xu, K.
Chuang, L.-Y.
——; Guh, J.-Y.; Liu, S.-F.; Hung, M.-Y.; ; Liao, T.-N.; Chiang, T.-A.; Huang, J.-S.; Huang, Y.-L.; Lin, C.-F.; Yang, Y.-L.
Regulation of type II transforming-growth-factor-β receptors by protein kinase Cι, 375:385
Chudakov, D. M. *See* Bulina, M. E.
Chudzinski-Tavassi, A. M. *See* Silva, M. B.
Chun, Y.-S.
——; Hyun, J.-Y.; Kwak, Y.-G.; Kim, I.-S.; Kim, C.-H.; Choi, E.; Kim, M.-S.; Park, J.-W.
Hypoxic activation of the atrial natriuretic peptide gene promoter through direct and indirect actions of hypoxia-inducible factor-1, 370:149
Chung, H. *See* Mäkinen, J.
Chung, I. K. *See* Kim, Jun H.
Ciaffoni, F.
——; Tatti, M.; Salvioli, R.; Vaccaro, A. M.
Interaction of saposin D with membranes: effect of anionic phospholipids and sphingolipids, 373:785
Circolo, A. *See* Garnier, G.
Ciudad, C. J. *See* Nicolás, M.
Civelek, V. N. *See* Cunningham, B. A.
Claessens, F. *See* Haelens, A.
Clarkson, J.
——; Campbell, I. D.; Yudkin, M. D.
Phosphorylation induces subtle structural changes in SpoIIAA, a key regulator of sporulation, 372:113
Clayberger, C. *See* Andersen, C. B.
Cleghon, T. *See* Lochhead, P. A.
Cleghon, V. *See* Lochhead, P. A.
Clifton, I. J. *See* Long, A. J.
Cluzeaud, F. *See* Ouar, Z.
Coates, L. *See* Erskine, P. T.
Cockcroft, S. *See* Sarri, E.
Coggan, M. *See* Board, P. G.
Cohen, D. M. *See* Zhao, H.
Cohen, P. *See* Bain, J.; Mody, N.
Cole, D. J. *See* Price, L. J.
Cole, J. *See* Turner, S.
Colegrave, M.
——; Patel, H.; Offer, G.; Chantler, P. D.
Evaluation of the symmetric model for myosin-linked regulation: effect of site-directed mutations in the regulatory light chain on scallop myosin, 374:89
Coli, M. *See* Fini, C.
Colomer-Pallas, A.
——; Pereira, Y.; Petit-Glatron, M.-F.; Chambert, R.
Calcium triggers the refolding of *Bacillus subtilis* chitosanase, 369:731
Condemine, G. *See* Pellinen, T.
Condorelli, G. *See* De Luca, A.
Cone, R. D. *See* Haqq, A. M.
Conesa, M.
——; Prat, A.; Mort, J. S.; Marvaldi, J.; Lissitzky, J.-C.; Seidah, N. G.
Down-regulation of $\alpha v/\beta 3$ integrin via misrouting to lysosomes by overexpression of a $\beta 3$Lamp1 fusion protein, 370:703
Connerton, I. F. *See* Crepin, V. F.
Connolly, E.
——; Donlon, J.
Effects of dietary glycerol on the expression of pterin carbinolamine dehydratase in the rat, 373:993
Consiglio, E. *See* Jeso, B. D.
Constant, P. *See* Gibson, K. J. C.
Content, J. *See* Harmegnies, D.
Conti, M. *See* Andersen, C. B.
Contin, M. A. *See* Purro, S. A.
Conway, S. J. *See* Samways, D. S. K.
Cook, A. M. *See* Ruff, J.
Cook, S. J. *See* Chalmers, C. J.
Cooper, A. J. L.
——; Krasnikov, B. F.; Okuno, E.; Jeitner, T. M.
L-Alanine–glyoxylate aminotransferase II of rat kidney and liver mitochondria possesses cysteine S-conjugate β-lyase activity: a contributing factor to the nephrotoxicity/hepatotoxicity of halogenated alkenes?, 376:169
Cooper, D. M. F.
Regulation and organization of adenylyl cyclases and cAMP, 375:517
Cooper, G. J. S. *See* Aitken, J. F.
Cooper, J. B. *See* Erskine, P. T.
Cooper, J. D. *See* Heine, C.
Copeland, T. D. *See* Tözsér, J.
Coppi, M. V. *See* Lloyd, J. R.
Coratza, G. *See* Trabalzini, L.
Corazza, A. *See* Di Paolo, M. L.
Corbin, J. D. *See* Kotera, J.
Cordero, E. M. *See* González, J.
Corkey, B. E. *See* Cunningham, B. A.
Corley Mastick, C. *See* Sanguinetti, A. R.
Cornejo, A. *See* González, J.
Cornette, R.
——; Farine, J.-P.; Abed-Viellard, D.; Quennedey, B.; Brossut, R.
Molecular characterization of a male-specific glycosyl hydrolase, Lma-p72, secreted on to the abdominal surface of the Madeira cockroach *Leucophaea maderae* (Blaberidae, Oxyhaloinae), 372:535
Correia, I. J. *See* Pessanha, M.
Cortright, R. N. *See* Meirhaeghe, A.
Corvol, M. T. *See* Stheneur, C.
Costabile, M. *See* Hii, C. S. T.
Costanzo, F. S. *See* Quaresima, B.
Costas, M. *See* Nájera, H.
Côté, G. P. *See* De La Roche, M. A.
Cotrin, S. S. *See* Alves, M. F. M.
Cottone, G. *See* De Luca, A.
Coughlin, P. B. *See* Morris, E. C.
Coulon, A.
——; Mosbah, A.; Lopez, A.; Sautereau, A.-M.; Schaller, G.; Urech, K.; Rougé, P.; Darbon, H.
Comparative membrane interaction study of viscotoxins A3, A2 and B from mistletoe (*Viscum album*) and connections with their structures, 374:71
Coulson, J. M.
——; Edgson, J. L.; Marshall-Jones, Z. V.; Mulgrew, R.; Quinn, J. P.; Woll, P. J.
Upstream stimulatory factor activates the vasopressin promoter via multiple motifs, including a non-canonical E-box, 369:549
Coutinho, P. M. *See* Marques, A. R.
Couture, C. *See* Campos, M.
Cox, M. *See* Wafa, L. A.
Cozzolino, A. *See* Esposito, C.
Craik, C. S. *See* Leiting, B.
Cramer, R. *See* Waugh, M. G.
Crameri, R.
——; Correlating IgE reactivity with three-dimensional structure (online-only commentary on Neudecker, P.), 376:e1
Craven, R. J. *See* Beviglia, L.
Crepin, V. F.
——; Faulds, C. B.; Connerton, I. F.
A non-modular type B feruloyl esterase from *Neurospora crassa* exhibits concentration-dependent substrate inhibition, 370:417
Crescenzi, E.
——; Palumbo, G.; Brady, H. J. M.
Bcl-2 activates a programme of premature senescence in human carcinoma cells, 375:263
Crine, P. *See* Campos, M.
Croci, C. *See* Enz, R.
Croft, K. D. *See* Morton, L. W.
Crooke, A. *See* Filosa, S.
Crosas, B.
——; Hyndman, D. J.; Gallego, O.; Martras, S.; Parés, X.; Flynn, T. G.; Farrés, J.
Human aldose reductase and human small intestine aldose reductase are efficient retinal reductases: consequences for retinoid metabolism, 373:973
Crovella, S. *See* Boniotto, M.
Crowley, V. *See* Meirhaeghe, A.
Croxtall, J. D.
——; Gilroy, D. W.; Solito, E.; Choudhury, Q.; Ward, B. J.; Buckingham, J. C.; Flower, R. J.
Attenuation of glucocorticoid functions in an Anx-A1$^{-/-}$ cell line, 371:927
——; Paul-Clark, M.; van Hal, P. Th. W.
Differential modulation of glucocorticoid action by FK506 in A549 cells, 376:285
Csala, M. *See* Bánhegyi, G.
Cuifo, S. *See* Lloyd, J. R.
Cummings, R. T. *See* Leiting, B.
Cunningham, B. A.
——; Richard, A.-M. T.; Dillon, J. S.; Daley, J. T.; Civelek, V. N.; Deeney, J. T.; Yaney, G. C.; Corkey, B. E.; Tornheim, K.
Glucagon-like peptide 1 and fatty acids amplify pulsatile insulin secretion from perifused rat islets, 369:173
Cunningham, J. M. *See* Ting, S. B.
Cunningham, S. *See* Kalivendi, S. V.

© 2004 Biochemical Society

Currie, G. *See* Morris, E. C.
Curtis, S. M. *See* Green, D.
Czajkowska, H. *See* Leder, S.
Czjzek, M. *See* Berrin, J.-G.

Daaka, Y. *See* Barki-Harrington, L.
Dabelsteen, S. *See* Olsen, J.
Dafforn, T. R. *See* Morris, E. C.
Daikhin, Y. *See* Nissim, Itzhak
D'Alessandro, A. M. *See* Esposito, C.
Dalet, V. *See* Gouyon, F.
Daley, J. T. *See* Cunningham, B. A.
Dalton, H. *See* Basu, P.
Damante, G. *See* Pines, A.
Danan, J.-L. *See* Nacer-Cherif, H.
Dancis, A. *See* Santos, R.
D'Andrea, M. R. *See* Chen, Cailin
D'Andrea, P. *See* Pines, A.
Danielsen, E. M. *See* Hansen, G. H.
Danø, K. *See* Behrendt, N.
Danpure, C. J. *See* Lumb, M. J.
Darbon, H. *See* Alami, M.; Coulon, A.; Mosbah, A.
Darrow, A. L. *See* Chen, Cailin
Das, T.
——; Sen, A.; Kempf, T.; Pramanik, S. R.; Mandal, Chhabinath; Mandal, Chitra
Induction of glycosylation in human C-reactive protein under different pathological conditions, 373:345
——; Sen, A. K.; Kempf, T.; Pramanik, S. R.; Mandal, C.; Mandal, C.
Induction of glycosylation in human C-reactive protein under different pathological conditions, 374:807 (Correction)
da Silva, A. M. *See* Andrioli, L. P. M.
da-Silva, W. S. *See* Arruda, A. P.
da Silva Xavier, G. *See* Rutter, G. A.; Tsuboi, T.
——; Leclerc, I.; Varadi, A.; Tsuboi, T.; Moule, S. K.; Rutter, G. A.
Role for AMP-activated protein kinase in glucose-stimulated insulin secretion and preproinsulin gene expression, 371:761
da Silveira, J. F. *See* González, J.
Daud, A. N. *See* de Silva, K. I.
Davidson, C. *See* Wells, T.
Davies, M. J. *See* Woods, A. A.
Davies, P. S.
——; Zhang, A.-S.; Anderson, E. L.; Roy, C. N.; Lampson, M. A.; McGraw, T. E.; Enns, C. A.
Evidence for the interaction of the hereditary haemochromatosis protein, HFE, with the transferrin receptor in endocytic compartments, 373:145
Dawnay, A. *See* Thornalley, P. J.
Dawson, A. P.
——; Lea, E. J. A.; Irvine, R. F.
Kinetic model of the inositol trisphosphate receptor that shows both steady-state and quantal patterns of Ca^{2+} release from intracellular stores, 370:621
Dayer, J.-M. *See* Dreyer, M. G.
Dbaibo, G. S. *See* El-Assaad, W.
Deak, M. *See* Lizcano, J. M.; Boudeau, J.; Kimber, W. A.; Milburn, C. C.
Deakin, S.
——; Leviev, I.; Brulhart-Meynet, M.-C.; James, R. W.
Paraoxonase-1 promoter haplotypes and serum paraoxonase: a predominant role for polymorphic position −107, implicating the Sp1 transcription factor, 372:643
Dean, W. L. *See* Schraw, T. D.
Decker, H. *See* Jaenicke, E.
De Cristofaro, R.
——; De Filippis, V.
Interaction of the 268–282 region of glycoprotein Ibα with the heparin-binding site of thrombin inhibits the enzyme activation of factor VIII, 373:593
Decroly, E. *See* Bergeron, E.
de Curtis, I. *See* Paris, S.
Deeney, J. T. *See* Cunningham, B. A.
De Falco, M. *See* de Luca, A.
De Filippis, V. *See* De Cristofaro, R.
De Flora, A. *See* Bruzzone, S.
de Franciscis, V. *See* Cerchia, L.
de Graaf, A. *See* Schlüpen, C.
de Graaf, K. *See* Leder, S.
De Gregorio, E.
——; Abrescia, C.; Carlomagno, M. S.; Di Nocera, P. P.
Ribonuclease III-mediated processing of specific *Neisseria meningitidis* mRNAs, 374:749
Deitmer, J. W. *See* Galić, S.
De Jong, A. P. *See* Schantl, J. A.
de Koning, T. J.
——; Snell, K.; Duran, M.; Berger, R.; Poll-The, B.-T.; Surtees, R.
L-Serine in disease and development, 371:653
De La Luna, S. *See* Genescà, L.
Delannoy, P. *See* Montiel, M.-D.
De La Roche, M. A.
——; Lee, S.-F.; Côté, G. P.
The *Dictyostelium* class I myosin, MyoD, contains a novel light chain that lacks high-affinity calcium-binding sites, 374:697
de la Torre, P. *See* Sánchez-Alcázar, J. A.
del Castillo-Olivares, A. *See* Pérez-Gómez, C.
Delcour, A. H. *See* Bredin, J.
De Ley, M. *See* Goossens, K.
Delfino, J. M. *See* Caramelo, J. J.
Del Nery, E. *See* Hemerly, J. P.
Del Senno, L. *See* Lambertini, E.
De Luca, A.
——; Severino, A.; De Paolis, P.; Cottone, G.; De Luca, L.; De Falco, M.; Porcellini, A.; Volpe, M.; Condorelli, G.
p300/cAMP-response-element-binding-protein ('CREB')-binding protein (CBP) modulates co-operation between myocyte enhancer factor 2A (MEF2A) and thyroid hormone receptor–retinoid X receptor, 369:477
——; Favaloro, B.; Carletti, E.; Sacchetta, P.; Di Ilio, C.
A novel amphibian Pi-class glutathione transferase isoenzyme from *Xenopus laevis*: importance of phenylalanine 111 in the H-site, 373:539
De Luca, L. *See* De Luca, A.
Delves, C. J. *See* Ludbrook, S. B.
de Meis, L. *See* Arruda, A. P.
Demeule, M. *See* Desrosiers, R. R.
De Moliner, E. *See* Sarno, S.
Demoulin, J.-B.
——; Seo, J. K.; Ekman, S.; Grapengiesser, E.; Hellman, U.; Rönnstrand, L.; Heldin, C.-H.
Ligand-induced recruitment of Na^+/H^+-exchanger regulatory factor to the PDGF (platelet-derived growth factor) receptor regulates actin cytoskeleton reorganization by PDGF, 376:505
Denecke, B.
——; Gräber, S.; Schäfer, C.; Heiss, A.; Wöltje, M.; Jahnen-Dechent, W.
Tissue distribution and activity testing suggest a similar but not identical function of fetuin-B and fetuin-A, 376:135
Deng, J. *See* de Silva, K. I.
Deng, W.
——; Parbhu-Patel, A.; Meyer, D. J.; Baker, D. A.
The role of two novel regulatory sites in the activation of the cGMP-dependent protein kinase from *Plasmodium falciparum*, 374:559
Denger, K. *See* Ruff, J.
Denman, S. E. *See* Henriksson, H.
Dennison, C.
——; Harrison, M. D.; Lawler, A. T.
Alkaline transition of phytocyanins: a comparison of stellacyanin and umecyanin, 371:377
Denton, R. M. *See* Johnson, S. A.
De Paolis, P. *See* De Luca, A.
De Pol, A. *See* Cenni, V.
Deppmann, C. D.
——; Thornton, T. M.; Utama, F. E.; Taparowsky, E. J.
Phosphorylation of BATF regulates DNA binding: a novel mechanism for AP-1 (activator protein-1) regulation, 374:423
Der, C. J. *See* Hii, C. S. T.
de Ruijter, A. J. M.
——; van Gennip, A. H.; Caron, H. N.; Kemp, S.; van Kuilenburg, A. B. P.
Histone deacetylases (HDACs): characterization of the classical HDAC family, 370:737
De Rycker, M.
——; Venkatesan, R. N.; Wei, C.; Price, C. M.
Vertebrate tankyrase domain structure and sterile α motif (SAM)-mediated multimerization, 372:87
Desbiens, K. M.
——; Deschesnes, R. G.; Labrie, M. M.; Desfossés, Y.; Lambert, H.; Landry, J.; Bellmann, K.
c-Myc potentiates the mitochondrial pathway of apoptosis by acting upstream of apoptosis signal-regulating kinase 1 (Ask1) in the p38 signalling cascade, 372:631
Deschesnes, R. G. *See* Desbiens, K. M.
Desfossés, Y. *See* Desbiens, K. M.
de Silva, K. I.
——; Daud, A. N.; Deng, J.; Jones, S. B.; Gamelli, R. L.; Shankar, R.
Prostaglandin E_2 mediates growth arrest in NFS-60 cells by down-regulating interleukin-6 receptor expression, 370:315
De Smedt, F. *See* Dewaste, V.
De Smedt, H. *See* Dewaste, V.
De Souza, D. *See* Fairlie, W. D.
Desrosiers, R. R.
——; Bertrand, Y.; Nguyen, Q.-T.; Demeule, M.; Gabathuler, R.; Kennard, M. L.; Gauthier, S.; Béliveau, R.
Expression of melanotransferrin isoforms in human serum: relevance to Alzheimer's disease, 374:463
De Tullio, R.
——; Stifanese, R.; Salamino, F.; Pontremoli, S.; Melloni, E.
Characterization of a new p94-like calpain form in human lymphocytes, 375:689
Devaux, C. *See* Alami, M.

© 2004 Biochemical Society

Devereux, W. *See* Murray-Stewart, T.
de Vet, E. C. J. M.
——: Aguado, B.; Campbell, R. D.
Adaptor signalling proteins Grb2 and Grb7 are recruited by human G6f, a novel member of the immunoglobulin superfamily encoded in the MHC, 375:207
Devillard, E.
——: Bera-Maillet, C.; Flint, H. J.; Scott, K. P.; Newbold, C. J.; Wallace, R. J.; Jouany, J.-P.; Forano, E.
Characterization of XYN10B, a modular xylanase from the ruminal protozoan *Polyplastron multivesiculatum*, with a family 22 carbohydrate-binding module that binds to cellulose, 373:495
Devinoy, E. *See* Millot, B.
De Vos, M. L. *See* Varner, A. S.
de Vos, W. M. *See* Kluskens, L. D.; Verhees, C. H.
Devreese, B. *See* Harmegnies, D.
De Waard, M. *See* Ceni, C.
Dewaste, V.
——: Moreau, C.; De Smedt, F.; Bex, F.; De Smedt, H.; Wuytack, F.; Missiaen, L.; Erneux, C.
The three isoenzymes of human inositol-1,4,5-trisphosphate 3-kinase show specific intracellular localization but comparable Ca^{2+} responses on transfection in COS-7 cells, 374:41
Dewilde, S.
——: Angelini, E.; Kiger, L.; Marden, M. C.; Beltramini, M.; Salvato, B.; Moens, L.
Structure and function of the globin and globin gene from the Antarctic mollusc *Yoldia eightsi*, 370:245
DeWolf Jr, W. E. *See* Marrakchi, H.
Dhani, S. *See* Ramjeesingh, M.
Dhanvantari, S. *See* Zhang, C.-F.
Díaz-Nido, J. *See* Pérez, M.
Díaz-Perales, A. *See* Calabozo, B.
Dib, K. *See* Melander, F.
Dibrov, A. *See* Kashour, T.
Dickinson, G. D.
——: Patel, S.
Modulation of NAADP (nicotinic acid–adenine dinucleotide phosphate) receptors by K^+ ions: evidence for multiple NAADP receptor conformations, 375:805
Diegelman, P. *See* Chen, Ying; Vujcic, S.
Dietrich, A.
——: Scheer, A.; Illenberger, D.; Kloog, Y.; Henis, Y. I.; Gierschik, P.
Studies on G-protein $\alpha \cdot \beta\gamma$ heterotrimer formation reveal a putative S-prenyl-binding site in the α subunit, 376:449 (*see* Magee, A. I. for online-only commentary)
Di Ilio, C. *See* Allocati, N.; De Luca, A.
Di Iorio, E. E. *See* Ricci, G.
Di Jeso, B. Ö.
——: Ulianich, L.; Pacifico, F.; Leonardi, A.; Vito, P.; Consiglio, E.; Formisano, S.; Arvan, P.
Folding of thyroglobulin in the calnexin/calreticulin pathway and its alteration by loss of Ca^{2+} from the endoplasmic reticulum, 370:449
Dikic, I. *See* Soubeyran, P.
Dillon, J. S. *See* Cunningham, B. A.
Dings, R. P. M.
——: Arroyo, M. M.; Lockwood, N. A.; van Eijk, L. I.; Haseman, J. R.; Griffioen, A. W.; Mayo, K. H.
β-Sheet is the bioactive conformation of the anti-angiogenic anginex peptide, 373:281
Di Nocera, P. P. *See* De Gregorio, E.
Di Paolo, M. L.
——: Stevanato, R.; Corazza, A.; Vianello, F.; Lunelli, L.; Scarpa, M.; Rigo, A.
Electrostatic compared with hydrophobic interactions between bovine serum amine oxidase and its substrates, 371:549
Di Piazza, M. *See* Marsich, E.; Vetere, A.
di Prisco, G. *See* Pellegrini, Mariagiuseppina
Dirr, H. W. *See* Nathaniel, C.
Di Salvo, M. *See* Bertoldi, M.
Dittmann, E. *See* Sielaff, H.
Dittmer, J. *See* Lindemann, R. K.
Djinovic-Carugo, K. *See* Haltia, T.
Do, A.-T. *See* Smeds, E.
Dobner, T. *See* Kzhyshkowska, J.
Dodds, P. *See* Lee, M.-H.
Dodson, G. G. *See* Whyte, S. M.
Doherty-Kirby, A. *See* Donella-Deana, A.
Doi, H. *See* Kanai, A.
Dolashka-Angelova, P.
——: Beck, A.; Dolashki, A.; Beltramini, M.; Stevanovic, S.; Salvato, B.; Voelter, W.
Characterization of the carbohydrate moieties of the functional unit RvH_1-a of *Rapana venosa* haemocyanin using HPLC/electrospray ionization MS and glycosidase digestion, 374:185; 374:807 (Correction)
Dolashki, A. *See* Dolashka-Angelova, P.
Donella-Deana, A.
——: Cesaro, L.; Sarno, S.; Ruzzene, M.; Brunati, A. M.; Marin, O.; Vilk, G.; Doherty-Kirby, A.; Lajoie, G.; Litchfield, D. W.; Pinna, L. A.
Tyrosine phosphorylation of protein kinase CK2 by Src-related tyrosine kinases correlates with increased catalytic activity, 372:841
Dong, Y. *See* Gormley, K.
Donlon, J. *See* Connolly, E.
Dorseuil, O. *See* Naud, N.
Dower, S. K. *See* Schooley, K.
Downer, E. J. *See* Fogarty, M. P.
Downes, C. P. *See* McConnachie, G.; Tang, X.
Downward, J. *See* Calleja, V.
——: Role of receptor tyrosine kinases in G-protein-coupled receptor regulation of Ras: transactivation or parallel pathways? (online-only commentary on Rubio, I.), 376:e9
Drake, P. G.
——: Peters, G. H.; Andersen, H. S.; Hendriks, W.; Møller, N. P. H.
A novel strategy for the development of selective active-site inhibitors of the protein tyrosine phosphatase-like proteins islet-cell antigen 512 (IA-2) and phogrin (IA-2β), 373:393
Dreyer, M. G.
——: Juge-Aubry, C. E.; Gabay, C.; Lang, U.; Rohner-Jeanrenaud, F.; Dayer, J.-M.; Meier, C. A.
Leptin activates the promoter of the interleukin-1 receptor antagonist through p42/44 mitogen-activated protein kinase and a composite nuclear factor κB/PU.1 binding site, 370:591
Dromaint, S. *See* Rodriguez, M.
Duarte, M.
——: Peters, M.; Schulte, U.; Videira, A.
The internal alternative NADH dehydrogenase of *Neurospora crassa* mitochondria, 371:1005
Ducker, C. E. *See* Varner, A. S.
Duckett, C. S. *See* Shin, H.
Duddy, N. *See* Moon, B.
Dudhia, J. *See* Wells, T.
Duffieux, F. *See* Ramaen, O.
Dulhunty, A. F. *See* Green, D.; Haarmann, C. S.
Dulin, N. O. *See* Chandrasekar, B.
Dumontier, M.-F. *See* Stheneur, C.
Dumoutier, L.
——: Lejeune, D.; Hor, S.; Fickenscher, H.; Renauld, J.-C.
Cloning of a new type II cytokine receptor activating signal transducer and activator of transcription (STAT)1, STAT2 and STAT3, 370:391
Dun, N. J. *See* Brailoiu, E.
Duncan, R. F. *See* Schroeter, H.
——: Peterson, H.; Hagedorn, C. H.; Sevanian, A.
Oxidative stress increases eukaryotic initiation factor 4E phosphorylation in vascular cells, 369:213
Dupree, P. *See* Hogg, D.
Duran, M. *See* de Koning, T. J.
Duranton, J. *See* Bousquet, J.-A.
Duus, J. Ø. *See* Wilson, T. J. G.
Dwek, R. A. *See* Mellor, H. R.
Dyer, J. L. *See* Moneer, Z.

East, J. M. *See* Newton, T.
Eastman, A. *See* MacLea, K. S.
Eaton, J. W. *See* Li, W.
Eberini, I. *See* Gianazza, E.
Eble, J. A.
——: Tuckwell, D. S.
The $\alpha 2\beta 1$ integrin inhibitor rhodocetin binds to the A-domain of the integrin $\alpha 2$ subunit proximal to the collagen-binding site, 376:77
Eder, A. *See* Moebius, F. F.
Edge, A. S. B.
——: Deglycosylation of glycoproteins with trifluoromethanesulphonic acid: elucidation of molecular structure and function, 376:339
Edgson, J. L. *See* Coulson, J. M.
Edmead, C. *See* Wheadon, H.
Edwards, D. R. *See* Worley, J. R.
Edwards, L. J. *See* Zhu, Xiaonan
Eeds, A. M. *See* Boustead, J. N.
Egger, T.
——: Schuligoi, R.; Wintersperger, A.; Amann, R.; Malle, E.; Sattler, W.
Vitamin E (α-tocopherol) attenuates cyclo-oxygenase 2 transcription and synthesis in immortalized murine BV-2 microglia, 370:459
Eggleston, I. M. *See* Hamilton, C. J.
Ehlers, M. R. W. *See* Gordon, K.
Ehrengruber, M. U. *See* Fu, M.
Eichinger, A. *See* Zhai, D.
Eide, D. *See* Santos, R.
Eigenbrodt, E. *See* Zwerschke, W.
Einholm, A. P. *See* Pedersen, K. E.
——: Pedersen, K. E.; Wind, T.; Kulig, P.; Overgaard, M. T.; Jensen, J. K.; Bødker, J. S.; Christensen, A.; Charlton, P.; Andreasen, P. A.
Biochemical mechanism of action of a diketopiperazine inactivator of plasminogen activator inhibitor-1, 373:723
Eisenhardt, A. *See* Rosskopf, D.
Eisfeld, J. *See* Heiner, I.
Ekman, S. *See* Demoulin, J.-B.

© 2004 Biochemical Society

El-Assaad, W.
——; Kozhaya, L.; Araysi, S.; Panjarian, S.; Bitar, F. F.; Baz, E.; El-Sabban, M. E.; Dbaibo, G. S.
Ceramide and glutathione define two independently regulated pathways of cell death initiated by p53 in Molt-4 leukaemia cells, 376:725
Elcombe, C. R. *See* Jowsey, I. R.
Ellar, D. J. *See* Promdonkoy, B.
Elleder, M. *See* Heine, C.
Elliott, M. *See* Bain, J.; Komander, D.; Sarno, S.
Ellis, P. D. *See* Martin, K. M.
Ellman, J. A. *See* Leiting, B.
Elmquist, J. K. *See* Haqq, A. M.
Elrick, L. J. *See* Marek, C. J.
El-Sabban, M. E. *See* El-Assaad, W.
Else, P. L. *See* Brand, M. D.
Emile, J.-F. *See* Charrin, S.
Eming, S. *See* Brenneisen, P.
Eneyskaya, E. V. *See* Povelainen, M.
Engemaier, E. *See* Neuschäfer-Rube, F.
Enghild, J. J. *See* Petersen, S. V.
English, A. M. *See* Aitken, S. M.
Engström, Å. *See* Larsson, M.
Enns, C. A. *See* Davies, P. S.
Enz, R.
——; Croci, C.
Different binding motifs in metabotropic glutamate receptor type 7b for filamin A, protein phosphatase 1C, protein interacting with protein kinase C (PICK) 1 and syntenin allow the formation of multimeric protein complexes, 372:183
Erdmann, V. A. *See* Szymański, M.
Ermonval, M. *See* Kitzmüller, C.
Erneux, C. *See* Dewaste, V.; Giuriato, S.
Ernst, J. F. *See* Haas, H.
Erskine, P. T.
——; Coates, L.; Butler, D.; Youell, J. H.; Brindley, A. A.; Wood, S. P.; Warren, M. J.; Shoolingin-Jordan, P. M.; Cooper, J. B.
X-ray structure of a putative reaction intermediate of 5-aminolaevulinic acid dehydratase, 373:733
Escalier, D. *See* Naud, N.
Escher, E. *See* Boucard, A. A.
Esposito, C.
——; Marra, M.; Giuberti, G.; D'alessandro, A. M.; Porta, R.; Cozzolino, A.; Caraglia, M.; Abbruzzese, A.
Ubiquitination of tissue transglutaminase is modulated by interferon α in human lung cancer cells, 370:205
Estey, T. *See* Pappa, A.
Estivill, X. *See* Genescà, L.
Eto, M. *See* Murthy, K. S.

Fabbro, D. *See* Sarno, S.
Fairlamb, A. H. *See* Hamilton, C. J.
Fairlie, W. D.
——; De Souza, D.; Nicola, N. A.; Baca M.
Negative regulation of gp130 signalling mediated through tyrosine-757 is not dependent on the recruitment of SHP2, 372:495
Fajardo, I.
——; Pejler, G.
Formation of active monomers from tetrameric human β-tryptase, 369:603
Faljoni-Alario, A. *See* Zucchi, M. R.
Farine, J. *See* Rivière, S.
Farine, J.-P. *See* Cornette, R.
Farmer, S. R. *See* Moldes, M.
Farragher, S. *See* Chen, T.
Farrés, J. *See* Crosas, B.
Faulds, C. B. *See* Crepin, V. F.
Faustin, B. *See* Rossignol, R.
Favaloro, B. *See* Allocati, N.; De Luca, A.
Fearnley, I. M. *See* Smith, V. R.
Fedele, M. *See* Pierantoni, G. M.
Federici, G. *See* Ricci, G.
Feinstein, M. B. *See* O'Rourke, F. A.
Felipe, A. *See* Soler, C.
Felix, R. *See* McKenzie, E.
Feng, J.
——; Yuan, F.; Gao, Y.; Liang, C.; Xu, J.; Zhang, C.; He, L.
A novel antimicrobial protein isolated from potato (*Solanum tuberosum*) shares homology with an acid phosphatase, 376:481
Feng, S.-L. Y. *See* Brown, S. A. N.
Fenger, K. *See* Olsen, J.
Fengsrud, M. *See* Moller, M. T. N.
Fensome-Green, A. *See* Sarri, E.
Ferguson, S. J. *See* Allen, J. W. A.
Fernandes, J. M. O.
——; Saint, N.; Kemp, G. D.; Smith, V. J.
Oncorhyncin III: a potent antimicrobial peptide derived from the non-histone chromosomal protein H6 of rainbow trout, *Oncorhynchus mykiss*, 373:621
Fernandez, M.-P. *See* Lecona, E.
Fernández-Ballester, G. *See* Blanes-Mira, C.
Fernández-Velasco, D. A. *See* Nájera, H.
Ferrante, A. *See* Hii, C. S. T.
Ferrara, L. *See* Fini, C.
Ferreira, A. E. N.
——; Ponces Freire, A. M. J.; Voit, E. O.
A quantitative model of the generation of N^{ε}-(carboxymethyl)lysine in the Maillard reaction between collagen and glucose, 376:109
Ferrer-Montiel, A. *See* Blanes-Mira, C.
Ferro, E. *See* Trabalzini, L.
Fiala-Beer, E. *See* Marden, N. Y.
Fialho, A. M. *See* Marques, A. R.
Fickenscher, H. *See* Dumoutier, L.
Fico, A. *See* Filosa, S.
Fidy, J. *See* Böde, C.
Field, M. C. *See* Pal, A.
Filling, C. *See* Shafqat, N.
Filosa, S.
——; Fico, A.; Paglialunga, F.; Balestrieri, M.; Crooke, A.; Verde, P.; Abrescia, P.; Bautista, J. M.; Martini, G.
Failure to increase glucose consumption through the pentose-phosphate pathway results in the death of glucose-6-phosphate dehydrogenase gene-deleted mouse embryonic stem cells subjected to oxidative stress, 370:935
Findlay, J. K. *See* Nie, G.-Y.
Fini, C.
——; Talamo, F.; Cherri, S.; Coli, M.; Floridi, A.; Ferrara, L.; Scaloni, A.
Biochemical and mass spectrometric characterization of soluble ecto-5′-nucleotidase from bull seminal plasma, 372:443
Finn, S. G. *See* Barron, A. J.
Firestein, B. L. *See* Riefler, G. M.
Fitzky, B. U. *See* Moebius, F. F.
Fjeldheim, Å.-K. *See* Matre, V.
Flanagan, J. U.
——; McLaughlin, L. A.; Paine, M. J. I.; Sutcliffe, M. J.; Roberts, G. C. K.; Wolf, C. R.
Role of conserved Asp^{293} of cytochrome P450 2C9 in substrate recognition and catalytic activity, 370:921
Flatman, R. *See* Payan, F.
Flatmark, T. *See* Stokka, A. J.; Terland, O.
Fleck, O. *See* Kunz, C.
Fleckner, J. *See* Madsen, L.
Fleig, A. *See* Turner, H.
Fleury, J. *See* Ouar, Z.
Flint, H. J. *See* Devillard, E.
Flohé, L. *See* Schomburg, L.
Florez-Alvarez, J. *See* Gul, S.
Floridi, A. *See* Fini, C.
Florin-Christensen, J. *See* Caramelo, J. J.; Wainszelbaum, M. J.
Florin-Christensen, M. *See* Wainszelbaum, M. J.
Floros, J. *See* Wang, Guirong
Flower, R. J. *See* Croxtall, J. D.
Flynn, T. G. *See* Crosas, B.
Fogaça, S. E. *See* Pimenta, D. C.
Fogarty, M. P.
——; Downer, E. J.; Campbell, V.
A role for c-Jun N-terminal kinase 1 (JNK1), but not JNK2, in the β-amyloid-mediated stabilization of protein p53 and induction of the apoptotic cascade in cultured cortical neurons, 371:789
Foidart, J.-M. *See* Maquoi, E.
Folkman, J. *See* Blackhall, F. H.
Folz, R. J. *See* Zelko, I. N.
Fontaine, M.-L. *See* Millot, B.
Fontes, M. R. M.
——; Teh, T.; Toth, G.; John, A.; Pavo, I.; Jans, D. A.; Kobe, B.
Role of flanking sequences and phosphorylation in the recognition of the simian-virus-40 large T-antigen nuclear localization sequences by importin-α, 375:339
Forano, E. *See* Devillard, E.
Förch, P.
——; Merendino, L.; Martínez, C.; Valcárcel, J.
U2 small nuclear ribonucleoprotein particle (snRNP) auxiliary factor of 65 kDa, $U2AF^{65}$, can promote U1 snRNP recruitment to 5′ splice sites, 372:235
Foresti, R. *See* Balogun, E.
——; Hoque, M.; Bains, S.; Green, C. J.; Motterlini, R.
Haem and nitric oxide: synergism in the modulation of the endothelial haem oxygenase-1 pathway, 372:381
Formisano, S. *See* Jeso, B. D.
Forney, L. J. *See* Morillas, M.
Forstner, J. F. *See* Bell, S. L.; Khatri, I. A.
Forsyth, S. L. *See* Morris, E. C.
Forte, M. *See* Polčic, P.
Fötisch, K. *See* Neudecker, P.
Foulon, J. *See* Munier-Lehmann, H.
Fox, E. J.
——; Wright, S. C.
The transcriptional repressor gene *Mad3* is a novel target for regulation by E2F1, 370:307
Fox, K. R. *See* Brown, J.
Fradkov, A. F. *See* Gurskaya, N. G.
Francis, S. H. *See* Kotera, J.
Franco, A.
——; Soto, T.; Vicente-Soler, J.; Paredes, V.; Madrid, M.; Gacto, M.; Cansado, J.
A role for calcium in the regulation of neutral trehalase activity in the fission yeast *Schizosaccharomyces pombe*, 376:209

© 2004 Biochemical Society

Frank, S. *See* Hrzenjak, A.; Strauss, J. G.
Frankenne, F. *See* Maquoi, E.
Fraser, A. V. *See* Wallace, H. M.
Freije, J. M. P. *See* Cadiñanos, J.
French, F. S. *See* Yenugu, S.
Frénoy, J.-P. *See* Chantret, I.; Kitzmüller, C.
Frère, J.-M. *See* Anderson, J. W.
Fridkin, M. *See* Katz, M.
Fridman, R. *See* Bernardo, M. M.
Friedl, C. H.
——; Lochnit, G.; Zähringer, U.; Bahr, U.; Geyer, R.
Structural elucidation of zwitterionic carbohydrates derived from glycosphingolipids of the porcine parasitic nematode *Ascaris suum*, 369:89
Friedman, J. M. *See* Haqq, A. M.
Friguet, B. *See* Vougier, S.
Fu, M.
——; Zhang, J.; Lin, Y.; Zhu, Xiaojun; Zhao, L.; Ahmad, M.; Ehrengruber, M. U.; Chen, Y. E.
Early stimulation and late inhibition of peroxisome proliferator-activated receptor γ (PPARγ) gene expression by transforming growth factor β in human aortic smooth muscle cells: role of early growth-response factor-1 (Egr-1), activator protein 1 (AP1) and Smads, 370:1019
Fu, T.
——; Kashireddy, P.; Borensztajn, J.
The peroxisome-proliferator-activated receptor α agonist ciprofibrate severely aggravates hypercholesterolaemia and accelerates the development of atherosclerosis in mice lacking apolipoprotein E, 373:941
Fuentes, J. J. *See* Genescà, L.
Fuertes, G.
——; Martín De Llano, J. J.; Villarroya, A.; Rivett, A. J.; Knecht, E.
Changes in the proteolytic activities of proteasomes and lysosomes in human fibroblasts produced by serum withdrawal, amino-acid deprivation and confluent conditions, 375:75
Fueyo, A. *See* Cadiñanos, J.
Fuglsang, C. C. *See* Nielsen, A. D.
Fujinaga, J.
——; Loiselle, F. B.; Casey, J. R.
Transport activity of chimaeric AE2–AE3 chloride/bicarbonate anion exchange proteins, 371:687
Fujioka, S. *See* Asami, T.
Fukada, T. *See* Tsuda, Y.
Fukusaki, E.-i. *See* Hirooka, K.
Fulceri, R. *See* Bánhegyi, G.
Fulchignoni-Lataud, M.-C. *See* Stheneur, C.
Fuller, S. J. *See* Barron, A. J.
Fumoto, K.
——; Uchimura, T.; Iwasaki, T.; Ueda, K.; Hosoya, H.
Phosphorylation of myosin II regulatory light chain is necessary for migration of HeLa cells but not for localization of myosin II at the leading edge, 370:551
Funderburg, J. L. *See* Carlson, E. C.
Furet, P. *See* Sarno, S.
Furstenberger, G. *See* Madsen, L.
Furukawa, M. *See* Lee, B. R.
Furuyama, T.
——; Kitayama, K.; Yamashita, H.; Mori, N.
Forkhead transcription factor FOXO1 (FKHR)-dependent induction of PDK4 gene expression in skeletal muscle during energy deprivation, 375:365
Fusco, A. *See* Pierantoni, G. M.
Fushiki, T. *See* Tsuzuki, S.
Futerman, A. H. *See* Lloyd-Evans, E.

Gabathuler, R. *See* Desrosiers, R. R.
Gabay, C. *See* Dreyer, M. G.
Gabrielsen, O. S. *See* Matre, V.
Gacon, G. *See* Naud, N.
Gacto, M. *See* Franco, A.
Gagné, J.-P.
——; Hunter, J. M.; Labrecque, B.; Chabot, B.; Poirier, G. G.
A proteomic approach to the identification of heterogeneous nuclear ribonucleoproteins as a new family of poly(ADP-ribose)-binding proteins, 371:331
Gal, S. *See* Payie, K. G.
Galić, S.
——; Schneider, H.-P.; Bröer, A.; Deitmer, J. W.; Bröer, S.
The loop between helix 4 and helix 5 in the monocarboxylate transporter MCT1 is important for substrate selection and protein stability, 376:413
Galizzi, J. P. *See* Rodriguez, M.
Gallacher, G. *See* Gul, S.
Gallagher, J. *See* McKenzie, E.
Gallagher, J. T. *See* Blackhall, F. H.
Gallant, C. *See* Gangopadhyay, S. S.
Gallego, O. *See* Crosas, B.
Gallet, C.
——; Blaie, S.; Lévy-Toledano, S.; Habib, A.
Epidermal-growth-factor receptor and metalloproteinases mediate thromboxane A_2-dependent extracellular-signal-regulated kinase activation, 371:733
Galli, T. *See* Proux-Gillardeaux, V.
Galliano, M.
——; Minchiotti, L.; Campagnoli, M.; Sala, A.; Visai, L.; Amoresano, A.; Pucci, P.; Casbarra, A.; Cauci, M.; Perduca, M.; Monaco, H. L.
Structural and biochemical characterization of a new type of lectin isolated from carp eggs, 376:433
Gamelli, R. L. *See* de Silva, K. I.
Ganapathy, V. *See* Hu, H.; Inoue, K.
Gangopadhyay, S. S.
——; Barber, A. L.; Gallant, C.; Grabarek, Z.; Smith, J. L.; Morgan, K. G.
Differential functional properties of calmodulin-dependent protein kinase IIγ variants isolated from smooth muscle, 372:347
Gao, Y. *See* Feng, J.
Gao, Z.
——; Young, R. A.; Trucco, M. T.; Greene, S. R.; Hewlett, E. L.; Matschinsky, F. M.; Wolf, B. A.
Protein kinase A translocation and insulin secretion in pancreatic β-cells: studies with adenylate cyclase toxin from *Bordetella pertussis* (Correction), 369:739
Garattini, E.
——; Mendel, R.; Romão, M. J.; Wright, R.; Terao, M.
Mammalian molybdo–flavoenzymes, an expanding family of proteins: structure, genetics, regulation, function and pathophysiology, 372:15
García, C. *See* Zaragozá, R.
García, J. *See* Chang, S.-H.
García-Lecea, M. *See* Mateo, J.
García-Manteiga, J. *See* Soler, C.
Garcia-Pardo, A. *See* Moyano, J. V.

Garesse, R. *See* Sánchez-Alcázar, J. A.
Garnier, G.
——; Circolo, A.; Xu, Y.; Volanakis, J. E.
Complement C1r and C1s genes are duplicated in the mouse: differential expression generates alternative isomorphs in the liver and in the male reproductive system, 371:631
Garrido, F. *See* Gonzalez, B.
Garthwaite, J. *See* Keynes, R. G.
Gasparri, F.
——; Muzio, M.
Monitoring of apoptosis of HL60 cells by Fourier-transform infrared spectroscopy, 369:239
Gasset, M. *See* Gonzalez, B.
Gaston, K. *See* Bess, K. L.
Gaudino, G. *See* Santoro, M. M.
Gauthier, S. *See* Desrosiers, R. R.
Gautvik, K. M. *See* Matre, V.
Gazaryan, I. G. *See* Vrzheshch, P. V.
Geeves, M. A. *See* Nyitrai, M.
Gendron, R. L. *See* Carlson, E. C.
Genescà, L.
——; Aubareda, A.; Fuentes, J. J.; Estivill, X.; De La Luna, S.; Pérez-Riba, M.
Phosphorylation of calcipressin 1 increases its ability to inhibit calcineurin and decreases calcipressin half-life, 374:567
George, C. H.
——; Sorathia, R.; Bertrand, B. M. A.; Lai, F. A.
In situ modulation of the human cardiac ryanodine receptor (hRyR2) by FKBP12.6, 370:579
Gerini, M. F. *See* Brück, T. B.
Gerner, E. W. *See* Qu, N.
Geyer, R. *See* Friedl, C. H.
Ghosh, S.
——; Goswami, S.; Adhya, S.
Role of superoxide dismutase in survival of *Leishmania* within the macrophage, 369:447
Giaccone, G. *See* Rodriguez, J. A.
Gianazza, E.
——; Veber, D.; Eberini, I.; Buccellato, F. R.; Mutti, E.; Sironi, L.; Scalabrino, G.
Cobalamin (vitamin B_{12})-deficiency-induced changes in the proteome of rat cerebrospinal fluid, 374:239
Giardina, B. *See* Pellegrini, Mariagiuseppina
Gibson, K. J. C.
——; Gilleron, M.; Constant, P.; Puzo, G.; Nigou, J.; Besra, G. S.
Identification of a novel mannose-capped lipoarabinomannan from *Amycolatopsis sulphurea*, 372:821
Gierschik, P. *See* Dietrich, A.
Gijsbers, R.
——; Ceulemans, H.; Bollen, M.
Functional characterization of the non-catalytic ectodomains of the nucleotide pyrophosphatase/phosphodiesterase NPP1, 371:321
Gil, C.
——; Chaib-Oukadour, I.; Aguilera, J.
C-terminal fragment of tetanus toxin heavy chain activates Akt and MEK/ERK signalling pathways in a Trk receptor-dependent manner in cultured cortical neurons, 373:613
Gil, F. *See* Rodrigo, L.
Gil, J. *See* López, J. M.
Gilbert, H. J. *See* Hogg, D.
Gill, A. C. *See* Whyte, S. M.
Gill, D. L. *See* Ma, H.-T.

© 2004 Biochemical Society

Gille, J. *See* Brenneisen, P.
Gilleron, M. *See* Gibson, K. J. C.
Gilroy, D. W. *See* Croxtall, J. D.
Giménez, C. *See* Salero, E.
Giordano, S. *See* Lambertini, E.
Git, A. *See* Thom, G.
Giuberti, G. *See* Esposito, C.
Giuliano, S.
——; Nesbitt, W. S.; Rooney, M.; Jackson, S. P.
Bidirectional integrin αIIbβ3 signalling regulating platelet adhesion under flow: contribution of protein kinase C, 372:163
Giuriato, S.
——; Pesesse, X.; Bodin, S.; Sasaki, T.; Viala, C.; Marion, E.; Penninger, J.; Schurmans, S.; Erneux, C.; Payrastre, B.
SH2-containing inositol 5-phosphatases 1 and 2 in blood platelets: their interactions and roles in the control of phosphatidylinositol 3,4,5-trisphosphate levels, 376:199
Glatz, J. F. C. *See* Hasselbaink, D. M.
Gleave, M. *See* Yeung, L. H. Y.
Glieder, A. *See* Straganz, G. D.
Glossmann, H. *See* Moebius, F. F.
Glucksman, M. J. *See* Kim, S. I.
Goda, H. *See* Asami, T.
Godzik, A. *See* Stehlik, C.; Zhai, D.
Gofflot, S. *See* Vernimmen, D.
Goldring, M. B. *See* Osaki, M.
Golubovskaya, V. *See* Beviglia, L.
Gomez, B. *See* Zhu, J.
Gómez-Fabre, P. M. *See* Pérez-Gómez, C.
Gong, H. *See* McKenzie, E.
Gong, P. *See* Balogun, E.
Gonias, S. L. *See* Mathew, S.
Gonzalez, A. *See* Redondo, P. C.
González, B.
——; Campillo, N.; Garrido, F.; Gasset, M.; Sanz-Aparicio, J.; Pajares, M. A.
Active-site-mutagenesis study of rat liver betaine–homocysteine S-methyltransferase, 370:945
González, J.
——; Cornejo, A.; Santos, M. R. M.; Cordero, E. M.; Gutiérrez, B.; Porcile, P.; Mortara, R. A.; Sagua, H.; da Silveira, J. F.; Araya, J. E.
A novel protein phosphatase 2A (PP2A) is involved in the transformation of human protozoan parasite *Trypanosoma cruzi* 374:647
Gonzalez-Gallego, J. *See* Briz, O.
González-Sapienza, G. *See* Lorenzo, C.
Goodarzi, G. *See* Hooper, J. D.
Goodman, J. M. *See* Shelton, S. N.
Goormaghtigh, E. *See* Harmegnies, D.
Goossens, K.
——; Haelewyn, J.; Meersman, F.; De Ley, M.; Heremans, K.
Pressure- and temperature-induced unfolding and aggregation of recombinant human interferon-γ: a Fourier transform infrared spectroscopy study, 370:529
Gordon, K.
——; Redelinghuys, P.; Schwager, S. L. U.; Ehlers, M. R. W.; Papageorgiou, A. C.; Natesh, R.; Acharya, K. R.; Sturrock, E. D.
Deglycosylation, processing and crystallization of human testis angiotensin-converting enzyme, 371:437
Gormley, K.
——; Dong, Y.; Sangella, G. A.
Regulation of the epithelial sodium channel by accessory proteins, 371:1
Gösling, S. *See* Vannahme, C.
Goss, P. E. *See* Wang, P.
Goswami, S. *See* Ghosh, S.
Gottfridsson, E. *See* Wollberg, P.
Goubet, F. *See* Hogg, D.
Gough, K. H. *See* Macaulay, S. L.
Gouyon, F.
——; Onesto, C.; Dalet, V.; Pages, G.; Leturque, A.; Brot-Laroche, E.
Fructose modulates GLUT5 mRNA stability in differentiated Caco-2 cells: role of cAMP-signalling pathway and PABP (polyadenylated-binding protein)-interacting protein (Paip) 2, 375:167
Grabarek, Z. *See* Gangopadhyay, S. S.
Gräber, S. *See* Denecke, B.
Grabowski, G. A. *See* Sun, Y.
Graeff, R. *See* Bruzzone, S.
Graf, D. *See* Lornejad-Schäfer, M. R.
Graf, E. *See* Rosskopf, D.
Graham, C. H. *See* Chapple, J. P.
Graham, R. *See* Bäckström, M.
Graham, S. V.
——; Nonsense-mediated decay breaks the circle (online-only commentary on Schell, T.), 373:e5
Granner, D. K. *See* Whitesell, R. R.
Grant, C. M. *See* Shenton, D.
Grapengiesser, E. *See* Demoulin, J.-B.
Grapputo, A. *See* Hytönen, V. P.
Grater, W. *See* Brouwer, M.
Grayson, C. *See* Chapple, J. P.
Greaves, R. B. *See* Hussain, S.
Green, C. J. *See* Balogun, E.; Foresti, R.
Green, D. *See* Haarmann, C. S.
——; Pace, S.; Curtis, S. M.; Sakowska, M.; Lamb, G. D.; Dulhunty, A. F.; Casarotto, M. G.
The three-dimensional structural surface of two β-sheet scorpion toxins mimics that of an α-helical dihydropyridine receptor segment, 370:517
Green, K. *See* Meirhaeghe, A.
Greene, S. R. *See* Gao, Z.
Gregory, R. B.
——; Barritt, G. J.
Evidence that Ca^{2+}-release-activated Ca^{2+} channels in rat hepatocytes are required for the maintenance of hormone-induced Ca^{2+} oscillations, 370:695
Greve, K.
——; La Cour, T.; Jensen, M. K.; Poulsen, F. M.; Skriver, K.
Interactions between plant RING-H2 and plant-specific NAC (*NAM*/*ATAF1*/*2*/*CUC2*) proteins: RING-H2 molecular specificity and cellular localization, 371:97
Grider, J. R. *See* Murthy, K. S.
Griffin, J. H. *See* Mosnier, L. O.
Griffin, M. *See* Nicholas, B.
Griffioen, A. W. *See* Dings, R. P. M.
Griffiths, C. *See* Keynes, R. G.
Griffiths, H. R. *See* Phillips, D. C.
Grimes, K. A. *See* Kotera, J.
Grivennikova, V. G.
——; Serebryanaya, D. V.; Isakova, E. P.; Belozerskaya, T. A.; Vinogradov, A. D.
The transition between active and de-activated forms of NADH:ubiquinone oxidoreductase (Complex I) in the mitochondrial membrane of *Neurospora crassa*, 369:619
Grooteclaes, M. *See* Vernimmen, D.
Grote, M. *See* Laffer, S.
Grötzinger, J. *See* Harmegnies, D.
Grundberg, H. *See* Smeds, E.
Grunwald, D. *See* Ceni, C.
Grusovin, J. *See* Macaulay, S. L.
Gu, S.
——; Langlais, P.; Liu, F.; Jiang, J. X.
Mouse system-N amino acid transporter, mNAT3, expressed in hepatocytes and regulated by insulin-activated and phosphoinositide 3-kinase-dependent signalling, 371:721
Guarnieri, M. C. *See* Silva, M. B.
Guedes, C. *See* Stheneur, C.
Guerrin, M.
——; Ishigami, A.; Méchin, M.-C.; Nachat, R.; Valmary, S.; Sebbag, M.; Simon, M.; Senshu, T.; Serre, G.
cDNA cloning, gene organization and expression analysis of human peptidylarginine deiminase type I, 370:167
Guh, J.-Y. *See* Chuang, L.-Y.
Guillain, F. *See* Bal, N.
Guillemette, G. *See* Boucard, A. A.
Guillén-Gómez, E. *See* Soler, C.
Guixé, V. *See* Baez, M.
Gul, S.
——; Sonkaria, S.; Pinitglang, S.; Florez-Alvarez, J.; Hussain, S.; Thomas, E. W.; Ostler, E. L.; Gallacher, G.; Resmini, M.; Brocklehurst, K.
Improvement in hydrolytic antibody activity by change in haptenic structure from phosphate to phosphonate with retention of a common leaving-group determinant: evidence for the 'flexibility' hypothesis, 376:813
Gum, Jr, J. R. *See* Lidell, M. E.
Gumila, C. *See* Larvor, M.-P.
Gunning, P. W. *See* Tay, E. S. E.
Guranowski, A.
——; Starzyńska, E.; McLennan, A. G.; Baraniak, J.; Stec, W. J.
Adenosine-5′-*O*-phosphorylated and adenosine-5′-*O*-phosphorothioylated polyols as strong inhibitors of (*symmetrical*) and (*asymmetrical*) dinucleoside tetraphosphatases, 373:635
Gurskaya, N. G.
——; Fradkov, A. F.; Pounkova, N. I.; Staroverov, D. B.; Bulina, M. E.; Yanushevich, Y. G.; Labas, Y. A.; Lukyanov, S.; Lukyanov, K. A.
A colourless green fluorescent protein homologue from the non-fluorescent hydromedusa *Aequorea coerulescens* and its fluorescent mutants, 373:403
Gustafsson, J.-Å. *See* Widén, C.
Gutiérrez, B. *See* González, J.
Gutierrez, L. M. *See* Blanes-Mira, C.
Guttentag, S. H. *See* Wang, Guirong
Guven, K. L. *See* Tay, E. S. E.
Guzmán-Aránguez, A. *See* Lecona, E.

Haan, S. *See* Heinrich, P. C.
Haarmann, C. S.
——; Green, D.; Casarotto, M. G.; Laver, D. R.; Dulhunty, A. F.
The random-coil 'C' fragment of the dihydropyridine receptor II–III loop can activate or inhibit native skeletal ryanodine receptors, 372:305
Haas, H.
——; Schoeser, M.; Lesuisse, E.; Ernst, J. F.; Parson, W.; Abt, B.; Winkelmann, G.; Oberegger, H.

© 2004 Biochemical Society

Characterization of the *Aspergillus nidulans* transporters for the siderophores enterobactin and triacetylfusarinine C, 371:505

Haase, T. *See* Neudecker, P.

Habib, A. *See* Gallet, C.

Habich, C. *See* Rosskopf, D.

Habuchi, H. *See* Smeds, E.

——; Miyake, G.; Nogami, K.; Kuroiwa, A.; Matsuda, Y.; Kusche-Gullberg, M.; Habuchi, O.; Tanaka, M.; Kimata, K.
Biosynthesis of heparan sulphate with diverse structures and functions: two alternatively spliced forms of human heparan sulphate 6-*O*-sulphotransferase-2 having different expression patterns and properties, 371:131

Habuchi, O. *See* Habuchi, H.

Hacker, A. *See* Murray-Stewart, T.

Hadfield, K. *See* Chalmers, C. J.

Hadley, L. J. *See* Taylor, K. M.

Haelens, A.

——; Verrijdt, G.; Callewaert, L.; Christiaens, V.; Schauwaers, K.; Peeters, B.; Rombauts, W.; Claessens, F.
DNA recognition by the androgen receptor: evidence for an alternative DNA-dependent dimerization, and an active role of sequences flanking the response element on transactivation, 369:141

Haelewyn, J. *See* Goossens, K.

Hagedorn, C. H. *See* Duncan, R. F.

Hagemann, C.

——; Patel, R.; Blank, J. L.
MEKK3 interacts with the PA28γ regulatory subunit of the proteasome, 373:71

Hahn, D. *See* Leuenberger, B.

Haidekker, A. *See* Moebius, F. F.

Halaszovich, C. R. *See* Heiner, I.

Halestrap, A. P. *See* Hildyard, J. C. W.

Hall, B. S. *See* Pal, A.

Hall, S. H. *See* Yenugu, S.

Hallenborg, P. *See* Madsen, L.

Halloran, B. A. *See* Aronson, Jr, N. N.

Haltia, T.

——; Brown, K.; Tegoni, M.; Cambillau, C.; Saraste, M.; Mattila, K.; Djinovic-Carugo, K.
Crystal structure of nitrous oxide reductase from *Paracoccus denitrificans* at 1.6 Å resolution, 369:77

Hamada, K. *See* Hirota, J.

Hamdi, S. *See* Laffer, S.

Hamil, K. G. *See* Yenugu, S.

Hamilton, C. J.

——; Saravanamuthu, A.; Eggleston, I. M.; Fairlamb, A. H.
Ellman's-reagent-mediated regeneration of trypanothione *in situ*: substrate-economical microplate and time-dependent inhibition assays for trypanothione reductase, 369:529

Hamilton, J. M. U.

——; Simpson, D. J.; Hyman, S. C.; Ndimba, B. K.; Slabas, A. R.
Ara12 subtilisin-like protease from *Arabidopsis thaliana*: purification, substrate specificity and tissue localization, 370:57

Hampson, I. N. *See* Morris, E. C.

Hampson, L. *See* Morris, E. C.

Hampton, A. *See* Nie, G.-Y.

Han, S.-Y. *See* Asami, T.

Han, W.

——; Christen, P.
Interdomain communication in the molecular chaperone DnaK, 369:627

Hannan, K. M.

——; Thomas, G.; Pearson, R. B.
Activation of S6K1 (p70 ribosomal protein S6 kinase 1) requires an initial calcium-dependent priming event involving formation of a high-molecular-mass signalling complex, 370:469

Hanscom, H. N. *See* Brown, S. A. N.

Hansen, G. H.

——; Pedersen, J.; Niels-Christiansen, L.-L.; Immerdal, L.; Danielsen, E. M.
Deep-apical tubules: dynamic lipid-raft microdomains in the brush-border region of enterocytes, 373:125

Hansen, M. K. *See* Leuenberger, B.

Hansson, G. C. *See* Bäckström, M.; Lidell, M. E.

Hao, J.-J. *See* Uruno, T.

Haqq, A. M.

——; René, P.; Kishi, T.; Khong, K.; Lee, C. E.; Liu, H.; Friedman, J. M.; Elmquist, J. K.; Cone, R. D.
Characterization of a novel binding partner of the melanocortin-4 receptor: attractin-like protein, 376:595 (*see* Yeo, G. for online-only commentary)

Hara, A. *See* Banno, Y.

Harayama, S. *See* Okuta, A.

Hardcastle, A. J. *See* Chapple, J. P.

Hardeman, E. C. *See* Tay, E. S. E.

Harding, J. J. *See* Yan, Hong

Harduin-Lepers, A. *See* Montiel, M.-D.

Hardy, D. M. *See* Bi, M.

Harhangi, H. R. *See* Steenbakkers, P. J. M.

Harmegnies, D.

——; Wang, X.-M.; Vandenbussche, P.; Leon, A.; Vusio, P.; Grötzinger, J.; Jacques, Y.; Goormaghtigh, E.; Devreese, B.; Content, J.
Characterization of a potent human interleukin-11 agonist, 375:23

Harmon, A. W. *See* Paul, D. S.

Harnnoi, T. *See* Wongsantichon, J.

Haro, D. *See* Barrero, M. J.

Harper, C. V.

——; Kirkman-Brown, J. C.; Barratt, C. L. R.; Publicover, S. J.
Encoding of progesterone stimulus intensity by intracellular $[Ca^{2+}]$ ($[Ca^{2+}]_i$) in human spermatozoa, 372:407

Harrison, K. *See* Cho, H.

Harrison, K. L. *See* Zannettino, A. C. W.

Harrison, M. D. *See* Dennison, C.

Harry, D. *See* Mani, A. R.

Hart, K. *See* Meirhaeghe, A.

Hartmann, U. *See* Vannahme, C.

Harvey, K. A. *See* Siddiqui, R. A.

Harvey, P. J. *See* Brück, T. B.

Harwood, J. L. *See* Price, L. J.

Hasegawa, G.

——; Suwa, M.; Ichikawa, Y.; Ohtsuka, T.; Kumagai, S.; Kikuchi, M.; Sato, Y.; Saito, Y.
A novel function of tissue-type transglutaminase: protein disulphide isomerase, 373:793

Haseman, J. R. *See* Dings, R. P. M.

Hashimoto, K. *See* Tsuda, Y.

Hashimoto, M. *See* Watanabe, Takeshi

Hasilik, A. *See* Partanen, S.

Hasleton, M. D.

——; Ibbitt, J. C.; Hurst, H. C.
Characterization of the human activator protein-2γ (AP-2γ) gene: control of ` expression by Sp1/Sp3 in breast tumour cells, 373:925

Hasselbaink, D. M.

——; Glatz, J. F. C.; Luiken, J. J. F. P.; Roemen, T. H. M.; Van der Vusse, G. J.
Ketone bodies disturb fatty acid handling in isolated cardiomyocytes derived from control and diabetic rats, 371:753

Hatakeyama, M.

——; Kimura, S.; Naka, T.; Kawasaki, T.; Yumoto, N.; Ichikawa, M.; Kim, J.-H.; Saito, K.; Saeki, M.; Shirouzu, M.; Yokoyama, S.; Konagaya, A.
A computational model on the modulation of mitogen-activated protein kinase (MAPK) and Akt pathways in heregulin-induced ErbB signalling, 373:451

Hatakeyama, T. *See* Okada, M.

Hatayama, T. *See* Ishihara, K.

Hatzivassiliou, E.

——; Koukos, G.; Ribeiro, A.; Zannis, V.; Kardassis, D.
Functional specificity of two hormone response elements present on the human apoA-II promoter that bind retinoid X receptor α/thyroid receptor β heterodimers for retinoids and thyroids: synergistic interactions between thyroid receptor β and upstream stimulatory factor 2a, 376:423

Hauser, C. A. *See* Lindemann, R. K.

Häussinger, D. *See* Lornejad-Schafer, M. R.

Havinga, R. *See* Kok, T.

Hawksworth, G. M. *See* Marek, C. J.

Hayakari, M. *See* Mayama, J.

Hayakawa, M. *See* Yanagisawa, K.

Haye, B. *See* Lambert, E.

Hayes, B. *See* Takayama, K.

Hayes, J. D. *See* Nioi, P.; Jowsey, I. R.

Hayn, M. *See* Strauss, J. G.

He, L. *See* Feng, J.

He, L.-P. *See* Ma, H.-T.

Heath, R. J. *See* Marrakchi, H.

Heine, C.

——; Tyynelä, J.; Cooper, J. D.; Palmer, D. N.; Elleder, M.; Kohlschütter, A.; Braulke, T.
Enhanced expression of manganese-dependent superoxide dismutase in human and sheep *CLN6* tissues, 376:369

Heiner, I.

——; Eisfeld, J.; Halaszovich, C. R.; Wehage, E.; Jüngling, E.; Zitt, C.; Lückhoff, A.
Expression profile of the transient receptor potential (TRP) family in neutrophil granulocytes: evidence for currents through long TRP channel 2 induced by ADP-ribose and NAD, 371:1045

Heinrich, P. C.

——; Behrmann, I.; Haan, S.; Hermanns, H. M.; Müller-Newen, G.; Schaper, F.
Principles of interleukin (IL)-6-type cytokine signalling and its regulation, 374:1

Heiss, A. *See* Denecke, B.

Hekmat, O.

——; Tokuyasu, K.; Withers, S. G.
Subsite structure of the endo-type chitin deacetylase from a Deuteromycete, *Colletotrichum lindemuthianum*: an investigation using steady-state kinetic analysis and MS, 374:369

Heldin, C.-H. *See* Demoulin, J.-B.

Helgeland, L. *See* Matre, V.

Heller, R. *See* Leitner, K. L.

Hellman, U. *See* Demoulin, J.-B.; Lorenzo, C.

Hemerly, J. P.

——; Oliveira, V.; Del Nery, E.; Morty, R. E.; Andrews, N. W.; Juliano, M. A.; Juliano, L.

© 2004 Biochemical Society

Subsite specificity (S3, S2, S1′, S2′ and S3′) of oligopeptidase B from *Trypanosoma cruzi* and *Trypanosoma brucei* using fluorescent quenched peptides: comparative study and identification of specific carboxypeptidase activity, 373:933

Hemingway, J. *See* Ortelli, F.

Henderson, E. *See* Martin, C. C.

Henderson, G. *See* Samways, D. S. K.

Henderson, L. M. *See* Mankelow, T. J.

Hendriks, W. *See* Drake, P. G.

Henis, Y. I. *See* Dietrich, A.

Henniker, A. *See* Zannettino, A. C. W.

Henriksson, H.

——; Denman, S. E.; Campuzano, I. D. G.; Ademark, P.; Master, E. R.; Teeri, T. T.; Brumer, III, H.

N-linked glycosylation of native and recombinant cauliflower xyloglucan endotransglycosylase 16A, 375:61

Hentze, M. W. *See* Schell, T.

Herberg, F. W. *See* Yaqub, S.

Herbert, D. *See* Price, L. J.

Hermanns, H. M. *See* Heinrich, P. C.

Heremans, K. *See* Böde, C.; Goossens, K.

Hernandez, A. F. *See* Rodrigo, L.

Hernandez, R.

——; Teruel, T.; Lorenzo, M.

Insulin and dexamethasone induce *GLUT4* gene expression in foetal brown adipocytes: synergistic effect through CCAAT/enhancer-binding protein α, 372:617

Hernández, C. *See* Mateo, J.

Hernández-Muñoz, I. *See* Sánchez-Alcázar, J. A.

Herp, A. *See* Wu, A. M.

Herrmann, A. *See* Woehlecke, H.

Hersberger, M.

——; Patarroyo-White, S.; Qian, X.; Arnold, K. S.; Rohrer, L.; Balestra, M. E.; Innerarity, T. L.

Regulatable liver expression of the rabbit apolipoprotein B mRNA-editing enzyme catalytic polypeptide 1 (APOBEC-1) in mice lacking endogenous APOBEC-1 leads to aberrant hyperediting, 369:255

Heufler, C. *See* Leitner, K. L.

Hewlett, E. L. *See* Gao, Z.

Hickox, J. R. *See* Bi, M.

Hickson, I. D. *See* Bachrati, C. Z.

Hidaka, K. *See* Hua, L. V.

Higgins, G. S. *See* Lim, E.-K.

High, K. A. *See* Toso, R.

Higuita, J.-C.

——; Alape-Girón, A.; Thelestam, M.; Katz, A.

A point mutation in the UDP-glucose pyrophosphorylase gene results in decreases of UDP-glucose and inactivation of glycogen synthase, 370:995

Hii, C. S. T.

——; Costabile, M.; Mayne, G. C.; Der, C. J.; Murray, A. W.; Ferrante, A.

Selective deficiency in protein kinase C isoenzyme expression and inadequacy in mitogen-activated protein kinase activation in cord blood T cells, 370:497

Hildyard, J. C. W.

——; Halestrap, A. P.

Identification of the mitochondrial pyruvate carrier in *Saccharomyces cerevisiae*, 374:607 (*see* Sugden, M. C. for online-only commentary)

Hillard, C. J. *See* Kalivendi, S. V.

Himeno, M. *See* Tsuda, Y.

Hindson, V. J.

Serine acetyltransferase of *Escherichia coli*: substrate specificity and feedback control by cysteine, 375:745

Hinrichs, R. *See* Brenneisen, P.

Hirano, K. *See* Lee, B. R.

Hirano, S. *See* Yamada, K.

Hirata, I. Y. *See* Campos, M.

Hirata, Y.

——; Atsumi, M.; Ohizumi, Y.; Nakahata, N.

Mastoparan binds to glycogen phosphorylase to regulate sarcoplasmic reticular Ca^{2+} release in skeletal muscle, 371:81

Hirayasu, H. *See* Tsuzuki, S.

Hircock, M. *See* McKenzie, E.

Hiroi, M.

——; Ohmori, Y.

Constitutive nuclear factor κB activity is required to elicit interferon-γ-induced expression of chemokine CXC ligand 9 (CXCL9) and CXCL10 in human tumour cell lines, 376:393

Hirooka, K.

——; Bamba, T.; Fukusaki, E.-i.; Kobayashi, A.

Cloning and kinetic characterization of *Arabidopsis thaliana* solanesyl diphosphate synthase, 370:679

Hirota, J.

——; Ando, H.; Hamada, K.; Mikoshiba, K.

Carbonic anhydrase-related protein is a novel binding protein for inositol 1,4,5-trisphosphate receptor type 1, 372:435

Hirst, M. *See* Wafa, L. A.

Hjälm, G. *See* Larsson, M.

Hjertson, E. *See* Smeds, E.

Ho, J. C. Y.

——; Watts, F. Z.

Characterization of SUMO-conjugating enzyme mutants in *Schizosaccharomyces pombe* identifies a dominant negative allele that severely reduces SUMO conjugation, 372:97

Ho, P. L. *See* Silva, M. B.

Hodges Myerson, A. L. *See* Lloyd, J. R.

Hoexum Brouwer, T. *See* Brouwer, M.

Hofer, S. *See* Leitner, K. L.

Hoffman, A. S. *See* Jones, R. A.

Hoffmann, S. *See* Neudecker, P.

Hoffmann-Sommergruber, K. *See* Laffer, S.

Högback, S.

——; Leppimaki, P.; Rudnäs, B.; Björklund, S.; Slotte, J. P.; Törnquist, K.

Ceramide 1-phosphate increases intracellular free calcium concentrations in thyroid FRTL-5 cells: evidence for an effect mediated by inositol 1,4,5-trisphosphate and intracellular sphingosine 1-phosphate, 370:111

Hogg, D.

——; Pell, G.; Dupree, P.; Goubet, F.; Martín-Orúe, S. M.; Armand, S.; Gilbert, H. J.

The modular architecture of *Cellvibrio japonicus* mannanases in glycoside hydrolase families 5 and 26 points to differences in their role in mannan degradation, 371:1027

Höglund, A.-S. *See* Larsson, M.

Holmes, A. B. *See* Samways, D. S. K.

Holmes, D. J. *See* Marrakchi, H.

Holmgren, A. *See* Kern, R.

Holness, M. J. *See* Langdown, M. L.; Sugden, M. C.

——; Bulmer, K.; Smith, N. D.; Sugden, M. C.

Investigation of potential mechanisms regulating protein expression of hepatic pyruvate dehydrogenase kinase isoforms 2 and 4 by fatty acids and thyroid hormone, 369:687

Holst, J. *See* Sim, A. T. R.

Holtmann, B. *See* Schomburg, L.

Holz, G. G. *See* Tsuboi, T.

Honbo, N. *See* Bergman, M. R.

Hong, B. H. *See* Nam, G. H.

Hong, K. S. *See* Yagi, T.

Honkakoski, P. *See* Mäkinen, J.

Hooper, J. D.

——; Campagnolo, L.; Goodarzi, G.; Truong, T. N.; Stuhlmann, H.; Quigley, J. P.

Mouse matriptase-2: identification, characterization and comparative mRNA expression analysis with mouse hepsin in adult and embryonic tissues,373:689

Hooper, N. M. *See* Walmsley, A. R.

Hoque, M. *See* Balogun, E.; Foresti, R.

Hor, S. *See* Dumoutier, L.

Horazdovsky, B. F. *See* Shelton, S. N.

Horgan, C. M. T. *See* Ludbrook, S. B.

Horii, M. *See* Watanabe, Y.

Hornebeck, W. *See* Lambert, E.

Horvath, A. J. *See* Morris, E. C.

Horyn, O. *See* Nissim, Itzhak

Hoshi, H. *See* Araki, Y.

Hosokawa, Y. *See* Satsu, H.

Hosoya, H. *See* Fumoto, K.

Houle, S.

——; Marceau, F.

Wortmannin alters the intracellular trafficking of the bradykinin B_2 receptor: role of phosphoinositide 3-kinase and Rab5, 375:151

Houslay, M. D. *See* Shepherd, M.

——; Adams, D. R.

PDE4 cAMP phosphodiesterases: modular enzymes that orchestrate signalling cross-talk, desensitization and compartmentalization, 370:1

Houweling, M. *See* van der Sanden, M. H. M.

Høvring, P. I. *See* Matre, V.

Hrzenjak, A.

——; Frank, S.; Wo, X.; Zhou, Yonggang; van Berkel, T.; Kostner, G. M.

Galactose-specific asialoglycoprotein receptor is involved in lipoprotein (a) catabolism, 376:765

Hsu, M. *See* Chiu, S.-K.

Hsu, S.-C. *See* Riefler, G. M.

Hsuan, J. J. *See* Waugh, M. G.

Hu, H.

——; Miyauchi, S.; Bridges, C. C.; Smith, S. B.; Ganapathy, V.

Identification of a novel Na^+- and Cl^--coupled transport system for endogenous opioid peptides in retinal pigment epithelium and induction of the transport system by HIV-1 Tat, 375:17

Hu, L. A. *See* King, S. C.

Hua, L. V.

——; Hidaka, K.; Pesesse, X.; Barnes, L. D.; Shears, S. B.

Paralogous murine *Nudt10* and *Nudt11* genes have differential expression patterns but encode identical proteins that are physiologically competent diphosphoinositol polyphosphate phosphohydrolases, 373:81

© 2004 Biochemical Society

Hua, W.
——; Liang, S.; Lu, Y.-T.
A tobacco (*Nicotiana tabaccum*) calmodulin-binding protein kinase, NtCBK2, is regulated differentially by calmodulin isoforms, 376:291
Huan, L. J. *See* Ramjeesingh, M.
Huang, J.-S. *See* Chuang, L.-Y.
Huang, J. *See* Peng, G.
Huang, K.-S. *See* Xu, K.
Huang, R. N. *See* Chang, K. N.
Huang, Y.-L. *See* Chuang, L.-Y.
Hughes, A. *See* Wallace, H. M.
——; Smith, N. I.; Wallace, H. M.
Polyamines reverse non-steroidal anti-inflammatory drug-induced toxicity in human colorectal cancer cells, 374:481
Huijkman, N. C. *See* Price, N. T.
Hulbert, A. J. *See* Brand, M. D.
Hundal, H. S. *See* Hyde, R.
Hung, M.-Y. *See* Chuang, L.-Y.
Hunter, C. N. *See* Shepherd, M.
Hunter, D. J. B. *See* Zhu, H.
Hunter, J. M. *See* Gagné, J.-P.
Hurst, H. C. *See* Hasleton, M. D.
Hussain, S. *See* Gul, S.
——; Pinitglang, S.; Bailey, T. S. F.; Reid, J. D.; Noble, M. A.; Resmini, M.; Thomas, E. W.; Greaves, R. B.; Verma, C. S.; Brocklehurst, K.
Variation in the pH-dependent pre-steady-state and steady-state kinetic characteristics of cysteine-proteinase mechanism: evidence for electrostatic modulation of catalytic-site function by the neighbouring carboxylate anion, 372:735
Hutchings, A. *See* Qiu, F.
Hütter, E. *See* Zwerschke, W.
Hutton, M. *See* Worley, J. R.
Hyde, R.
——; Taylor, P. M.; Hundal, H. S.
Amino acid transporters: roles in amino acid sensing and signalling in animal cells, 373:1
Hyman, S. C. *See* Hamilton, J. M. U.
Hyndman, D. J. *See* Crosas, B.
Hytönen, V. P. *See* Marttila, A. T.
——; Laitinen, O. H.; Grapputo, A.; Kettunen, A.; Savolainen, J.; Kalkkinen, N.; Marttila, A. T.; Nordlund, H. R.; Nyholm, T. K. M.; Paganelli, G.; Kulomaa, M. S.
Characterization of poultry egg-white avidins and their potential as a tool in pretargeting cancer treatment, 372:219
Hyun, H.-H. *See* Vieille, C.
Hyun, J.-Y. *See* Chun, Y.-S.

Ibbitt, J. C. *See* Hasleton, M. D.
Ichikawa, M. *See* Hatakeyama, M.
Ichikawa, Y. *See* Hasegawa, G.
Ichinose, S. *See* Inoue, A.
Ichishima, E. *See* Lee, B. R.
Ignatenko, N. A. *See* Qu, N.
Ikawa, S. *See* Tsuda, Y.
Ikebe, M. *See* Niiro, N.
Ikegami, Y. *See* Mitomo, H.
Ikeguchi, Y.
——; Mackintosh, C. A.; McCloskey, D. E.; Pegg, A. E.
Effect of spermine synthase on the sensitivity of cells to anti-tumour agents, 373:885
Ikeno, Y. *See* Nakashima, S.
Illenberger, D. *See* Dietrich, A.
Illman, S. A.
——; Keski-Oja, J.; Parks, W. C.; Lohi, J.
The mouse matrix metalloproteinase, epilysin (MMP-28), is alternatively spliced and processed by a furin-like proprotein convertase, 375:191
Ilsley, J. L. *See* Chen, Y.-J.
Imai, H.
——; Koumura, T.; Nakajima, R.; Nomura, K.; Nakagawa, Y.
Protection from inactivation of the adenine nucleotide translocator during hypoglycaemia-induced apoptosis by mitochondrial phospholipid hydroperoxide glutathione peroxidase, 371:799
Imai, T.
——; Watanabe, Takeshi; Yui, T.; Sugiyama, J.
The directionality of chitin biosynthesis: a revisit, 374:755
Imbert, J. *See* Rodriguez, M.
Immerdal, L. *See* Hansen, G. H.
Imoto, S. *See* Sumioka, A.
Ingram, S. W.
——; Safrany, S. T.; Barnes, L. D.
Disruption and overexpression of the *Schizosaccharomyces pombe aps1* gene, and effects on growth rate, morphology and intracellular diadenosine 5′,5‴-P^1,P^5-pentaphosphate and diphosphoinositol polyphosphate concentrations, 369:519
Innerarity, T. L. *See* Hersberger, M.
Inoki, I. *See* Yamaguchi, H.
Inoue, A.
——; Arao, Y.; Omori, A.; Ichinose, S.; Nishio, K.; Yamamoto, N.; Kinoshita, Y.; Mita, S.
Identification of S1 proteins B2, C1 and D1 as AUF1 isoforms and their major role as heterogeneous nuclear ribonucleoprotein proteins, 372:775
Inoue, K.
——; Zhuang, L.; Maddox, D. M.; Smith, S. B.; Ganapathy, V.
Human sodium-coupled citrate transporter, the orthologue of *Drosophila* Indy, as a novel target for lithium action, 374:21
Insall, R.
——; Protein conformation: through a lens, darkly (online-only commentary on Calleja, V.), 372:e1
Ionescu, M. *See* Munier-Lehmann, H.
Irvine, R. F. *See* Dawson, A. P.
Isaacs, J. S. *See* Jung, Y.
Isaacs, R. J. *See* Magan, N.
Isakova, E. P. *See* Grivennikova, V. G.
Ise, T. *See* Izumi, H.; Uramoto, H.
Ishigami, A. *See* Guerrin, M.
Ishiguro, M. *See* Kato-Toma, Y.
Ishihara, K.
——; Yamagishi, N.; Hatayama, T.
Protein kinase CK2 phosphorylates Hsp105α at Ser^{509} and modulates its function, 371:917
Ishikawa, K. *See* Malchinkhuu, E.
Ishikawa, T. *See* Mitomo, H.
Isola, E. L. D. *See* Wainszelbaum, M. J.
Issa, L. L. *See* Tay, E. S. E.
Itarte, E. *See* Llorens, F.
Ito, A. *See* Mitomo, H.
Ito, M. *See* Araki, Y.; Monjusho, H.
Itoh, H. *See* Okada, M.
Itoh, K. *See* Nioi, P.
Ivanen, D. R. *See* Povelainen, M.
Ivanova, S. *See* Li, W.
Iversen, K. *See* Abel, M.
Ivessa, N. E. *See* Kitzmüller, C.
Iwahana, H. *See* Yanagisawa, K.
Iwanaga, T. *See* Tsuzuki, S.
Iwasaki, T. *See* Fumoto, K.
Iwashita, T. *See* Kato-Toma, Y.
Iyengar, A.
——; Bearne, S. L.
Aspartate-107 and leucine-109 facilitate efficient coupling of glutamine hydrolysis to CTP synthesis by *Escherichia coli* CTP synthase, 369:497
Iyer, R. *See* Bredin, J.
Iynedjian, P. B. *See* Ribaux, P. G.
Izumi, H. *See* Uramoto, H.
——; Ohta, R.; Nagatani, G.; Ise, T.; Nakayama, Y.; Nomoto, M.; Kohno, K.
p300/CBP-associated factor (P/CAF) interacts with nuclear respiratory factor-1 to regulate the UDP-*N*-acetyl-α-D-galactosamine: polypeptide *N*-acetylgalactosaminyltransferase-3 gene, 373:713

Jackson, V. N. *See* Price, N. T.
Jackson, D. E. *See* Zannettino, A. C. W.
Jackson, S. P. *See* Giuliano, S.
Jacques, S. L.
——; Kuliopulos, A.
Protease-activated receptor-4 uses dual prolines and an anionic retention motif for thrombin recognition and cleavage, 376:733
Jacques, Y. *See* Harmegnies, D.
Jacquet, E. *See* Ramaen, O.
Jaenicke, E.
——; Decker, H.
Tyrosinases from crustaceans form hexamers, 371:515
——; Walsh, P. J.; Decker, H.
Isolation and characterization of haemoporin, an abundant haemolymph protein from *Aplysia californica*, 375:681
Jahn, D. *See* Raux, E.
Jahnen-Dechent, W. *See* Denecke, B.
Jala, V. R.
——; Appaji Rao, N.; Savithri, H. S.
Identification of amino acid residues, essential for maintaining the tetrameric structure of sheep liver cytosolic serine hydroxymethyltransferase, by targeted mutagenesis, 369:469
James, R. W. *See* Deakin, S.
Jane, S. M. *See* Ting, S. B.
Jans, D. A. *See* Fontes, M. R. M.
Jansen, P. L. M. *See* Kok, T.
Jansen-Dürr, P. *See* Zwerschke, W.
Janvier, B. *See* Antonio, V.
Javaherian, K. *See* Blackhall, F. H.
Javed, M. H. *See* Maglia, G.
Jayaraman, P.-S. *See* Bess, K. L.
Jayson, G. C. *See* Blackhall, F. H.
Jeevarajah, D. *See* Patterson, J. H.
Jeffries, T. R. *See* Pal, A.
Jeitner, T. M. *See* Cooper, A. J. L.
Jelinek, R. *See* Katz, M.
Jemioła-Rzemińska, M. *See* Kruk, J.
Jensen, J. K. *See* Einholm, A. P.
Jensen, M. K. *See* Greve, K.
Jenski, L. J. *See* Siddiqui, R. A.
Jess, T. *See* Chen, Y.-J.; Winder, S. J.
Jia, W. *See* Yeung, L. H. Y.
Jiang, J. X. *See* Gu, S.
Jiang, Y. *See* Abe, T.
Jin, D.-Y. *See* Zhou, Yuan
Jin, P. *See* Sun, Y.
Jin, T. *See* Wang, P.
Johansson, M. E. V. *See* Lidell, M. E.
John, A. *See* Fontes, M. R. M.

© 2004 Biochemical Society

Johnson, A. *See* Taylor, K. M.
Johnson, S. A.
——; Denton, R. M.
Insulin stimulation of pyruvate dehydrogenase in adipocytes involves two distinct signalling pathways, 369:351
Johnston, L. A. *See* Shepherd, M.
Jones, R. *See* Nicholas, B.
Jones, R. A.
——; Cheung, C. Y.; Black, F. E.; Zia, J. K.; Stayton, P. S.; Hoffman, A. S.; Wilson, M. R.
Poly(2-alkylacrylic acid) polymers deliver molecules to the cytosol by pH-sensitive disruption of endosomal vesicles, 372:65
Jones, S. B. *See* de Silva, K. I.
Joost, H.-G. *See* Leder, S.
Jordan, T. W. *See* Chapman, A. L. P.
Jørgensen, C. *See* Madsen, L.
Jørgensen, P. *See* Nordentoft, I.
Jörnvall, H. *See* Shafqat, N.
Joseph, J. S. *See* Rao, V. S.
Joseph, M. *See* Zhai, D.
Joseph, S. K. *See* Khan, M. T.
Jouany, J.-P. *See* Devillard, E.
Jouaville, L. S. *See* Tsuboi, T.
Jowsey, I. R.
——; Thomson, R. E.; Orton, T. C.; Elcombe, C. R.; Hayes, J. D.
Biochemical and genetic characterization of a murine class Kappa glutathione S-transferase, 373:559
Juffer, A. H. *See* Suokas, M.
Juge, N. *See* Berrin, J.-G.; Payan, F.
Juge-Aubry, C. E. *See* Dreyer, M. G.
Juhas, M. *See* Wikström, K.
Juijn, J. A. *See* Klomp, A. E. M.
Juliano, L. *See* Alves, M. F. M.; Hemerly, J. P.; Campos, M.; Pimenta, D. C.
Juliano, M. A. *See* Alves, M. F. M.; Hemerly, J. P.; Lecaille, F.; Pimenta, D. C.; Campos, M.
Jun, D. Y. *See* Baek, J. Y.
Jung, B. D. *See* Makondo, K.
Jung, Y.
——; Isaacs, J. S.; Lee, S.; Trepel, J.; Liu, Z.-G.; Neckers, L.
Hypoxia-inducible factor induction by tumour necrosis factor in normoxic cells requires receptor-interacting protein-dependent nuclear factor κB activation, 370:1011
Jüngling, E. *See* Heiner, I.
Junien, J.-L. *See* Qi, S. Y.
Junqueira-de-Azevedo, I. L. M. *See* Silva, M. B.
Jupp, O. J.
——; Vandenabeele, P.; MacEwan, D. J.
Distinct regulation of cytosolic phospholipase A_2 phosphorylation, translocation, proteolysis and activation by tumour necrosis factor-receptor subtypes, 374:453
Juteau, P. *See* Boyer, A.
Jyrkkärinne, J. *See* Mäkinen, J.

Kabouridis, P. S.
——; Selective interaction of LAT (linker of activated T cells) with the open-active form of Lck in lipid rafts reveals a new mechanism for the regulation of Lck in T cells, 371:907
Kacprzak, M. M.
——; Lewandowska, I.; Matthews, R. G.; Paszewski, A.
Transcriptional regulation of methionine synthase by homocysteine and choline in *Aspergillus nidulans*, 376:517
Kadri, Z. *See* Lambert, E.
Kajitani, T. *See* Kawata, H.; Yamada, K.
Kalivendi, S. V.
——; Kotamraju, S.; Cunningham, S.; Shang, T.; Hillard, C. J.; Kalyanaraman, B.
1-Methyl-4-phenylpyridinium (MPP^+)-induced apoptosis and mitochondrial oxidant generation: role of transferrin-receptor-dependent iron and hydrogen peroxide, 371:151
Kalkkinen, N. *See* Hytönen, V. P.; Povelainen, M.
Kalyanaraman, B. *See* Kalivendi, S. V.
Kamarajan, P.
——; Sun, N.-K.; Chao, C. C.-K.
Up-regulation of FLIP in cisplatin-selected HeLa cells causes cross-resistance to CD95/Fas death signalling, 376:253
Kamiie, K. *See* Miyazaki, M.
Kanai, A.
——; Oida, H.; Matsuura, N.; Doi, H.
Expression cloning and characterization of a novel gene that encodes the RNA-binding protein FAU-1 from *Pyrococcus furiosus*, 372:253
Kanasugi, Y. *See* Lee, B. R.
Kanugula, S.
——; Pegg, A. E.
Alkylation damage repair protein O^6-alkylguanine-DNA alkyltransferase from the hyperthermophiles *Aquifex aeolicus* and *Archaeoglobus fulgidus*, 375:449
Kao, W. W.-Y. *See* Carlson, E. C.
Kaplan, F. *See* Oyewumi, L.
Kaplan, J. *See* Li, L.
Karachalias, N. *See* Thornalley, P. J.
Karantzeni, I.
——; Ruiz, C.; Liu, C.-C.; LiCata, V. J.
Comparative thermal denaturation of *Thermus aquaticus* and *Escherichia coli* type I DNA polymerases, 374:785
Kardassis, D. *See* Hatzivassiliou, E.
——; Roussou, A.; Papakosta, P.; Boulias, K.; Talianidis, I.; Zannis, V. I.
Synergism between nuclear receptors bound to specific hormone response elements of the hepatic control region-1 and the proximal apolipoprotein C-II promoter mediate apolipoprotein C-II gene regulation by bile acids and retinoids, 372:291
Karliner, J. S. *See* Bergman, M. R.
Karlsson, H. *See* Bäckström, M.
Karsenty, G. *See* Stheneur, C.
Kasahara, M. *See* Kasahara, T.
Kasahara, T.
——; Kasahara, M.
Transmembrane segments 1, 5, 7 and 8 are required for high-affinity glucose transport by *Saccharomyces cerevisiae* Hxt2 transporter, 372:247
Kasamatsu, S. *See* Mitomo, H.
Kashireddy, P. *See* Fu, T.
Kashour, T.
——; Burton, T.; Dibrov, A.; Amara, F. M.
Late Simian virus 40 transcription factor is a target of the phosphoinositide 3-kinase/Akt pathway in anti-apoptotic Alzheimer's amyloid precursor protein signalling, 370:1063
Kataeva, I. A.
——; Uversky, V. N.; Ljungdahl, L. G.
Calcium and domain interactions contribute to the thermostability of domains of the multimodular cellobiohydrolase, CbhA, a subunit of the *Clostridium thermocellum* cellulosome, 372:151
Katan, M. *See* Rodriguez, R.
Kato, R. *See* Mitomo, H.
Kato, Y. *See* Pillai, A.
Kato-Toma, Y.
——; Iwashita, T.; Masuda, K.; Oyama, Y.; Ishiguro, M.
pK_a measurements from nuclear magnetic resonance of tyrosine-150 in class C β-lactamase, 371:175
Katterle, B. *See* Basu, P.
Katz, A. *See* Higuita, J.
Katz, M.
——; Tsubery, H.; Kolusheva, S.; Shames, A.; Fridkin, M.; Jelinek, R.
Lipid binding and membrane penetration of polymyxin B derivatives studied in a biomimetic vesicle system, 375:405
Kavanagh, K. L. *See* Klimacek, M.
——; Klimacek, M.; Nidetzky, B.; Wilson, D. K.
Structure of xylose reductase bound to NAD^+ and the basis for single and dual co-substrate specificity in family 2 aldo-keto reductases, 373:319
Kawabata, C. *See* Lee, B. R.
Kawamura, S. *See* Okada, M.
Kawasaki, T. *See* Hatakeyama, M.
Kawashima, H.
——; Takano, H.; Sugita, S.; Takahara, Y.; Sugimura, K.; Nakatani, T.
A novel steroid receptor co-activator protein (SRAP) as an alternative form of steroid receptor RNA-activator gene: expression in prostate cancer cells and enhancement of androgen receptor activity, 369:163
Kawata, H. *See* Yamada, K.
——; Yamada, K.; Shou, Z.; Mizutani, T.; Yazawa, T.; Yoshino, M.; Sekiguchi, T.; Kajitani, T.; Miyamoto, K.
Zinc-fingers and homeoboxes (ZHX) 2, a novel member of the ZHX family, functions as a transcriptional repressor, 373:747
Kazanietz, M. G. *See* Caloca, M. J.
Ke, N. *See* Zhai, D.
Ke, P.-Y.
——; Yang, C.-C.; Tsai, I.-C.; Chang, Z.-F.
Degradation of human thymidine kinase is dependent on serine-13 phosphorylation: involvement of the SCF-mediated pathway, 370:265
Kedar, R. *See* Aqeilan, R.
Kehrer, J. P. *See* Tong, Z.
Kehrl, J. H. *See* Cho, H.
Keller, W. *See* Laffer, S.
Kellermann, O. *See* Kitzmüller, C.
Kellokumpu, S. *See* Suokas, M.
Kelly, D. *See* Malykh, Y. N.
Kelly, S. M. *See* Milburn, C. C.
Keltjens, J. T. *See* Steenbakkers, P. J. M.
Kemp, G. D. *See* Fernandes, J. M. O.
Kemp, P. R. *See* Martin, K. M.
Kemp, S. *See* Ruijter, A. J. M. D.
Kempf, T. *See* Das, T.
Kengen, S. W. M. *See* Verhees, C. H.
Kennard, M. L. *See* Desrosiers, R. R.
Kennedy, H. T. *See* Barber, M. C.
Kennelly, P. J.
Archaeal protein kinases and protein phosphatases: insights from genomics and biochemistry, 370:373
Kenney, J. M. *See* Pedersen, K. E.

© 2004 Biochemical Society

Kerem, Z. *See* Regev-Shoshani, G.
Kern, R.
——; Malki, A.; Holmgren, A.; Richarme, G.
Chaperone properties of *Escherichia coli* thioredoxin and thioredoxin reductase, 371:965
Keski-Oja, J. *See* Illman, S. A.
Ketterman, A. J. *See* Wongsantichon, J.
Kettle, A. J. *See* Chapman, A. L. P.
Kettunen, A. *See* Hytönen, V. P.
Keynes, R. G.
——; Griffiths, C.; Garthwaite, J.
Superoxide-dependent consumption of nitric oxide in biological media may confound *in vitro* experiments, 369:399
Kezuka, Y. *See* Watanabe, Takeshi
Khan, M. T.
——; Joseph, S. K.
Proteolysis of type I inositol 1,4,5-trisphosphate receptor in WB rat liver cells, 375:603
Khatri, I. A. *See* Bell, S. L.
——; Wang, R.; Forstner, J. F.
SEA (sea-urchin sperm protein, enterokinase and agrin)-module cleavage, association of fragments and membrane targeting of rat intestinal mucin Muc3, 372:263
Kholod, N. *See* Yaqub, S.
Khong, K. *See* Haqq, A. M.
Kidd, J. F. *See* Ramjeesingh, M.
Kielbik, M. *See* Rosskopf, D.
Kieloch, A. *See* Lizcano, J. M.
Kiger, L. *See* Dewilde, S.
Kii, I. *See* Mitomo, H.
Kikuchi, H. *See* Yajima, M.
Kikuchi, M. *See* Hasegawa, G.
Kilberg, M. S. *See* Chang, S.-H.; Zhong, C.
Killeen, E. *See* Balogun, E.
Kim, C.-H. *See* Chun, Y.-S.
Kim, I.-S. *See* Chun, Y.-S.
Kim, J.-H. *See* Hatakeyama, M.
Kim, Joo H. *See* Kim, Jun H.
Kim, Jun H.
——; Kim, Joo H.; Lee, G. E.; Kim, S. W.; Chung, I. K.
Identification of a quinoxaline derivative that is a potent telomerase inhibitor leading to cellular senescence of human cancer cells, 373:523
Kim, M.-S. *See* Chun, Y.-S.
Kim, S. I.
——; Pabon, A.; Swanson, T. A.; Glucksman, M. J.
Regulation of cell-surface major histocompatibility complex class I expression by the endopeptidase EC 3.4.24.15 (thimet oligopeptidase), 375:111
Kim, S. W. *See* Kim, Jun H.
Kim, W. *See* Lee, Y. M.
Kim, Y. H. *See* Baek, J. Y.
Kim, Y. S. *See* Lidell, M. E.
Kimata, K. *See* Habuchi, H.; Smeds, E.
Kimber, W. A.
——; Deak, M.; Prescott, A. R.; Alessi, D. R.
Interaction of the protein tyrosine phosphatase PTPL1 with the PtdIns(3,4)P_2-binding adaptor protein TAPP1, 376:525
Kime, L.
——; Wright, S. C.
Mad4 is regulated by a transcriptional repressor complex that contains Miz-1 and c-Myc, 370:291
Kimura, K. *See* Makondo, K.
Kimura, S. *See* Hatakeyama, M.
Kinet, J.-P. *See* Turner, H.
King, S. C.
——; Brown-Istvan, L.
Use of the transport specificity ratio and cysteine-scanning mutagenesis to detect multiple substrate specificity determinants in the consensus amphipathic region of the *Escherichia coli* GABA (γ-aminobutyric acid) transporter encoded by *gabP*, 376:633
——; Hu, L. A.; Pugh, A.
Induction of substrate specificity shifts by placement of alanine insertions within the consensus amphipathic region of the *Escherichia coli* GABA (γ-aminobutyric acid) transporter encoded by *gabP*, 376:645
King, T. P. *See* Malykh, Y. N.
Kini, R. M. *See* Rao, V. S.
Kinoshita, Y. *See* Inoue, A.
Kinstrie, R. *See* Lochhead, P. A.
Kirino, Y. *See* Sumioka, A.
Kirkeby, L. T. *See* Olsen, J.
Kirkman-Brown, J. C. *See* Harper, C. V.
Kirwan, A. F.
——; Bibby, A. C.; Mvilongo, T.; Riedel, H.; Burke, T.; Millis, S. Z.; Parissenti, A. M.
Inhibition of protein kinase C catalytic activity by additional regions within the human protein kinase Cα-regulatory domain lying outside of the pseudosubstrate sequence, 373:571
Kishi, T. *See* Haqq, A. M.
Kisiel, D. G. *See* Calvete, J. J.
Kitahata, N. *See* Asami, T.
Kitamoto, K. *See* Nakashima, S.
Kitamura, N. *See* Makondo, K.
Kitamura, T. *See* Makondo, K.
Kitayama, J. *See* Yamaguchi, H.
Kitayama, K. *See* Furuyama, T.
Kitzmüller, C.
——; Caprini, A.; Moore, S. E. H.; Frénoy, J.-P.; Schwaiger, E.; Kellermann, O.; Ivessa, N. E.; Ermonval, M.
Processing of N-linked glycans during endoplasmic-reticulum-associated degradation of a short-lived variant of ribophorin I, 376:687
Kjeken, R. *See* Mousavi, S. A.
Kleinberg, M. E. *See* Peng, G.
Klimacek, M. *See* Kavanagh, K. L.
——; Kavanagh, K. L.; Wilson, D. K.; Nidetzky, B.
On the role of Brønsted catalysis in *Pseudomonas fluorescens* mannitol 2-dehydrogenase, 375:141
Klomp, A. E. M.
——; Juijn, J. A.; van der Gun, L. T. M.; van der Berg, I. E. T.; Berger, R.; Klomp, L. W. J.
The N-terminus of the human copper transporter 1 (hCTR1) is localized extracellularly, and interacts with itself, 370:881
Klomp, L. W. J. *See* Klomp, A. E. M.
Kloog, Y. *See* Dietrich, A.
Kluskens, L. D.
——; van Alebeek, G.-J. W. M.; Voragen, A. G. J.; de Vos, W. M.; van der Oost, J.
Molecular and biochemical characterization of the thermoactive family 1 pectate lyase from the hyperthermophilic bacterium *Thermotoga maritima*, 370:651
Knäuper, V. *See* Lee, M.-H.; Worley, J. R.
Knecht, E. *See* Fuertes, G.
Kneidinger, B.
——; Larocque, S.; Brisson, J.-R.; Cadotte, N.; Lam, J. S.
Biosynthesis of 2-acetamido-2,6-dideoxy-L-hexoses in bacteria follows a pattern distinct from those of the pathways of 6-deoxy-L-hexoses, 371:989
Knobel, S. M. *See* Whitesell, R. R.
Knox, A. J. *See* Sánchez-Alcázar, J. A.
Ko, Y. H. *See* Annereau, J. P.
Kobatake, E. *See* Mitomo, H.
Kobayashi, A. *See* Hirooka, K.
Kobayashi, R. *See* Okada, M.
Kobe, B. *See* Fontes, M. R. M.
Koch, G. *See* Nielsen, J.
Koch, S. *See* Neuschäfer-Rube, F.
Köcher, T. *See* Schell, T.
Koga, Y. *See* Niiro, N.
Köhl, R. *See* Zech, B.
Kohlschütter, A. *See* Heine, C.
Kohnen, S. *See* Rosskopf, D.
Kohno, K. *See* Izumi, H.; Uramoto, H.
Kohrle, J. *See* Schomburg, L.
Koiwai, O. *See* Mizushina, Y.
Kok, T.
——; Bloks, V. W.; Wolters, H.; Havinga, R.; Jansen, P. L. M.; Staels, B.; Kuipers, F.
Peroxisome proliferator-activated receptor α (PPARα)-mediated regulation of multidrug resistance 2 (Mdr2) expression and function in mice, 369:539
Kokado, Y. *See* Tsuzuki, S.
Kolusheva, S. *See* Katz, M.
Komander, D.
——; Kular, G. S.; Bain, J.; Elliott, M.; Alessi, D. R.; van Aalten, D. M. F.
Structural basis for UCN-01 (7-hydroxystaurosporine) specificity and PDK1 (3-phosphoinositide-dependent protein kinase-1) inhibition, 375:255
Komarnitsky, R. *See* Shilo, S.
Konagaya, A. *See* Hatakeyama, M.
Konarkowska, B. *See* Aitken, J. F.
Koncan, R. *See* Vetere, A.
Kornfield, J. A. *See* Tessier, F. J.
Korzeniewski, B.
——; Zoladz, J. A.
Training-induced adaptation of oxidative phosphorylation in skeletal muscles, 374:37
Regulation of oxidative phosphorylation in different muscles and various experimental conditions, 375:799
Koss, M. *See* Zhu, J.
Kostner, G. M. *See* Hrzenjak, A.
Kotamraju, S. *See* Kalivendi, S. V.
Kotera, J.
——; Grimes, K. A.; Corbin, J. D.; Francis, S. H.
cGMP-dependent protein kinase protects cGMP from hydrolysis by phosphodiesterase-5, 372:419
Koukos, G. *See* Hatzivassiliou, E.
Koumura, T. *See* Imai, H.
Kovacina, K. S. *See* Andersen, C. B.
Kovacs-Nolan, J.
——; Yoo, D.; Mine, Y.
Fine mapping of sequential neutralization epitopes on the subunit protein VP8 of human rotavirus, 376:269
Kovarik, Z.
——; Radić, Z.; Berman, H. A.; Simeon-Rudolf, V.; Reiner, E.; Taylor, P.
Acetylcholinesterase active centre and gorge conformations analysed by combinatorial mutations and enantiomeric phosphonates, 373:33
Kozhaya, L. *See* El-Assaad, W.
Kraft, D. *See* Laffer, S.

© 2004 Biochemical Society

Krajewska, M. *See* Stehlik, C.
Krajewski, S. *See* Stehlik, C.
Kramer, D. L. *See* Chen, Ying; Vujcic, S.
Krasnikov, B. F. *See* Cooper, A. J. L.
Krempler, F. *See* Oberkofler, H.
Krieg, P. *See* Madsen, L.
Krieser, R. J. *See* MacLea, K. S.
Krishnamurthy, H. *See* Vieille, C.
Kristiansen, K. *See* Madsen, L.
Kroon, P. A. *See* Berrin, J.-G.
Kruk, J. *See* Burda, K.
——; Jemioła-Rzemińska, M.; Strzałka, K.
Cytochrome *c* is reduced mainly by plastoquinol and not by superoxide in thylakoid membranes at low and medium light intensities: its specific interaction with thylakoid membrane lipids, 375:215
Krumm, A. A. *See* Yang, L.
Kruyt, F. A. E. *See* Rodriguez, J. A.
Krzewinski-Recchi, M.-A. *See* Montiel, M.-D.
Ku, W.-C. *See* Chiu, S.-K.
Kuang, C. *See* Chen, F.
Kudo, A. *See* Mitomo, H.
Kudo, I. *See* Murakami, M.
Kudo, T. *See* Mayama, J.
Kuenen, J. G. *See* Antipov, A. N.
Kuhnle, G. G. C. *See* Spencer, J. P. E.
Kuil, A. *See* Zelcer, N.
Kuipers, F. *See* Kok, T.
Kular, G. S. *See* Komander, D.
Kulig, P. *See* Einholm, A. P.
Kuliopulos, A. *See* Jacques, S. L.
Kulminskaya, A. A. *See* Povelainen, M.
Kulomaa, M. S. *See* Hytönen, V. P.; Marttila, A. T.
Kulozik, A. E. *See* Schell, T.
Kumagai, S. *See* Hasegawa, G.
Kumano, T. *See* Mayama, J.
Kunz, C.
——; Zurbriggen, K.; Fleck, O.
Mutagenesis of the HMGB (high-mobility group B) protein Cmb1 (cytosine-mismatch binding 1) of *Schizosaccharomyces pombe*: effects on recognition of DNA mismatches and damage, 372:651
Kupferwasser, D. *See* Phin, S.
Kuramochi, T. *See* Araki, Y.
Kurata, S. *See* Yajima, M.
Kuroda, K. *See* Mizushina, Y.
Kuroiwa, A. *See* Habuchi, H.
Kusche-Gullberg, M. *See* Habuchi, H.; Roman, E.; Smeds, E.
Kusmierczyk, A. R.
——; Martin, J.
Nucleotide-dependent protein folding in the type II chaperonin from the mesophilic archaeon *Methanococcus maripaludis*, 371:669
Kuśmierek, J. T. *See* Maciejewska, A. M.
Kuwabara, A. *See* Malchinkhuu, E.
Kuwana, M. *See* Nakashima, S.
Kwak, Y.-G. *See* Chun, Y.-S.
Kwan, A. P. L. *See* Luckman, S. P.
Kwan, C.-P. *See* Berry, D.
Kzhyshkowska, J.
——; Rusch, A.; Wolf, H.; Dobner, T.
Regulation of transcription by the heterogeneous nuclear ribonucleoprotein E1B-AP5 is mediated by complex formation with the novel bromodomain-containing protein BRD7, 371:385

Labas, V. *See* Charrin, S.
Labas, Y. A. *See* Gurskaya, N. G.
Labeit, S. *See* Qiu, F.
Labrecque, B. *See* Gagné, J.-P.
Labrie, M. M. *See* Desbiens, K. M.
Lacave, R. *See* Ouar, Z.
La Cour, T. *See* Greve, K.
Ladror, U. *See* Zhai, D.
Ladurner, A. G. *See* Morillas, M.
Laffer, S.
——; Hamdi, S.; Lupinek, C.; Sperr, W. R.; Valent, P.; Verdino, P.; Keller, W.; Grote, M.; Hoffmann-Sommergruber, K.; Scheiner, O.; Kraft, D.; Rideau, M.; Valenta, R.
Molecular characterization of recombinant T1, a non-allergenic periwinkle (*Catharanthus roseus*) protein, with sequence similarity to the Bet v 1 plant allergen family, 373:261
Lagace, T. A. *See* Ridgway, N. D.
Lage, H. *See* Woehlecke, H.
Lai, F. A. *See* George, C. H.; Stewart, R.
Lai, M.-C.
——; Lin, R.-I.; Tarn, W.-Y.
Differential effects of hyperphosphorylation on splicing factor SRp55, 371:937
Laitinen, O. H. *See* Hytönen, V. P.; Marttila, A. T.
Lajas, A. I. *See* Redondo, P. C.
Lajoie, G. *See* Donella-Deana, A.
Lakey, A. *See* Qiu, F.
Lallemand, J.-Y. *See* Ramaen, O.
Lalmanach, G. *See* Lecaille, F.
Lam, J. *See* Phin, S.
Lam, J. S. *See* Kneidinger, B.
Lamamy, V. *See* Rodriguez, M.
Lamb, G. D. *See* Green, D.
Lamb, M. E. *See* Barki-Harrington, L.
Lambert, E.
——; Boudot, C.; Kadri, Z.; Soula-Rothhut, M.; Sowa, M.-L.; Mayeux, P.; Hornebeck, W.; Haye, B.; Petitfrere, E.
Tissue inhibitor of metalloproteinases-1 signalling pathway leading to erythroid cell survival, 372:767
Lambert, H. *See* Desbiens, K. M.
Lambertini, E.
——; Penolazzi, L.; Giordano, S.; Del Senno, L.; Piva, R.
Expression of the human oestrogen receptor-α gene is regulated by promoter F in MG-63 osteoblastic cells, 372:831
Lammel, E. M. *See* Wainszelbaum, M. J.
Lamond, A. I. *See* Leung, A. K. L.
Lampela, O. *See* Suokas, M.
Lampson, M. A. *See* Davies, P. S.
Landry, J. *See* Desbiens, K. M.
Lang, U. *See* Dreyer, M. G.
Langdown, M. L.
——; Holness, M. J.; Sugden, M. C.
Effects of prenatal glucocorticoid exposure on cardiac calreticulin and calsequestrin protein expression during early development and in adulthood, 371:61
Langer, I. *See* Nachtergael, I.
Langlais, P. *See* Gu, S.
Lantum, H. B. *See* Board, P. G.
LaPlante, J. M. *See* O'Rourke, F. A.
Larijani, B. *See* Calleja, V.
Larocque, S. *See* Kneidinger, B.
Larsson, C. *See* Raghunath, A.
Larsson, E. *See* Larsson, M.
Larsson, L. *See* Olsen, J.
Larsson, M.
——; Hjälm, G.; Sakwe, A. M.; Engström, Å.; Höglund, A.-S.; Larsson, E.; Robinson, R. C.; Sundberg, C.; Rask, L.
Selective interaction of megalin with postsynaptic density-95 (PSD-95)-like membrane-associated guanylate kinase (MAGUK) proteins, 373:381
Lartigue, A. *See* Mosbah, A.; Rivière, S.
Larvor, M.-P.
——; Cerdan, R.; Gumila, C.; Maurin, L.; Seta, P.; Roustan, C.; Vial, H.
Characterization of the lipid-binding domain of the *Plasmodium falciparum* CTP:phosphocholine cytidylyltransferase through synthetic-peptide studies, 375:653
Lau, W.-K. *See* Chiu, S.-K.
Laver, D. R. *See* Haarmann, C. S.
Lawler, A. T. *See* Dennison, C.
Lawlor, M. A. *See* Boudeau, J.
Lazarow, A. *See* Nissim, Itzhak
Lazure, C. *See* Basak, A.
Lazzari, M. A. *See* Silva, M. B.
Lê, K. H. D.
——; Mayer, M.; Lederer, F.
Epitope mapping for the monoclonal antibody that inhibits intramolecular electron transfer in flavocytochrome b_2, 373:115
Lea, E. J. A. *See* Dawson, A. P.
Leang, C. *See* Lloyd, J. R.
Le Caer, J.-P. *See* Charrin, S.
Lecaille, F.
——; Weidauer, E.; Juliano, M. A.; Brömme, D.; Lalmanach, G.
Probing cathepsin K activity with a selective substrate spanning its active site, 375:307
Leclerc, I. *See* da Silva Xavier, G.; Rutter, G. A.
Lecona, E.
——; Turnay, J.; Olmo, N.; Guzmán-Aránguez, A.; Morgan, R. O.; Fernandez, M.-P.; Lizarbe, M. A.
Structural and functional characterization of recombinant mouse annexin A11: influence of calcium binding, 373:437
Leder, S.
——; Czajkowska, H.; Maenz, B.; de Graaf, K.; Barthel, A.; Joost, H.-G.; Becker, W.
Alternative splicing variants of dual specificity tyrosine phosphorylated and regulated kinase 1B exhibit distinct patterns of expression and functional properties, 372:881
Lederer, F. *See* Lê, K. H. D.
Leduc, R. *See* Boucard, A. A.
Lee, A. G. *See* Newton, T.
Lee, B. R.
——; Furukawa, M.; Yamashita, K.; Kanasugi, Y.; Kawabata, C.; Hirano, K.; Ando, K.; Ichishima, E.
Aorsin, a novel serine proteinase with trypsin-like specificity at acidic pH, 371:541
Lee, C. E. *See* Haqq, A. M.
Lee, G. E. *See* Kim, Jun H.
Lee, H. C. *See* Bruzzone, S.
Lee, H.-S. *See* Nam, G. H.
Lee, L. W. *See* Chang, K. N.
Lee, M. H. *See* Worley, J. R.
——; Dodds, P.; Verma, V.; Maskos, K.; Knäuper, V.; Murphy, G.
Tailoring tissue inhibitor of metalloproteinases-3 to overcome the weakening effects of the cysteine-rich domains of tumour necrosis factor-α converting enzyme, 371:369
Lee, S. *See* Jung, Y.
Lee, S.-F. *See* De La Roche, M. A.
Lee, S. H.
——; Altenberg, G. A.

© 2004 Biochemical Society

Transport of leukotriene C_4 by a cysteine-less multidrug resistance protein 1 (MRP1), 370:357
Lee, S. Y. *See* Chang, K. N.
Lee, T. C. *See* Chang, K. N.
Lee, Y. J. *See* Song, J. J.
Lee, Y. M.
——; Kim, W.
Association of human kinesin superfamily protein member 4 with BRCA2-associated factor 35, 374:497
Leeb-Lundberg, L. M. F. *See* Barki-Harrington, L.
Leech, H. K. *See* Raux, E.
Lee-Fruman, K. K. *See* Phin, S.
Leevers, S. J. *See* Lizcano, J. M.
Lefkowitz, R. J. *See* Shenoy, S. K.
Lehmann, K. *See* Neudecker, P.
Lehming, N. *See* Bongards, C.
Lei, X. G. *See* Cheng, W.-H.
Leimbacher, W. *See* Leitner, K. L.
Leippe, M. *See* Bruhn, H.
Leiting, B.
——; Pryor, K. D.; Wu, J. K.; Marsilio, F.; Patel, R. A.; Craik, C. S.; Ellman, J. A.; Cummings, R. T.; Thornberry, N. A.
Catalytic properties and inhibition of proline-specific dipeptidyl peptidases II, IV and VII, 371:525
Leitner, K. L.
——; Meyer, M.; Leimbacher, W.; Peterbauer, A.; Hofer, S.; Heufler, C.; Müller, A.; Heller, R.; Werner, E. R.; Thöny, B.; Werner-Felmayer, G.
Low tetrahydrobiopterin biosynthetic capacity of human monocytes is caused by exon skipping in 6-pyruvoyl tetrahydropterin synthase, 373:681
Lejeune, D. *See* Dumoutier, L.
Lelli, B. *See* Bracci, L.
Lelliott, C. *See* Meirhaeghe, A.
Lemaigre, F. P. *See* Nacer-Cherif, H.
Lemons, P. P. *See* Schraw, T. D.
Lenaghan, C. *See* Meirhaeghe, A.
Le Naour, F. *See* Charrin, S.
Lennartsson, J. *See* Wollberg, P.
Leon, A. *See* Harmegnies, D.
Léon, S.
——; Touraine, B.; Ribot, C.; Briat, J.-F.; Lobréaux, S.
Iron–sulphur cluster assembly in plants: distinct NFU proteins in mitochondria and plastids from *Arabidopsis thaliana*, 371:823
Leonard, K. *See* Qiu, F.
Leonardi, A. *See* Jeso, B. D.
Lépine, F. *See* Boyer, A.
Leppimäki, P. *See* Högback, S.
Lesuisse, E. *See* Haas, H.; Santos, R.
Letellier, T. *See* Rossignol, R.
Leturque, A. *See* Gouyon, F.
Leuenberger, B.
——; Hahn, D.; Pischitzis, A.; Hansen, M. K.; Sterchi, E. E.
Human meprinβ: O-linked glycans in the intervening region of the type I membrane protein protect the C-terminal region from proteolytic cleavage and diminish its secretion, 369:659
Leung, A. K. L.
——; Andersen, J. S.; Mann, M.; Lamond, A. I.
Bioinformatic analysis of the nucleolus, 376:553
Levak-Frank, S. *See* Strauss, J. G.
Levenson, C. *See* Qu, N.
Leviev, I. *See* Deakin, S.
Levy, I. *See* Paldi, T.
Levy, R. *See* Mankelow, T. J.
Lévy-Toledano, S. *See* Gallet, C.
Lewandowska, I. *See* Kacprzak, M. M.
Ley, R. *See* Chalmers, C. J.
Li, C. *See* Ramjeesingh, M.
Li, F. *See* Li, Hongyan
Li, Hongyan
——; Li, F.; Sun, H.; Qian, Z. M.
Membrane-inserted conformation of transmembrane domain 4 of divalent-metal transporter, 372:757
Li, Hui *See* Yonekura, H.
Li, J.
——; Yao, Y.-N.; Liu, M.-F.; Wang, E.-D.
Arginyl-tRNA synthetase with signature sequence KMSK from *Bacillus stearothermophilus*, 376:773
Li, L.
——; Vulpe, C. D.; Kaplan, J.
Functional studies of hephaestin in yeast: evidence for multicopper oxidase activity in the endocytic pathway, 375:793
Li, T. *See* Liang, L.
Li, W.
——; Yuan, X.-M.; Ivanova, S.; Tracey, K. J.; Eaton, J. W.; Brunk, U. T.
3-Aminopropanal, formed during cerebral ischaemia, is a potent lysosomotropic neurotoxin, 371:429
Li, W.-h. *See* Samways, D. S. K.
Li, Y. *See* Lim, E.-K.; Nie, G.-Y.
Liang, C. *See* Feng, J.
Liang, L.
——; Zhao, M.; Xu, Z.; Yokoyama, K. K.; Li, T.
Molecular cloning and characterization of CIDE-3, a novel member of the cell-death-inducing DNA-fragmentation-factor (DFF45)-like effector family, 370:195
Liang, P. *See* Chen, Y.; Vujcic, S.
Liang, S. *See* Hua, W.
Liao, T.-N. *See* Chuang, L.-Y.
Liberatori, S. *See* Bini, L.
Libri, D. *See* Cerchia, L.
LiCata, V. J. *See* Karantzeni, I.
Lichota, K. D. *See* Maciejewska, A. M.
Liddington, R. C. *See* McCleverty, C. J.
Lidell, M. E.
——; Johansson, M. E. V.; Mörgelin, M.; Asker, N.; Gum, Jr, J. R.; Kim, Y. S.; Hansson, G. C.
The recombinant C-terminus of the human MUC2 mucin forms dimers in Chinese-hamster ovary cells and heterodimers with full-length MUC2 in LS 174T cells, 372:335
Lidholt, K. *See* Roman, E.
Lim, E.-K.
——; Higgins, G. S.; Li, Y.; Bowles, D. J.
Regioselectivity of glucosylation of caffeic acid by a UDP-glucose:glucosyltransferase is maintained *in planta*, 373:987
Lin, C.-F. *See* Chuang, L.-Y.
Lin, P. J. *See* Chang, K. N.
Lin, P.-J. *See* Nori, A.
Lin, R.-I. *See* Lai, M.-C.
Lin, Y. *See* Fu, M.
Linas, S. L. *See* Thekkumkara, T. J.
Lindahl, U. *See* Smeds, E.
Lindemann, R. K.
——; Braig, M.; Hauser, C. A.; Nordheim, A.; Dittmer, J.
Ets2 and protein kinase Cε are important regulators of parathyroid hormone-related protein expression in MCF-7 breast cancer cells, 372:787
Lindsey, G. *See* Motshwene, P.
Ling, M. *See* Raghunath, A.
Link, T. *See* Bäckström, M.
Linn, S. *See* Mizushina, Y.
Linton, S. M. *See* Woods, A. A.
Lissitzky, J.-C. *See* Conesa, M.
List, K. *See* Behrendt, N.
Litchfield, D. W. *See* Donella-Deana, A.
Protein kinase CK2: structure, regulation and role in cellular decisions of life and death, 369:1
Liu, C.-C. *See* Karantzeni, I.; Sugahara, T.
Liu, C.-Y. *See* Carlson, E. C.
Liu, F. *See* Chandrasekar, B.; Gu, S.
Liu, H. *See* Haqq, A. M.
Liu, J. *See* Moldes, M.; Naud, N.; Uruno, T.
Liu, J.-H. *See* Wu, A. M.
Liu, M.-C. *See* Sugahara, T.
Liu, M.-F. *See* Li, J.
Liu, S.-F. *See* Chuang, L.-Y.
Liu, X. *See* Adams, R. A.
Liu, X. Y.
——; Witt, T. L.; Matherly, L. H.
Restoration of high-level transport activity by human reduced folate carrier/ThTr1 thiamine transporter chimaeras: role of the transmembrane domain 6/7 linker region in reduced folate carrier function, 369:31
Liu, Z.
——; Zolkiewska, A.; Zolkiewski, M.
Characterization of human torsinA and its dystonia-associated mutant form, 374:117
Liu, Z.-G. *See* Jung, Y.
Lizarbe, M. A. *See* Lecona, E.
Lizcano, J. M.
——; Alrubaie, S.; Kieloch, A.; Deak, M.; Leevers, S. J.; Alessi, D. R.
Insulin-induced *Drosophila* S6 kinase activation requires phosphoinositide 3-kinase and protein kinase B, 374:297
Ljungdahl, L. G. *See* Kataeva, I. A.
Llorens, F.
——; Roher, N.; Miró, F. A.; Sarno, S.; Ruiz, F. X.; Meggio, F.; Plana, M.; Pinna, L. A.; Itarte, E.
Eukaryotic translation-initiation factor eIF2β binds to protein kinase CK2: effects on CK2α activity, 375:623
Lloyd, J. R.
——; Leang, C.; Hodges Myerson, A. L.; Coppi, M. V.; Cuifo, S.; Methe, B.; Sandler, S. J.; Lovley, D. R.
Biochemical and genetic characterization of PpcA, a periplasmic *c*-type cytochrome in *Geobacter sulfurreducens*, 369:153
Lloyd-Evans, E.
——; Pelled, D.; Riebeling, C.; Futerman, A. H.
Lyso-glycosphingolipids mobilize calcium from brain microsomes via multiple mechanisms, 375:561
Lo, S. H. *See* Chen, H.
Lo Bello, M. *See* Ricci, G.
Lobréaux, S. *See* Léon, S.
Lochhead, P. A.
——; Sibbet, G.; Kinstrie, R.; Cleghon, T.; Rylatt, M.; Morrison, D. K.; Cleghon, V.
dDYRK2: a novel dual-specificity tyrosine-phosphorylation-regulated kinase in *Drosophila*, 374:381
Lochnit, G. *See* Friedl, C. H.
Lockwood, N. A. *See* Dings, R. P. M.
Lo Coco, F. *See* Pierantoni, G. M.

© 2004 Biochemical Society

Löffler, H.-G. *See* Partanen, S.
Logan, E. *See* Malykh, Y. N.
Loh, Y. P. *See* Zhang, C.-F.
Lohi, J. *See* Illman, S. A.
Loisel, T. P. *See* Campos, M.
Loiselle, F. B. *See* Fujinaga, J.
Long, A. J.
——: Clifton, I. J.; Roach, P. L.; Baldwin, J. E.; Schofield, C. J.; Rutledge, P. J.
Structural studies on the reaction of isopenicillin N synthase with the substrate analogue δ-(L-α-aminoadipoyl)-L-cysteinyl-D-α-aminobutyrate, 372:687
Longhi, R. *See* Paris, S.
Loomes, K. M. *See* Aitken, J. F.
Lopez, A. *See* Coulon, A.
Lopez, O. *See* Rodrigo, L.
López, J. M.
——: Santidrián, A. F.; Campàs, C.; Gil, J.
5-Aminoimidazole-4-carboxamide riboside induces apoptosis in Jurkat cells, but the AMP-activated protein kinase is not involved, 370:1027
López-Otín, C. *See* Cadiñanos, J.
López-Sánchez, R. d. C. *See* Cerbón, J.
Lorberboum-Galski, H. *See* Aqeilan, R.
Lorenzo, C.
——: Salinas, G.; Brugnini, A.; Wernstedt, C.; Hellman, U.; González-Sapienza, G.
Echinococcus granulosus antigen 5 is closely related to proteases of the trypsin family, 369:191
Lorenzo, M. *See* Hernandez, R.
Lornejad-Schäfer, M. R.
——: Schäfer, C.; Graf, D.; Häussinger, D.; Schliess, F.
Osmotic regulation of insulin-induced mitogen-activated protein kinase phosphatase (MKP)-1 expression in H4IIE rat hepatoma cells, 371:609
Lou, H. *See* Zhang, C.-F.
Louisot, P. *See* Ardail, D.
Louro, R. O. *See* Pessanha, M.
Lovett, D. H. *See* Bergman, M. R.
Lovley, D. R. *See* Lloyd, J. R.
Lu, X. *See* Abe, T.
Lu, Y.-T. *See* Hua, W.
Lucas, K. G. *See* Riefler, G. M.
Lückhoff, A. *See* Heiner, I.
Luckman, S. P.
——: Rees, E.; Kwan, A. P. L.
Partial characterization of cell–type X collagen interactions, 372:485
Ludbrook, S. B.
——: Barry, S. T.; Delves, C. J.; Horgan, C. M. T.
The integrin $\alpha_v\beta_3$ is a receptor for the latency-associated peptides of transforming growth factors β_1 and β_3, 369:311
Ludowyke, R. I. *See* Sim, A. T. R.
Luhovyy, B. *See* Nissim, Itzhak
Luiken, J. J. F. P. *See* Hasselbaink, D. M.
Lukyanov, K. A. *See* Bulina, M. E.; Gurskaya, N. G.
Lukyanov, S. *See* Gurskaya, N. G.
Lumb, M. J.
——: Birdsey, G. M.; Danpure, C. J.
Correction of an enzyme trafficking defect in hereditary kidney stone disease *in vitro*, 374:79
Luna-Medina, R. *See* Pignatelli, M.
Lund, F. *See* Ceni, C.
Lunelli, L. *See* Di Paolo, M. L.
Lupinek, C. *See* Laffer, S.
Luque-Ortega, J. R.
——: Saugar, J. M.; Chiva, C.; Andreu, D.; Rivas, L.
Identification of new leishmanicidal peptide lead structures by automated real-time monitoring of changes in intracellular ATP, 375:221
Lusini, P. *See* Trabalzini, L.
L'vov, N. P. *See* Antipov, A. N.
Lykke-Andersen, J. *See* Nielsen, J.
Lyon, M. *See* Blackhall, F. H.

Ma, H.-T.
——; Venkatachalam, K.; Rys-Sikora, K. E.; He, L.-P.; Zheng, F.; Gill, D. L.
Modification of phospholipase C-γ-induced Ca^{2+} signal generation by 2-aminoethoxydiphenyl borate, 376:667
Ma, J. *See* Zhang, T.
Ma, J.-T. *See* Chiu, S.-K.
Ma, K.
——: Wang, K.
Malleable conformation of the elastic PEVK segment of titin: non-co-operative interconversion of polyproline II helix, β-turn and unordered structures, 374:687
Macaulay, S. L.
——; Stoichevska, V.; Grusovin, J.; Gough, K. H.; Castelli, L. A.; Ward, C. W.
Insulin stimulates movement of sorting nexin 9 between cellular compartments: a putative role mediating cell surface receptor expression and insulin action, 376:123
MacEwan, D. J. *See* Jupp, O. J.
Machesky, L. M. *See* Woodings, J. A.
Macia, C. *See* Rodriguez, M.
Macias, R. I. R. *See* Briz, O.
Maciejewska, A. M.
——: Lichota, K. D.; Kuśmierek, J. T.
Neighbouring bases in template influence base-pairing of isoguanine, 369:611
MacKenzie, R. E. *See* Baggott, J. E.
Mackintosh, C. A. *See* Ikeguchi, Y.
MacLea, K. S.
——: Krieser, R. J.; Eastman, A.
Structural requirements of human DNase IIα for formation of the active enzyme: the role of the signal peptide, N-glycosylation, and disulphide bridging, 371:867
MacLeod, C. *See* Soler, C.
Maddox, D. M. *See* Inoue, K.
Madec, J.-Y. *See* Thackray, A. M.
Madrid, M. *See* Franco, A.
Madsen, L.
——: Petersen, R. K.; Sørensen, M. B.; Jørgensen, C.; Hallenborg, P.; Pridal, L.; Fleckner, J.; Amri, E.-Z.; Krieg, P.; Furstenberger, G.; Berge, R. K.; Kristiansen, K.
Adipocyte differentiation of 3T3-L1 preadipocytes is dependent on lipoxygenase activity during the initial stages of the differentiation process, 375:539
Madura, J. D. *See* Aronson, Jr, N. N.
Maeda, M. *See* Monjusho, H.
Maenz, B. *See* Leder, S.
Magan, N.
——: Szremska, A. P.; Isaacs, R. J.; Stowell, K. M.
Modulation of DNA topoisomerase IIα promoter activity by members of the Sp (specificity protein) and NF-Y (nuclear factor Y) families of transcription factors, 374:723
Magee, A. I.
——; Seabra, M. C.
Are prenyl groups on proteins sticky fingers or greasy handles? (online-only commentary on Dietrich, A.), 376:e3
Maglia, G.
——; Javed, M. H.; Allemann, R. K.
Hydride transfer during catalysis by dihydrofolate reductase from *Thermotoga maritima*, 374:529
Mahamoud, A. *See* Malléa, M.
Majerova, E. *See* Tözsér, J.
Makhlouf, G. M. *See* Murthy, K. S.
Mäkinen, J.
——: Reinisalo, M.; Niemi, K.; Viitala, P.; Jyrkkärinne, J.; Chung, H.; Pelkonen, O.; Honkakoski, P.
Dual action of oestrogens on the mouse constitutive androstane receptor, 376:465
Makita, Z. *See* Yonekura, H.
Makondo, K.
——: Kimura, K.; Kitamura, N.; Kitamura, T.; Yamaji, D.; Jung, B. D.; Saito, M.
Hepatocyte growth factor activates endothelial nitric oxide synthase by Ca^{2+}- and phosphoinositide 3-kinase/Akt-dependent phosphorylation in aortic endothelial cells, 374:63
Malchinkhuu, E.
——; Sato, K.; Muraki, T.; Ishikawa, K.; Kuwabara, A.; Okajima, F.
Assessment of the role of sphingosine 1-phosphate and its receptors in high-density lipoprotein-induced stimulation of astroglial cell function, 370:817
Malgat, M. *See* Rossignol, R.
Malki, A. *See* Kern, R.
Malle, E. *See* Egger, T.
Malléa, M.
——; Mahamoud, A.; Chevalier, J.; Alibert-Franco, S.; Brouant, P.; Barbe, J.; Pagès, J.-M.
Alkylaminoquinolines inhibit the bacterial antibiotic efflux pump in multidrug-resistant clinical isolates, 376:801
Malykh, Y. N.
——; King, T. P.; Logan, E.; Kelly, D.; Schauer, R.; Shaw, L.
Regulation of *N*-glycolylneuraminic acid biosynthesis in developing pig small intestine, 370:601
Mamiya, K. *See* Carlson, E. C.
Mandai, Y. *See* Takeuchi, S.
Mandal, Chhabinath *See* Das, T.
Mandal, Chitra *See* Das, T.
Mangiarotti, G.
Two *Dictyostelium* ribosomal proteins act as RNases for specific classes of mRNAs, 370:713
Mangoni, M. L. *See* Ponti, D.
Mani, A. R.
——; Pannala, A. S.; Orie, N. N.; Ollosson, R.; Harry, D.; Rice-Evans, C. A.; Moore, K. P.
Nitration of endogenous *para*-hydroxyphenylacetic acid and the metabolism of nitrotyrosine, 374:521
Manickam, E. *See* Buxton, P.
Mankelow, T. J.
——; Pessach, E.; Levy, R.; Henderson, L. M.
The requirement of cytosolic phospholipase A_2 for the PMA activation of proton efflux through the N-terminal 230-amino-acid fragment of $gp91^{phox}$, 374:315
Mann, M. *See* Leung, A. K. L.

© 2004 Biochemical Society

Mansilla, S.
——; Piña, B.; Portugal, J.
Daunorubicin-induced variations in gene transcription: commitment to proliferation arrest, senescence and apoptosis, 372:703
Manthey, I. *See* Rosskopf, D.
Manzer, R. *See* Pappa, A.
Mao, J.-F. *See* Tan, F.
Maqueda, A. *See* Moyano, J. V.
Maquoi, E.
——; Peyrollier, K.; Noël, A.; Foidart, J.-M.; Frankenne, F.
Regulation of membrane-type 1 matrix metalloproteinase activity by vacuolar H^+-ATPases, 373:19
Mar, M.-H. *See* Zhu, Xiaonan
Maraldi, N. M. *See* Cenni, V.
Marceau, F. *See* Houle, S.
Marchant, J. S. *See* Boulware, M. J.
Marchenko, G. N.
——; Marchenko, N. D.; Strongin, A. Y.
The structure and regulation of the human and mouse matrix metalloproteinase-21 gene and protein, 372:503
Marchenko, N. D. *See* Marchenko, G. N.
Marchetti, G. *See* Toso, R.
Marcinkiewicz, C. *See* Calvete, J. J.
Marden, M. C. *See* Dewilde, S.
Marden, N. Y.
——; Fiala-Beer, E.; Xiang, S.-H.; Murray, M.
Role of activator protein-1 in the down-regulation of the human *CYP2J2* gene in hypoxia, 373:669
Marek, C. J.
——; Cameron, G. A.; Elrick, L. J.; Hawksworth, G. M.; Wright, M. C.
Generation of hepatocytes expressing functional cytochromes P450 from a pancreatic progenitor cell line *in vitro*, 370:763
Mariathasan, S.
——; Vucic, D.
POPing the fire into the pyrin (online-only commentary on Stehlik, C.), 373:e1
Marin, J. J. G. *See* Briz, O.
Marin, O. *See* Donella-Deana, A.
Marinou, M.
——; Tzartos, S. J.
Identification of regions involved in the binding of α-bungarotoxin to the human α7 neuronal nicotinic acetylcholine receptor using synthetic peptides, 372:543
Marion, E. *See* Giuriato, S.
Marmiroli, S. *See* Cenni, V.
Marques, A. R.
——; Coutinho, P. M.; Videira, P.; Fialho, A. M.; Sá-Correia, I.
Sphingomonas paucimobilis β-glucosidase Bgl1: a member of a new bacterial subfamily in glycoside hydrolase family 1, 370:793
Márquez, A. J. *See* Montanini, B.
Márquez, J. *See* Pérez-Gómez, C.
Marra, M. *See* Esposito, C.
Marrakchi, H.
——; DeWolf Jr, W. E.; Quinn, C.; West, J.; Polizzi, B. J.; So, C. Y.; Holmes, D. J.; Reed, S. L.; Heath, R. J.; Payne, D. J.; Rock, C. O.; Wallis, N. G.
Characterization of *Streptococcus pneumoniae* enoyl-(acyl-carrier protein) reductase (FabK), 370:1055
Marrero, P. F. *See* Barrero, M. J.
Marschall, H.-U. *See* Shafqat, N.
Marshall-Jones, Z. V. *See* Coulson, J. M.
Marsich, E. *See* Vetere, A.
——; Vetere, A.; Di Piazza, M.; Tell, G.; Paoletti, S.
The *PAX6* gene is activated by the basic helix–loop–helix transcription factor NeuroD/BETA2, 376:707
Marsilio, F. *See* Leiting, B.
Martelli, P. *See* Trabalzini, L.
Martens, J. H. *See* Raux, E.
Mårtensson, E. *See* Shafqat, N.
Martin, C. C.
——; Svitek, C. A.; Oeser, J. K.; Henderson, E.; Stein, R.; O'Brien, R. M.
Upstream stimulatory factor (USF) and neurogenic differentiation/β-cell E box transactivator 2 (NeuroD/BETA2) contribute to islet-specific glucose-6-phosphatase catalytic-subunit-related protein (IGRP) gene expression, 371:675
Martin, J. *See* Kusmierczyk, A. R.
Martin, K. M.
——; Ellis, P. D.; Metcalfe, J. C.; Kemp, P. R.
Selective modulation of the SM22α promoter by the binding of BTEB3 (basal transcription element-binding protein 3) to TGGG repeats, 375:457
Martin, S. R. *See* Whyte, S. M.
Martín De Llano, J. J. *See* Fuertes, G.
Martin-Eauclaire, M.-F. *See* Alami, M.
Martínez, C. *See* Förch, P.
Martini, G. *See* Filosa, S.
Martín-Orúe, S. M. *See* Hogg, D.
Martins, R. N. *See* Sumioka, A.
Martras, S. *See* Crosas, B.
Marttila, A. T. *See* Hytönen, V. P.
Marttila, A. T.
——; Hytönen, V. P.; Laitinen, O. H.; Bayer, E. A.; Wilchek, M.; Kulomaa, M. S.
Mutation of the important Tyr-33 residue of chicken avidin: functional and structural consequences, 369:249
Marvaldi, J. *See* Conesa, M.
Marx, M. *See* Proux-Gillardeaux, V.
Mary, J. *See* Vougier, S.
Mashhoon, S. *See* Situ, H.
Maskos, K. *See* Lee, M.-H.
Mason, S. *See* McKenzie, E.
Masscheleyn, S. *See* Ramaen, O.
Massey, R. J. *See* Takayama, K.
Master, E. R. *See* Henriksson, H.
Masuda, K. *See* Kato-Toma, Y.; Takeuchi, S.
Masuda, S. *See* Murakami, M.
Masulli, M. *See* Allocati, N.
Mata, T. *See* Millot, B.
Mateo, J.
——; García-Lecea, M.; Cadenas, S.; Hernández, C.; Moncada, S.
Regulation of hypoxia-inducible factor-1α by nitric oxide through mitochondria-dependent and -independent pathways, 376:537 (*see* Murphy, M. P. for online-only commentary)
Matés, J. M. *See* Pérez-Gómez, C.
Matherly, L. H. *See* Cao, W.; Liu, X. Y.
Mathew, S.
——; Arandjelovic, S.; Beyer, W. F.; Gonias, S. L.; Pizzo, S. V.
Characterization of the interaction between α_2-macroglobulin and fibroblast growth factor-2: the role of hydrophobic interactions, 374:123
Matre, V.
——; Høvring, P. I.; Fjeldheim, Å.-K.; Helgeland, L.; Orvain, C.; Andersson, K. B.; Gautvik, K. M.; Gabrielsen, O. S.
The human neuroendocrine thyrotropin-releasing hormone receptor promoter is activated by the haematopoietic transcription factor c-Myb, 372:851
Matschinsky, F. M. *See* Gao, Z.
Matsuda, M. *See* Rodriguez, R.
Matsuda, Y. *See* Habuchi, H.
Matsui, Y. *See* Yang, L.
Matsuura, C. *See* Tsuda, Y.
Matsuura, N. *See* Kanai, A.
Matter, K. *See* Chapple, J. P.
Matthews, R. G. *See* Kacprzak, M. M.
Mattila, K. *See* Haltia, T.
Maurel, C. *See* Santoni, V.
Maurer, P. *See* Vannahme, C.
Maurin, L. *See* Larvor, M.-P.
May, J. M. *See* Whitesell, R. R.
Mayama, J.
——; Kumano, T.; Hayakari, M.; Yamazaki, T.; Aizawa, S.; Kudo, T.; Tsuchida, S.
Polymorphic glutathione S-transferase subunit 3 of rat liver exhibits different susceptibilities to carbon tetrachloride: differences in their interactions with heat-shock protein 90, 372:611
Mayer, M. *See* Lê, K. H. D.
Mayeux, P. *See* Lambert, E.
Mayne, G. C. *See* Hii, C. S. T.
Mayo, K. H. *See* Dings, R. P. M.
Mazat, J. *See* Rossignol, R.
Mazurek, S. *See* Zwerschke, W.
McCleverty, C. J.
——; Liddington, R. C.
Engineered allosteric mutants of the integrin αMβ2 I domain: structural and functional studies, 372:121
McCloskey, D. E. *See* Ikeguchi, Y.
McConnachie, G.
——; Pass, I.; Walker, S. M.; Downes, C. P.
Interfacial kinetic analysis of the tumour suppressor phosphatase, PTEN: evidence for activation by anionic phospholipids, 371:947
McConville, M. J. *See* Patterson, J. H.
McGivan, J. D. *See* Turner, A.
McGraw, T. E. *See* Davies, P. S.
McIntyre, T. M. *See* Wu, Xiaoqing
McKeegan, K. S. *See* Borges-Walmsley, M. I.
McKenzie, E.
——; Young, K.; Hircock, M.; Bennett, J.; Bhaman, M.; Felix, R.; Turner, P.; Stamps, A.; McMillan, D.; Saville, G.; Ng, S.; Mason, S.; Snell, D.; Schofield, D.; Gong, H.; Townsend, R.; Gallagher, J.; Page, M.; Parekh, R.; Stubberfield, C.
Biochemical characterization of the active heterodimer form of human heparanase (Hpa1) protein expressed in insect cells, 373:423
McLauchlan, H. *See* Bain, J.
McLauchlan, W. R. *See* Berrin, J.-G.
McLaughlin, L. A. *See* Flanagan, J. U.
McLean, K. J.
——; Scrutton, N. S.; Munro, A. W.
Kinetic, spectroscopic and thermodynamic characterization of the *Mycobacterium tuberculosis* adrenodoxin reductase homologue FprA, 372:317
McLennan, A. G. *See* Abdelraheim, S. R.; Guranowski, A.
McMahon, M. *See* Nioi, P.
McMillan, D. *See* McKenzie, E.
McMillen, L.
——; Beacham, I. R.; Burns, D. M.

© 2004 Biochemical Society

Cobalt activation of *Escherichia coli* 5′-nucleotidase is due to zinc ion displacement at only one of two metal-ion-binding sites, 372:625
McSorley, T. *See* Shepherd, M.
McVey, C. E. *See* Morillas, M.
Mecham, R. P. *See* Ritty, T. M.
Méchin, M.-C. *See* Guerrin, M.
Medeck, R. J.
——; Sosa, S.; Morris, N.; Oxford, J. T.
BMP-1-mediated proteolytic processing of alternatively spliced isoforms of collagen type XI, 376:361
Meer, W. V. D. *See* Whitesell, R. R.
Meersman, F. *See* Goossens, K.
Meggio, F. *See* Llorens, F.; Sarno, S.
Mei, Q. *See* Yang, L.
Meier, C. A. *See* Dreyer, M. G.
Meirhaeghe, A.
——; Crowley, V.; Lenaghan, C.; Lelliott, C.; Green, K.; Stewart, A.; Hart, K.; Schinner, S.; Sethi, J. K.; Yeo, G.; Brand, M. D.; Cortright, R. N.; O'Rahilly, S.; Montague, C.; Vidal-Puig, A. J.
Characterization of the human, mouse and rat PGC1β (peroxisome-proliferator-activated receptor-γ co-activator 1β) gene *in vitro* and *in vivo*, 373:155
Melander, F.
——; Andersson, T.; Dib, K.
Fgr but not Syk tyrosine kinase is a target for β_2 integrin-induced c-Cbl-mediated ubiquitination in adherent human neutrophils, 370:687
Melby, P. C. *See* Chandrasekar, B.
Melendez, J. A. *See* Chang, S.-H.
Melloni, E. *See* De Tullio, R.
Mellor, H. *See* Qualmann, B.
Mellor, H. R.
——; Platt, F. M.; Dwek, R. A.; Butters, T. D.
Membrane disruption and cytotoxicity of hydrophobic N-alkylated imino sugars is independent of the inhibition of protein and lipid glycosylation, 374:307
Melo, R. L. *See* Pimenta, D. C.
Mély, Y. *See* Bousquet, J.-A.
Mendel, R. *See* Garattini, E.
Merendino, L. *See* Förch, P.
Merino, J. M. *See* Blanes-Mira, C.
Merry, C. L. R. *See* Blackhall, F. H.
Metcalfe, J. C. *See* Martin, K. M.
Methe, B. *See* Lloyd, J. R.
Mevkh, A. T. *See* Vrzheshch, P. V.
Meyer, D. J. *See* Deng, W.
Meyer, M. *See* Leitner, K. L.
Miasnikov, A. N. *See* Povelainen, M.
Micali, F. *See* Vetere, A.
Mignogna, G. *See* Ponti, D.
Mikhailik, A. *See* Proux-Gillardeaux, V.
Mikoshiba, K. *See* Hirota, J.
Milburn, C. C.
——; Deak, M.; Kelly, S. M.; Price, N. C.; Alessi, D. R.; van Aalten, D. M. F.
Binding of phosphatidylinositol 3,4,5-trisphosphate to the pleckstrin homology domain of protein kinase B induces a conformational change, 375:531
Millard, T. H. *See* Pattni, K.
Millis, S. Z. *See* Kirwan, A. F.
Millot, B.
——; Montoliu, L.; Fontaine, M.-L.; Mata, T.; Devinoy, E.
Hormone-induced modifications of the chromatin structure surrounding upstream regulatory regions conserved between the mouse and rabbit whey acidic protein genes, 372:41
Minchin, R. F. *See* Butcher, N. J.
Minchiotti, L. *See* Galliano, M.
Mine, Y. *See* Kovacs-Nolan, J.
Minogue, S. *See* Waugh, M. G.
Minshall, N. *See* Thom, G.
Mintz, E. *See* Bal, N.
Miralles, V. J. *See* Zaragozá, R.
Miró, F. A. *See* Llorens, F.
Missen, M. A. *See* Morris, E. C.
Missiaen, L. *See* Dewaste, V.
Mita, S. *See* Inoue, A.
Mitomo, H.
——; Kato, R.; Ito, A.; Kasamatsu, S.; Ikegami, Y.; Kii, I.; Kudo, A.; Kobatake, E.; Sumino, Y.; Ishikawa, T.
A functional study on polymorphism of the ATP-binding cassette transporter ABCG2: critical role of arginine-482 in methotrexate transport, 373:767
Miyake, G. *See* Habuchi, H.
Miyamoto, K. *See* Kawata, H.; Yamada, K.
Miyauchi, S. *See* Hu, H.
Miyazaki, M.
——; Kamiie, K.; Soeta, S.; Taira, H.; Yamashita, T.
Molecular cloning and characterization of a novel carboxylesterase-like protein that is physiologically present at high concentrations in the urine of domestic cats (*Felis catus*), 370:101
Mizushina, Y.
——; Xu, X.; Asahara, H.; Takeuchi, R.; Oshige, M.; Shimazaki, N.; Takemura, M.; Yamaguchi, T.; Kuroda, K.; Linn, S.; Yoshida, H.; Koiwai, O.; Saneyoshi, M.; Sugawara, F.; Sakaguchi, K.
A sulphoquinovosyl diacylglycerol is a DNA polymerase ε inhibitor, 370:299
Mizutani, M. *See* Asami, T.
Mizutani, T. *See* Kawata, H.; Yamada, K.
Modolell, M. *See* Soler, C.
Mody, N.
——; Campbell, D. G.; Morrice, N.; Peggie, M.; Cohen, P.
An analysis of the phosphorylation and activation of extracellular-signal-regulated protein kinase 5 (ERK5) by mitogen-activated protein kinase kinase 5 (MKK5) *in vitro*, 372:567
Moebius, F. F.
——; Fitzky, B. U.; Wietzorrek, G.; Haidekker, A.; Eder, A.; Glossmann, H.
Cloning of an emopamil-binding protein (EBP)-like protein that lacks sterol Δ^8-Δ^7 isomerase activity, 374:229
Moens, L. *See* Dewilde, S.
Moldes, M.
——; Zuo, Y.; Morrison, R. F.; Silva, D.; Park, B.-H.; Liu, J.; Farmer, S. R.
Peroxisome-proliferator-activated receptor γ suppresses Wnt/β-catenin signalling during adipogenesis, 376:607
Moll, R. G.
Protein–protein, protein–RNA and protein–lipid interactions of signal-recognition particle components in the hyperthermoacidophilic archaeon *Acidianus ambivalens*, 374:247
Møller, M. T. N.
——; Samari, H. R.; Fengsrud, M.; Strømhaug, P. E.; Østvold, A. C.; Seglen, P. O.
Okadaic acid-induced, naringin-sensitive phosphorylation of glycine N-methyltransferase in isolated rat hepatocytes, 373:505
Møller, N. P. H. *See* Drake, P. G.
Monaco, H. L. *See* Galliano, M.
Monasterio, O.
——; Cárdenas, M. L.
Kinetic studies of rat liver hexokinase D ('glucokinase') in non-co-operative conditions show an ordered mechanism with MgADP as the last product to be released, 371:29
Moncada, S. *See* Mateo, J.
Mondal, A. K. *See* Sawicki, R.
Moneer, Z.
——; Dyer, J. L.; Taylor, C. W.
Nitric oxide co-ordinates the activities of the capacitative and non-capacitative Ca^{2+}-entry pathways regulated by vasopressin, 370:439
Monjusho, H.
——; Okino, N.; Tani, M.; Maeda, M.; Yoshida, M.; Ito, M.
A neutral ceramidase homologue from *Dictyostelium discoideum* exhibits an acidic pH optimum, 376:473
Monnier, V. M. *See* Tessier, F. J.
Montague, C. *See* Meirhaeghe, A.
Montanini, B.
——; Betti, M.; Márquez, A. J.; Balestrini, R.; Bonfante, P.; Ottonello, S.
Distinctive properties and expression profiles of glutamine synthetase from a plant symbiotic fungus, 373:357
Montiel, M.-D.
——; Krzewinski-Recchi, M.-A.; Delannoy, P.; Harduin-Lepers, A.
Molecular cloning, gene organization and expression of the human UDP-GalNAc:Neu5Acα2-3Galβ-R β1,4-*N*-acetylgalactosaminyltransferase responsible for the biosynthesis of the blood group Sd^a/Cad antigen: evidence for an unusual extended cytoplasmic domain, 373:369
Montoliu, L. *See* Millot, B.
Moon, B.
——; Duddy, N.; Ragolia, L.; Begum, N.
Stimulation of glycogen synthesis by heat shock in L6 skeletal-muscle cells: regulatory role of site-specific phosphorylation of glycogen-associated protein phosphatase 1, 371:857
Moore, K. P. *See* Mani, A. R.
Moore, S. E. H. *See* Chantret, I.; Kitzmüller, C.
Moraes, C. T. *See* Bacman, S. R.
Moreau, C. *See* Dewaste, V.
Moreno-Murciano, M. P. *See* Calvete, J. J.
Morgan, H. E. *See* Taylor, K. M.
Morgan, K. G. *See* Gangopadhyay, S. S.
Morgan, R. O. *See* Lecona, E.
Morgan-Warren, R. *See* Thackray, A. M.
Mörgelin, M. *See* Wells, T.; Lidell, M. E.
Mori, N. *See* Furuyama, T.
Morillas, M.
——; McVey, C. E.; Brannigan, J. A.; Ladurner, A. G.; Forney, L. J.; Virden, R.
Mutations of penicillin acylase residue B71 extend substrate specificity by decreasing steric constraints for substrate binding, 371:143
Morin, L. *See* Naud, N.
Moro, L. *See* Pines, A.
Morrice, N. *See* Mody, N.

© 2004 Biochemical Society

Morrice, N. A. *See* Boudeau, J.
Morris, E. C.
——; Dafforn, T. R.; Forsyth, S. L.; Missen, M. A.; Horvath, A. J.; Hampson, L.; Hampson, I. N.; Currie, G.; Carrell, R. W.; Coughlin, P. B.
Murine serpin 2A is a redox-sensitive intracellular protein, 371:165
Morris, N. *See* Medeck, R. J.
Morrison, D. K. *See* Lochhead, P. A.
Morrison, L. S.
——; Pierotti, A. R.
Thimet oligopeptidase expression is differentially regulated in neuroendocrine and spermatid cell lines by transcription factor binding to SRY (sex-determining region Y), CAAT and CREB (cAMP-response-element-binding protein) promoter consensus sequences, 376:189
Morrison, R. F. *See* Moldes, M.
Morrone, G. *See* Pierantoni, G. M.
Mort, J. S. *See* Conesa, M.; Roughley, P. J.
Mortara, R. A. *See* González, J.
Morton, L. W.
——; Puddey, I. B.; Croft, K. D.
Comparison of nitration and oxidation of tyrosine in advanced human carotid plaque proteins, 370:339
Morty, R. E. *See* Hemerly, J. P.
Mosbah, A. *See* Coulon, A.
——; Campanacci, V.; Lartigue, A.; Tegoni, M.; Cambillau, C.; Darbon, H.
Solution structure of a chemosensory protein from the moth *Mamestra brassicae*, 369:39
Mosnier, L. O.
——; Griffin, J. H.
Inhibition of staurosporine-induced apoptosis of endothelial cells by activated protein C requires protease-activated receptor-1 and endothelial cell protein C receptor, 373:65
Moss, S. R. *See* Price, L. J.
Motshwene, P.
——; Brandt, W.; Lindsey, G.
Significant quantities of the glycolytic enzyme phosphoglycerate mutase are present in the cell wall of yeast *Saccharomyces cerevisiae*, 369:357
Motterlini, R. *See* Balogun, E.; Foresti, R.
Moule, S. K. *See* da Silva Xavier, G.
Mousavi, S. A.
——; Brech, A.; Berg, T.; Kjeken, R.
Phosphoinositide 3-kinase regulates maturation of lysosomes in rat hepatocytes, 372:861
Moutin, M.-J. *See* Ceni, C.
Moyano, J. V.
——; Maqueda, A.; Albar, J. P.; Garcia-Pardo, A.
A synthetic peptide from the heparin-binding domain III (repeats III4–5) of fibronectin promotes stress-fibre and focal-adhesion formation in melanoma cells, 371:565
Mroz, P. J.
——; Silbert, J. E.
Effects of [^{3}H]glucosamine concentration on [^{3}H]chondroitin sulphate formation by cultured chondrocytes, 376:511
Mulgrew, R. *See* Coulson, J. M.
Müller, A. *See* Leitner, K. L.
Müller-Newen, G. *See* Heinrich, P. C.
Muller-Steffner, H. *See* Ceni, C.; Ceni, C.
Mummidi, S. *See* Chandrasekar, B.
Munier-Lehmann, H.
——; Chenal-Francisque, V.; Ionescu, M.; Christova, P.; Foulon, J.; Carniel, E.; Bârzu, O.
Relationship between bacterial virulence and nucleotide metabolism: a mutation in the adenylate kinase gene renders *Yersinia pestis* avirulent, 373:515
Muñoz, F. J. *See* Yagi, T.
Muñoz, J. J.
——; Tárrega, C.; Blanco-Aparicio, C.; Pulido, R.
Differential interaction of the tyrosine phosphatases PTP-SL, STEP and HePTP with the mitogen-activated protein kinases ERK1/2 and p38α is determined by a kinase specificity sequence and influenced by reducing agents, 372:193
Muñoz-Fontela, C.
——; Rodríguez, E.; Nombela, C.; Arroyo, J.; Rivas, C.
Characterization of the bipartite nuclear localization signal of protein LANA2 from Kaposi's sarcoma-associated herpesvirus, 374:545
Munro, A. W. *See* McLean, K. J.
Murakami, M.
——; Masuda, S.; Kudo, I.
Arachidonate release and prostaglandin production by group IVC phospholipase A_2 (cytosolic phospholipase $A_2\gamma$), 372:695
Muraki, T. *See* Malchinkhuu, E.
Murphy, G. *See* Lee, M.-H.; Worley, J. R.
Murphy, M. P.
——; Does interplay between nitric oxide and mitochondria affect hypoxia-inducible transcription factor-1 activity? (online-only commentary on Mateo, J.), 376:e5
Murray, A. W. *See* Hii, C. S. T.
Murray, M. *See* Marden, N. Y.
Murray-Stewart, T.
——; Applegren, N. B.; Devereux, W.; Hacker, A.; Smith, R.; Wang, Y.; Casero, Jr, R. A.
Spermidine/spermine N^1-acetyltransferase (SSAT) activity in human small-cell lung carcinoma cells following transfection with a genomic SSAT construct, 373:629
Murthy, K. S.
——; Zhou, H.; Grider, J. R.; Brautigan, D. L.; Eto, M.; Makhlouf, G. M.
Differential signalling by muscarinic receptors in smooth muscle: m2-mediated inactivation of myosin light chain kinase via G_{i3}, Cdc42/Rac1 and p21-activated kinase 1 pathway, and m3-mediated MLC_{20} (20 kDa regulatory light chain of myosin II) phosphorylation via Rho-associated kinase/myosin phosphatase targeting subunit 1 and protein kinase C/CPI-17 pathway, 374:145
Mustelin, T. *See* Yaqub, S.
——; Taskén, K.
Positive and negative regulation of T-cell activation through kinases and phosphatases, 371:15
Mutti, E. *See* Gianazza, E.
Muzio, M. *See* Gasparri, F.
Mvilongo, T. *See* Kirwan, A. F.
Myllylä, R. *See* Suokas, M.

Nacer-Cherif, H.
——; Bois-Joyeux, B.; Rousseau, G. G.; Lemaigre, F. P.; Danan, J.-L.
Hepatocyte nuclear factor-6 stimulates transcription of the α-fetoprotein gene and synergizes with the retinoic-acid-receptor-related orphan receptor α-4, 369:583
Nachat, R. *See* Guerrin, M.
Nachtergael, I.
——; Vertongen, P.; Langer, I.; Perret, J.; Robberecht, P.; Waelbroeck, M.
Evidence for a direct interaction between the Thr^{11} residue of vasoactive intestinal polypeptide and Tyr^{184} located in the first extracellular loop of the $VPAC_2$ receptor, 370:1003
Nagarajan, R. P. *See* Chen, F.
Nagasue, N. *See* Uramoto, H.
Nagatani, G. *See* Izumi, H.; Uramoto, H.
Nagawa, H. *See* Yamaguchi, H.
Nagy, G. *See* Bánhegyi, G.
Nair, V. D.
——; Olanow, C. W.; Sealfon, S. C.
Activation of phosphoinositide 3-kinase by D_2 receptor prevents apoptosis in dopaminergic cell lines, 373:25
Nájera, H.
——; Costas, M.; Fernández-Velasco, D. A.
Thermodynamic characterization of yeast triosephosphate isomerase refolding: insights into the interplay between function and stability as reasons for the oligomeric nature of the enzyme, 370:785
Naka, T. *See* Hatakeyama, M.
Nakagawa, Y. *See* Imai, H.
Nakahata, N. *See* Hirata, Y.
Nakajima, R. *See* Imai, H.
Nakashima, S.
——; Ikeno, Y.; Yokoyama, T.; Kuwana, M.; Bolchi, A.; Ottonello, S.; Kitamoto, K.; Arioka, M.
Secretory phospholipases A_2 induce neurite outgrowth in PC12 cells, 376:655
Nakatani, F. *See* Tsuda, Y.
Nakatani, T. *See* Kawashima, H.
Nakayama, Y. *See* Izumi, H.
Nam, G. H.
——; Cha, S.-S.; Yun, Y. S.; Oh, Y. H.; Hong, B. H.; Lee, H.-S.; Choi, K. Y.
The conserved *cis*-Pro^{39} residue plays a crucial role in the proper positioning of the catalytic base Asp^{38} in ketosteroid isomerase from *Comamonas testosteroni*, 375:297
Nantes, I. L. *See* Zucchi, M. R.
Nascimento, O. R. *See* Zucchi, M. R.
Natesh, R. *See* Gordon, K.
Nathaniel, C.
——; Wallace, L. A.; Burke, J.; Dirr, H. W.
The role of an evolutionarily conserved *cis*-proline in the thioredoxin-like domain of human class Alpha glutathione transferase A1-1, 372:241
Natke, B. *See* Berry, D.
Natori, S. *See* Yajima, M.
Naud, N.
——; Touré, A.; Liu, J.; Pineau, C.; Morin, L.; Dorseuil, O.; Escalier, D.; Chardin, P.; Gacon, G.
Rho family GTPase Rnd2 interacts and co-localizes with *MgcRacGAP* in male germ cells, 372:105
Navas, P. *See* Sánchez-Alcázar, J. A.
Ndimba, B. K. *See* Hamilton, J. M. U.
Nebreda, A. R. *See* Biondi, R. M.
Neckers, L. *See* Jung, Y.
Nedachi, T. *See* Andersen, C. B.
Nelson, C. C. *See* Wafa, L. A.; Yeung, L. H. Y.
Neri, P. *See* Bracci, L.
Nerkamp, J. *See* Neudecker, P.
Nesbitt, W. S. *See* Giuliano, S.

© 2004 Biochemical Society

Neudecker, P.
——; Lehmann, K.; Nerkamp, J.; Haase, T.; Wangorsch, A.; Fötisch, K.; Hoffmann, S.; Rösch, P.; Vieths, S.; Scheurer, S.
Mutational epitope analysis of Pru av 1 and Api g 1, the major allergens of cherry (*Prunus avium*) and celery (*Apium graveolens*): correlating IgE reactivity with three-dimensional structure, 376:97 (*see* Crameri, R. for online-only commentary)
Neuschäfer-Rube, F.
——; Engemaier, E.; Koch, S.; Böer, U.; Püschel, G. P.
Identification by site-directed mutagenesis of amino acids contributing to ligand-binding specificity or signal transduction properties of the human FP prostanoid receptor, 371:443
Neustroev, K. N. *See* Povelainen, M.
Newbold, C. J. *See* Devillard, E.
Newton, A. C. *See* Adams, R. A.
Regulation of the ABC kinases by phosphorylation: protein kinase C as a paradigm, 370:361
Newton, T.
——; Black, J. P. J.; Butler, J.; Lee, A. G.; Chad, J.; East, J. M.
Sarco/endoplasmic-reticulum calcium ATPase SERCA1 is maintained in the endoplasmic reticulum by a retrieval signal located between residues 1 and 211, 371:775
Ng, R. W. M. *See* Zhou, Yuan
Ng, S. *See* McKenzie, E.
Ng, S.-C. *See* Zhai, D.
Nguyen, Q.-T. *See* Desrosiers, R. R.
Nguyen, S. D.
——; Sok, D.-E.
Beneficial effect of oleoylated lipids on paraoxonase 1: protection against oxidative inactivation and stabilization, 375:275
Nguyen-Distèche, M. *See* Anderson, J. W.
Niccolai, N. *See* Bracci, L.
Nicholas, B.
——; Smethurst, P.; Verderio, E.; Jones, R.; Griffin, M.
Cross-linking of cellular proteins by tissue transglutaminase during necrotic cell death: a mechanism for maintaining tissue integrity, 371:413
Nicholas, R. A. *See* Anderson, J. W.
Nicholson, R. I. *See* Taylor, K. M.
Nicola, N. A. *See* Fairlie, W. D.
Nicolas, J. P. *See* Rodriguez, M.
Nicolás, M.
——; Noé, V.; Ciudad, C. J.
Transcriptional regulation of the human *Sp1* gene promoter by the specificity protein (Sp) family members, nuclear factor Y (NF-Y) and E2F, 371:265
Nidetzky, B. *See* Kavanagh, K. L.; Klimacek, M.
Nie, G.-Y.
——; Hampton, A.; Li, Y.; Findlay, J. K.; Salamonsen, L. A.
Identification and cloning of two isoforms of human high-temperature requirement factor A3 (HtrA3), characterization of its genomic structure and comparison of its tissue distribution with HtrA1 and HtrA2, 371:39
Niels-Christiansen, L.-L. *See* Hansen, G. H.
Nielsen, A. D.
——; Fuglsang, C. C.; Westh, P.
Effect of calcium ions on the irreversible denaturation of a recombinant *Bacillus halmapalus* α-amylase: a calorimetric investigation, 373:337
Nielsen, F. C. *See* Nielsen, J.
Nielsen, J.
——; Adolph, S. K.; Rajpert-De Meyts, E.; Lykke-Andersen, J.; Koch, G.; Christiansen, J.; Nielsen, F. C.
Nuclear transit of human zipcode-binding protein IMP1, 376:383
Niemi, K. *See* Mäkinen, J.
Nigou, J. *See* Gibson, K. J. C.
Niiro, N.
——; Koga, Y.; Ikebe, M.
Agonist-induced changes in the phosphorylation of the myosin-binding subunit of myosin light chain phosphatase and CPI17, two regulatory factors of myosin light chain phosphatase, in smooth muscle, 369:117
Nikaidou, N. *See* Watanabe, Takeshi
Nikula, C. *See* Rosskopf, D.
Nioi, P.
——; McMahon, M.; Itoh, K.; Yamamoto, M.; Hayes, J. D.
Identification of a novel Nrf2-regulated antioxidant response element (ARE) in the mouse NAD(P)H:quinone oxidoreductase 1 gene: reassessment of the ARE consensus sequence, 374:337
Nishio, K. *See* Inoue, A.
Nissim, Ilana *See* Nissim, Itzhak
Nissim, Itzhak
——; Horyn, O.; Luhovyy, B.; Lazarow, A.; Daikhin, Y.; Nissim, Ilana; Yudkoff, M.
Role of the glutamate dehydrogenase reaction in furnishing aspartate nitrogen for urea synthesis: studies in perfused rat liver with ^{15}N, 376:179
Niutta, S. *See* Zannettino, A. C. W.
Noble, M. A. *See* Hussain, S.
Noé, V. *See* Nicolás, M.
Noël, A. *See* Maquoi, E.
Nogami, K. *See* Habuchi, H.
Nohara, M. *See* Araki, Y.
Noll, T. *See* Bäckström, M.
Nombela, C. *See* Muñoz-Fontela, C.
Nomoto, M. *See* Izumi, H.
Nomura, K. *See* Imai, H.
Nonaka, T. *See* Watanabe, Takeshi
Nordentoft, I.
——; Jørgensen, P.
The acetyltransferase 60 kDa *trans*-acting regulatory protein of HIV type 1-interacting protein (Tip60) interacts with the translocation E26 transforming-specific leukaemia gene (TEL) and functions as a transcriptional co-repressor, 374:165
Nordheim, A. *See* Lindemann, R. K.
Nordling, E. *See* Shafqat, N.
Nordlund, H. R. *See* Hytönen, V. P.
Nori, A.
——; Lin, P.-J.; Cassetti, A.; Villa, A.; Bayer, K.-U.; Volpe, P.
Targeting of α-kinase-anchoring protein (αKAP) to sarcoplasmic reticulum and nuclei of skeletal muscle, 370:873
Novak, I. *See* Amstrup, J.
Nozaki, T. *See* Ali, V.
Nozawa, Y. *See* Banno, Y.
Nuccetelli, M. *See* Ricci, G.
Nyholm, T. K. M. *See* Hytönen, V. P.
Nyitrai, M.
——; Szent-Györgyi, A. G.; Geeves, M. A.
Interactions of the two heads of scallop (*Argopecten irradians*) heavy meromyosin with actin: influence of calcium and nucleotides, 370:839

Oberegger, H. *See* Haas, H.
Oberkampf, M. *See* Ramaen, O.
Oberkofler, H.
——; Schraml, E.; Krempler, F.; Patsch, W.
Potentiation of liver X receptor transcriptional activity by peroxisome-proliferator-activated receptor γ co-activator 1α, 371:89
O'Brien, R. M. *See* Boustead, J. N.; Martin, C. C.
Ocloo, A. *See* Brand, M. D.
Oeser, J. K. *See* Boustead, J. N.; Martin, C. C.
Offer, G. *See* Colegrave, M.
Ogawa, K. *See* Chen, F.
Oh, Y. H. *See* Nam, G. H.
Ohguchi, K. *See* Banno, Y.
Ohizumi, Y. *See* Hirata, Y.
Ohki, M. *See* Yanagisawa, K.
Ohmori, H. *See* Uramoto, H.
Ohmori, Y. *See* Hiroi, M.
Ohnishi, K. *See* Okuta, A.
Ohta, R. *See* Izumi, H.
Ohtsuka, T. *See* Hasegawa, G.
Oida, H. *See* Kanai, A.
Okada, K. *See* Shin, H.
Okada, M.
——; Itoh, H.; Hatakeyama, T.; Tokumitsu, H.; Kobayashi, R.
Hsp90 is a direct target of the anti-allergic drugs disodium cromoglycate and amlexanox, 374:433
——; Takezawa, D.; Tachibanaki, S.; Kawamura, S.; Tokumitsu, H.; Kobayashi, R.
Neuronal calcium sensor proteins are direct targets of the insulinotropic agent repaglinide, 375:87
Okajima, F. *See* Malchinkhuu, E.
Okamoto, H. *See* Yonekura, H.
Okino, N. *See* Monjusho, H.
Okret, S. *See* Subramaniam, N.
Okuno, E. *See* Cooper, A. J. L.
Okuta, A.
——; Ohnishi, K.; Yagame, S.; Harayama, S.
Intersubunit interaction and catalytic activity of catechol 2,3-dioxygenases, 371:557
Olanow, C. W. *See* Nair, V. D.
Olianas, A. *See* Pellegrini, Mariagiuseppina
Oliveira, V. *See* Hemerly, J. P.
Oliver, R. P. *See* Wilson, T. J. G.
Ollosson, R. *See* Mani, A. R.
Olmo, N. *See* Lecona, E.
Olsen, A. E. *See* Shepherd, M.
Olsen, J.
——; Kirkeby, L. T.; Brorsson, M. M.; Dabelsteen, S.; Troelsen, J. T.; Bordoy, R.; Fenger, K.; Larsson, L.-I.; Simon-Assmann, P.
Converging signals synergistically activate the LAMC2 promoter and lead to accumulation of the laminin γ2 chain in human colon carcinoma cells, 371:211
Olson, F. J. *See* Bäckström, M.
Olson, G. E. *See* Bi, M.
Omori, A. *See* Inoue, A.
Onesto, C. *See* Gouyon, F.
Op Den Camp, H. J. M. *See* Steenbakkers, P. J. M.
Oppermann, U. *See* Shafqat, N.
O'Rahilly, S. *See* Meirhaeghe, A.
Orie, N. N. *See* Mani, A. R.
O'Rourke, F. A.
——; LaPlante, J. M.; Feinstein, M. B.

© 2004 Biochemical Society

Antisense-mediated loss of calcium homoeostasis endoplasmic reticulum protein (CHERP; ERPROT213-21) impairs Ca^{2+} mobilization, nuclear factor of activated T-cells (NFAT) activation and cell proliferation in Jurkat T-lymphocytes, 373:133

Orr, D. F. *See* Chen, T.

Orr, W. C. *See* Radyuk, S. N.

Ortelli, F.

——; Rossiter, L. C.; Vontas, J.; Ranson, H.; Hemingway, J.

Heterologous expression of four glutathione transferase genes genetically linked to a major insecticide-resistance locus from the malaria vector *Anopheles gambiae*, 373:957

Orton, T. C. *See* Jowsey, I. R.

Orvain, C. *See* Matre, V.

Osaki, M.

——; Tan, L.; Choy, B. K.; Yoshida, Y.; Cheah, K. S. E.; Auron, P. E.; Goldring, M. B.

The TATA-containing core promoter of the type II collagen gene (*COL2A1*) is the target of interferon-γ-mediated inhibition in human chondrocytes: requirement for Stat1α, Jak1 and Jak2, 369:103

Oshige, M. *See* Mizushina, Y.

Oshima, Y. *See* Yajima, M.

Ostler, E. L. *See* Gul, S.

Østvold, A. C. *See* Moller, M. T. N.

Otsu, A. *See* Takeuchi, S.

Ottonello, S. *See* Montanini, B.; Nakashima, S.

Ouar, Z.

——; Bens, M.; Vignes, C.; Paulais, M.; Pringel, C.; Fleury, J.; Cluzeaud, F.; Lacave, R.; Vandewalle, A.

Inhibitors of vacuolar H^+-ATPase impair the preferential accumulation of daunomycin in lysosomes and reverse the resistance to anthracyclines in drug-resistant renal epithelial cells, 370:185

Ouellet, M. *See* Aitken, S. M.

Overgaard, M. T. *See* Einholm, A. P.

Oxford, J. T. *See* Medeck, R. J.

Oyama, Y. *See* Kato-Toma, Y.

Oyewumi, L.

——; Kaplan, F.; Sweezey, N. B.

Lgl1, a mesenchymal modulator of early lung branching morphogenesis, is a secreted glycoprotein imported by late gestation lung epithelial cells, 376:61

Pabon, A. *See* Kim, S. I.

Pace, S. *See* Green, D.

Pacifico, F. *See* Jeso, B. D.

Pacini, S. *See* Bini, L.

Padgett, R. W. *See* Patton, J. R.

Paffetti, A. *See* Trabalzini, L.

Paganelli, G. *See* Hytönen, V. P.

Pagano, M. A. *See* Sarno, S.

Page, M. *See* McKenzie, E.

Pagé-Bélanger, R. *See* Boyer, A.

Pages, G. *See* Gouyon, F.

Pagès, J.-M. *See* Bredin, J.; Malléa, M.

Paglialunga, F. *See* Filosa, S.

Pai, T. G. *See* Sugahara, T.

Paiardini, A. *See* Bertoldi, M.

Pain, D. *See* Amutha, B.

Paine, M. J. I. *See* Flanagan, J. U.

Pajares, M. A. *See* González, B.

Pal, A.

——; Hall, B. S.; Jeffries, T. R.; Field, M. C.

Rab5 and Rab11 mediate transferrin and anti-variant surface glycoprotein antibody recycling in *Trypanosoma brucei*, 374:443

Paldi, T.

——; Levy, I.; Shoseyov, O.

Glucoamylase starch-binding domain of *Aspergillus niger* B1: molecular cloning and functional characterization, 372:905

Pallardó, F. V. *See* Zaragozá, R.

Pallini, V. *See* Bini, L.

Palmer, D. N. *See* Heine, C.

Palomares, O.

——; Villalba, M.; Rodríguez, R.

The C-terminal segment of the 1,3-β-glucanase Ole e 9 from olive (*Olea europaea*) pollen is an independent domain with allergenic activity: expression in *Pichia pastoris* and characterization, 369:593

Palumbo, G. *See* Crescenzi, E.

Palumbo, V. *See* Boniotto, M.

Pamlard, O. *See* Ramaen, O.

Pandey, S. *See* Singh, S. K.

Pane, F. *See* Pierantoni, G. M.

Panjarian, S. *See* El-Assaad, W.

Pankhurst, K. L. *See* Pessanha, M.

Pannala, A. S. *See* Mani, A. R.

Pantopoulos, K. *See* Wang, J.

Paoletti, S. *See* Marsich, E.; Vetere, A.

Papageorgiou, A. C. *See* Gordon, K.

Papakosta, P. *See* Kardassis, D.

Pappa, A.

——; Estey, T.; Manzer, R.; Brown, D.; Vasiliou, V.

Human aldehyde dehydrogenase 3A1 (ALDH3A1): biochemical characterization and immunohistochemical localization in the cornea, 376:615

Parbhu-Patel, A. *See* Deng, W.

Pardo, R. *See* Sarri, E.

Paredes, V. *See* Franco, A.

Parekh, R. *See* McKenzie, E.

Parés, X. *See* Crosas, B.

Pariente, J. A. *See* Redondo, P. C.

Paris, S.

——; Longhi, R.; Santambrogio, P.; de Curtis, I.

Leucine-zipper-mediated homo- and hetero-dimerization of GIT family p95-ARF GTPase-activating protein, PIX-, paxillin-interacting proteins 1 and 2, 372:391

Parissenti, A. M. *See* Kirwan, A. F.

Park, B.-H. *See* Moldes, M.

Park, C. *See* Shin, D.

Park, J.-W. *See* Chun, Y.-S.

Park, S. *See* Shin, D.

Parker, M. W. *See* Ricci, G.; Board, P. G.

Parker, P. J. *See* Tan, S.-L.

Parks, W. C. *See* Illman, S. A.

Parson, W. *See* Haas, H.

Partanen, S.

——; Storch, S.; Löffler, H.-G.; Hasilik, A.; Tyynelä, J.; Braulke, T.

A replacement of the active-site aspartic acid residue 293 in mouse cathepsin D affects its intracellular stability, processing and transport in HEK-293 cells, 369:55

Pass, I. *See* McConnachie, G.

Pastor, M. T. *See* Blanes-Mira, C.

Pastor-Anglada, M. *See* Soler, C.

Pasupulati, L. *See* Aronson, Jr, N. N.

Paszewski, A. *See* Kacprzak, M. M.

Patarroyo-White, S. *See* Hersberger, M.

Patel, H. *See* Colegrave, M.

Patel, R. *See* Hagemann, C.

Patel, R. A. *See* Leiting, B.

Patel, S. *See* Brailoiu, E.; Dickinson, G. D.

Patel, Y. M. *See* Paul, D. S.

Patsch, W. *See* Oberkofler, H.

Patterson, J. H.

——; Waller, R. F.; Jeevarajah, D.; Billman-Jacobe, H.; McConville, M. J.

Mannose metabolism is required for mycobacterial growth, 372:77

Pattni, K.

——; Millard, T. H.; Banting, G.

Calpain cleavage of the B isoform of Ins(1,4,5)P_3 3-kinase separates the catalytic domain from the membrane anchoring domain, 375:643

Patton, J. R.

——; Padgett, R. W.

Caenorhabditis elegans pseudouridine synthase 1 activity *in vivo*: tRNA is a substrate, but not U2 small nuclear RNA, 372:595

Paul, D. S.

——; Harmon, A. W.; Winston, C. P.; Patel, Y. M.

Calpain facilitates GLUT4 vesicle translocation during insulin-stimulated glucose uptake in adipocytes, 376:625

Paulais, M. *See* Ouar, Z.

Paul-Clark, M. *See* Croxtall, J. D.

Paulsson, M. *See* Vannahme, C.

Pavo, I. *See* Fontes, M. R. M.

Payan, F.

——; Flatman, R.; Porciero, S.; Williamson, G.; Juge, N.; Roussel, A.

Structural analysis of xylanase inhibitor protein I (XIP-I), a proteinaceous xylanase inhibitor from wheat (*Triticum aestivum*, var. Soisson), 372:399

Payie, K. G.

——; Tanaka, T.; Gal, S.; Yada, R. Y.

Construction, expression and characterization of a chimaeric mammalian–plant aspartic proteinase, 372:671

Payne, D. J. *See* Marrakchi, H.

Payrastre, B. *See* Giuriato, S.

Pearson, R. B. *See* Hannan, K. M.

Pease, R. J. *See* Broadway, N. M.

Pedersen, J. *See* Hansen, G. H.

Pedersen, K. E. *See* Einholm, A. P.

——; Einholm, A. P.; Christensen, A.; Schack, L.; Wind, T.; Kenney, J. M.; Andreasen, P. A.

Plasminogen activator inhibitor-1 polymers, induced by inactivating amphipathic organochemical ligands, 372:747

Pedersen, P. L. *See* Annereau, J. P.

Pedone, E.

——; Bartolucci, S.; Rossi, M.; Pierfederici, F. M.; Scirè, A.; Cacciamani, T.; Tanfani, F.

Structural and thermal stability analysis of *Escherichia coli* and *Alicyclobacillus acidocaldarius* thioredoxin revealed a molten globule-like state in thermal denaturation pathway of the proteins: an infrared spectroscopic study, 373:875

Peeters, B. *See* Haelens, A.

Pegg, A. E. *See* Ikeguchi, Y.; Kanugula, S.

Peggie, M. *See* Mody, N.

Pejler, G. *See* Fajardo, I.

Pelkonen, O. *See* Mäkinen, J.

Pell, G. *See* Hogg, D.

Pelled, D. *See* Lloyd-Evans, E.

Pellegrini, Mariagiuseppina

——; Giardina, B.; Verde, C.; Carratore, V.; Olianas, A.; Sollai, L.; Sanna, M. T.; Castagnola, M.; di Prisco, G.

Structural–functional characterization of the cathodic haemoglobin of the conger eel

© 2004 Biochemical Society

Conger conger: molecular modelling study of an additional phosphate-binding site, 372:679
Pellegrini, Michela *See* Bini, L.
Pellinen, T.
——: Ahlfors, H.; Blot, N.; Condemine, G.
Topology of the *Erwinia chrysanthemi* oligogalacturonate porin KdgM, 372:329
Peng, G.
——: Huang, J.; Boyd, M.; Kleinberg, M. E.
Properties of phagocyte NADPH oxidase p47-phox mutants with unmasked SH3 (Src homology 3) domains: full reconstitution of oxidase activity in a semi-recombinant cell-free system lacking arachidonic acid, 373:221
Penner, R. *See* Turner, H.
Penninckx, M. J. *See* Springael, J.-Y.
Penninger, J. *See* Giuriato, S.
Penolazzi, L. *See* Lambertini, E.
Percival, M. D. *See* Aitken, S. M.
Perduca, M. *See* Galliano, M.
Pereira, Y. *See* Colomer-Pallas, A.
Pérez, M.
——: Rojo, A. I.; Wandosell, F.; Díaz-Nido, J.; Avila, J.
Prion peptide induces neuronal cell death through a pathway involving glycogen synthase kinase 3, 372:129
Perez-Castillo, A. *See* Pignatelli, M.
Pérez-Gomez, C.
——: Matés, J. M.; Gómez-Fabre, P. M.; del Castillo-Olivares, A.; Alonso, F. J.; Márquez, J.
Genomic organization and transcriptional analysis of the human L-glutaminase gene, 370:771
Perez-Payá, E. *See* Blanes-Mira, C.
Pérez-Rendón, A. *See* Pignatelli, M.
Pérez-Riba, M. *See* Genescà, L.
Perla, R. P. *See* Chandrasekar, B.
Perret, J. *See* Nachtergael, I.
Perrin, S. *See* Qu, N.
Perriott, L. M. *See* Whitesell, R. R.
Pesesse, X. *See* Hua, L. V.
Pessach, E. *See* Mankelow, T. J.
Pessanha, M.
——: Louro, R. O.; Correia, I. J.; Rothery, E. L.; Pankhurst, K. L.; Reid, G. A.; Chapman, S. K.; Turner, D. L.; Salgueiro, C. A.
Thermodynamic characterization of a tetrahaem cytochrome isolated from a facultative aerobic bacterium, *Shewanella frigidimarina*: a putative redox model for flavocytochrome c_3, 370:489
Peterbauer, A. *See* Leitner, K. L.
Peters, G. H. *See* Drake, P. G.
Peters, M. *See* Duarte, M.
Petersen, B. O. *See* Wilson, T. J. G.
Petersen, O. H. *See* Ashby, M. C.
Petersen, R. K. *See* Madsen, L.
Petersen, S. V.
——: Valnickova, Z.; Enghild, J. J.
Pigment-epithelium-derived factor (PEDF) occurs at a physiologically relevant concentration in human blood: purification and characterization, 374:199
Peterson, H. *See* Duncan, R. F.
Petit, M.-A. *See* Charrin, S.
Petitfrere, E. *See* Lambert, E.
Petit-Glatron, M.-F. *See* Colomer-Pallas, A.
Petronini, P. G. *See* Brigotti, M.
Petrova, R. G. *See* Yonekura, H.
Peumans, W. J.
——: Rougé, P.; van Damme, E. J. M.
The tomato lectin consists of two homologous chitin-binding modules separated by an extensin-like linker, 376:717
Peyrollier, K. *See* Maquoi, E.
Pflieger, D. *See* Santoni, V.
Pham, H. T. *See* Zhou, J.
Phillips, D. C.
——: Griffiths, H. R.
Ceramide induces a loss in cytosolic peroxide levels in mononuclear cells, 375:567
Phin, S.
——: Kupferwasser, D.; Lam, J.; Lee-Fruman, K. K.
Mutational analysis of ribosomal S6 kinase 2 shows differential regulation of its kinase activity from that of ribosomal S6 kinase 1, 373:583
Piacentini, L. *See* Bergman, M. R.
Picco, G. *See* Bäckström, M.
Pierantoni, G. M.
——: Agosti, V.; Fedele, M.; Bond, H.; Caliendo, I.; Chiappetta, G.; Lo Coco, F.; Pane, F.; Turco, M. C.; Morrone, G.; Venuta, S.; Fusco, A.
High-mobility group A1 proteins are overexpressed in human leukaemias, 372:145
Pierfederici, F. M. *See* Pedone, E.
Pierotti, A. R. *See* Morrison, L. S.
Pignatelli, M.
——: Luna-Medina, R.; Pérez-rendón, A.; Santos, A.; Perez-Castillo, A.
The transcription factor early growth response factor-1 (EGR-1) promotes apoptosis of neuroblastoma cells, 373:739
Pillai, A.
——: Ueno, S.; Zhang, H.; Kato, Y.
Induction of ASABF (*Ascaris suum* antibacterial factor)-type antimicrobial peptides by bacterial injection: novel members of ASABF in the nematode *Ascaris suum*, 371:663
Pillay, T. S. *See* Ahmed, Z.
Pimenta, D. C.
——: Fogaça, S. E.; Melo, R. L.; Juliano, L.; Juliano, M. A.
Specificity of S'_1 and S'_2 subsites of human tissue kallikrein using the reactive-centre loop of kallistatin: the importance of P'_1 and P'_2 positions in design of inhibitors, 371:1021
Piña, B. *See* Mansilla, S.
Pineau, C. *See* Naud, N.
Pines, A.
——: Romanello, M.; Cesaratto, L.; Damante, G.; Moro, L.; D'Andrea, P.; Tell, G.
Extracellular ATP stimulates the early growth response protein 1 (Egr-1) via a protein kinase C-dependent pathway in the human osteoblastic HOBIT cell line, 373:815
Pini, A. *See* Bracci, L.
Pinitglang, S. *See* Gul, S.; Hussain, S.
Pinna, L. A. *See* Donella-Deana, A.; Llorens, F.; Sarno, S.
Pinotti, M. *See* Toso, R.
Pischitzis, A. *See* Leuenberger, B.
Piston, D. W. *See* Whitesell, R. R.
Piva, R. *See* Lambertini, E.
Pizzo, S. V. *See* Mathew, S.
Pla, A. *See* Rodrigo, L.
Plana, M. *See* Llorens, F.
Planas, A. *See* Abel, M.
Plant, K. E. *See* Boukouvala, S.
Platt, F. M. *See* Mellor, H. R.
Pochon, N. *See* Ceni, C.
Podlaski, F. *See* Xu, K.
Pohl, A. *See* Woehlecke, H.
Poholek, A. *See* Zhu, J.
Poirier, G. G. *See* Gagné, J.-P.
Polčic, P.
——: Forte, M.
Response of yeast to the regulated expression of proteins in the Bcl-2 family, 374:393
Polizzi, B. J. *See* Marrakchi, H.
Pollak, E. S. *See* Toso, R.
Poll-The, B.-T. *See* de Koning, T. J.
Polly, P. *See* Tay, E. S. E.
Polo, F. *See* Calabozo, B.
Ponces Freire, A. M. J. *See* Ferreira, A. E. N.
Ponka, P. *See* Watts, R. N.
Ponti, D.
——: Mangoni, M. L.; Mignogna, G.; Simmaco, M.; Barra, D.
An amphibian antimicrobial peptide variant expressed in *Nicotiana tabacum* confers resistance to phytopathogens, 370:121
Pontremoli, S. *See* De Tullio, R.
Popa, I. *See* Ardail, D.
Pope, C. *See* Butcher, N. J.
Porcellini, A. *See* De Luca, A.
Porciero, S. *See* Payan, F.
Porcile, P. *See* González, J.
Pörn-Ares, M. I.
——: Saido, T. C.; Andersson, T.; Ares, M. P. S.
Oxidized low-density lipoprotein induces calpain-dependent cell death and ubiquitination of caspase 3 in HMEC-1 endothelial cells, 374:403
Porta, R. *See* Esposito, C.
Porter, C. W. *See* Chen, Y.; Vujcic, S.
Portoukalian, J. *See* Ardail, D.
Portugal, J. *See* Mansilla, S.
Poulsen, F. M. *See* Greve, K.
Pounkova, N. I. *See* Gurskaya, N. G.
Povelainen, M.
——: Eneyskaya, E. V.; Kulminskaya, A. A.; Ivanen, D. R.; Kalkkinen, N.; Neustroev, K. N.; Miasnikov, A. N.
Biochemical and genetic characterization of a novel enzyme of pentitol metabolism: D-arabitol-phosphate dehydrogenase, 371:191
Pozner, R. G. *See* Silva, M. B.
Pozueta-Romero, J. *See* Yagi, T.
Pramanik, S. R. *See* Das, T.
Prat, A. *See* Conesa, M.
Pratt, R. F. *See* Anderson, J. W.
Prescott, A. R. *See* Kimber, W. A.
Prescott, S. M. *See* Wu, Xiaoqing
Price, C. M. *See* De Rycker, M.
Price, L. J.
——: Herbert, D.; Moss, S. R.; Cole, D. J.; Harwood, J. L.
Graminicide insensitivity correlates with herbicide-binding co-operativity on acetyl-CoA carboxylase isoforms, 375:415
Price, N. *See* Boukouvala, S.
Price, N. C. *See* Milburn, C. C.
Price, N. T.
——: Jackson, V. N.; van der Leij, F. R.; Cameron, J. M.; Travers, M. T.; Bartelds, B.; Huijkman, N. C.; Zammit, V. A.
Cloning and expression of the liver and muscle isoforms of ovine carnitine palmitoyltransferase 1: residues within the N-terminus of the muscle isoform influence the kinetic properties of the enzyme, 372:871
Pridal, L. *See* Madsen, L.

© 2004 Biochemical Society

Prieto, T. *See* Zucchi, M. R.
Pringel, C. *See* Ouar, Z.
Printz, R. L. *See* Whitesell, R. R.
Promdonkoy, B.
——; Ellar, D. J.
Investigation of the pore-forming mechanism of a cytolytic δ-endotoxin from *Bacillus thuringiensis*, 374:255
Proud, C. G. *See* Beugnet, A.; Tang, X.; Wang, L.
Proux-Gillardeaux, V.
——; Galli, T.; Callebaut, I.; Mikhailik, A.; Calothy, G.; Marx, M.
D53 is a novel endosomal SNARE-binding protein that enhances interaction of syntaxin 1 with the synaptobrevin 2 complex *in vitro*, 370:213
Pryor, K. D. *See* Leiting, B.
Publicover, S. J. *See* Harper, C. V.
Pucci, P. *See* Galliano, M.
Puddey, I. B. *See* Morton, L. W.
Pugh, A. *See* King, S. C.
Puigserver, A. *See* Berrin, J.-G.
Pulido, R. *See* Muñoz, J. J.
Purro, S. A.
——; Bisig, C. G.; Contin, M. A.; Barra, H. S.; Arce, C. A.
Post-translational incorporation of the antiproliferative agent azatyrosine into the C-terminus of α-tubulin, 375:121
Püschel, G. P. *See* Neuschäfer-Rube, F.
Puzer, L. *See* Alves, M. F. M.
Puzo, G. *See* Gibson, K. J. C.

Qi, J.-s. *See* Chen, Cailin
Qi, S. Y.
——; Riviere, P. J.; Trojnar, J.; Junien, J.-L.; Akinsanya, K. O.
Cloning and characterization of dipeptidyl peptidase 10, a new member of an emerging subgroup of serine proteases, 373:179
Qi, Y. *See* Zhao, C.
Qian, S. *See* Abe, T.
Qian, X. *See* Hersberger, M.
Qian, Z. M. *See* Li, Hongyan
Qiu, F.
——; Lakey, A.; Agianian, B.; Hutchings, A.; Butcher, G. W.; Labeit, S.; Leonard, K.; Bullard, B.
Troponin C in different insect muscle types: identification of two isoforms in *Lethocerus*, *Drosophila* and *Anopheles* that are specific to asynchronous flight muscle in the adult insect, 371:811
Qu, N.
——; Ignatenko, N. A.; Yamauchi, P.; Stringer, D. E.; Levenson, C.; Shannon, P.; Perrin, S.; Gerner, E. W.
Inhibition of human ornithine decarboxylase activity by enantiomers of difluoromethylornithine, 375:465
Qualmann, B.
——; Mellor, H.
Regulation of endocytic traffic by Rho GTPases, 371:233
Quaresima, B.
——; Alifano, P.; Tassone, P.; Avvedimento, E. V.; Costanzo, F. S.; Venuta, S.
Human mismatch-repair protein MutL homologue 1 (MLH1) interacts with *Escherichia coli* MutL and MutS *in vivo* and *in vitro*: a simple genetic system to assay MLH1 function, 371:183
Quennedey, B. *See* Cornette, R.; Rivière, S.
Querol, E. *See* Villanueva, J.
Quigley, J. P. *See* Hooper, J. D.
Quimby, F. R. *See* Cheng, W.-H.
Quincoces, A. F. *See* Arrastua, L.
Quinn, C. *See* Marrakchi, H.
Quinn, J. P. *See* Coulson, J. M.
Qwarnström, E. E. *See* Schooley, K.

Rabiet, M.-J. *See* Tardif, M.
Radić, Z. *See* Kovarik, Z.
Radin, N. S.
——; Killing tumours by ceramide-induced apoptosis: a critique of available drugs, 371:243
Radyuk, S. N.
——; Sohal, R. S.; Orr, W. C.
Thioredoxin peroxidases can foster cytoprotection or cell death in response to different stressors: over- and under-expression of thioredoxin peroxidase in *Drosophila* cells, 371:743
Rafter, I. *See* Subramaniam, N.
Raggiaschi, R. *See* Bini, L.
Raghunath, A.
——; Ling, M.; Larsson, C.
The catalytic domain limits the translocation of protein kinase Cα in response to increases in Ca^{2+} and diacylglycerol, 370:901
Ragolia, L. *See* Moon, B.
Rahman, S. *See* Bell, S. L.
Rajagopal, R.
——; Agrawal, N.; Selvapandiyan, A.; Sivakumar, S.; Ahmad, S.; Bhatnagar, R. K.
Recombinantly expressed isoenzymic aminopeptidases from *Helicoverpa armigera* (American cotton bollworm) midgut display differential interaction with closely related *Bacillus thuringiensis* insecticidal proteins, 370:971
Rajasekharan, R. *See* Raychaudhuri, S.
Rajkumar, N. R. *See* Raychaudhuri, S.
Rajpert-De Meyts, E. *See* Nielsen, J.
Ramaen, O.
——; Masscheleyn, S.; Duffieux, F.; Pamlard, O.; Oberkampf, M.; Lallemand, J.-Y.; Stoven, V.; Jacquet, E.
Biochemical characterization and NMR studies of the nucleotide-binding domain 1 of multidrug-resistance-associated protein 1: evidence for interaction between ATP and Trp^{653}, 376:749
Rambach, A. *See* Raux, E.
Ramjeesingh, M.
——; Kidd, J. F.; Huan, L. J.; Wang, Y.; Bear, C. E.
Dimeric cystic fibrosis transmembrane conductance regulator exists in the plasma membrane, 374:793
——; Ugwu, F.; Li, C.; Dhani, S.; Huan, L. J.; Wang, Y.; Bear, C. E.
Stable dimeric assembly of the second membrane-spanning domain of CFTR (cystic fibrosis transmembrane conductance regulator) reconstitutes a chloride-selective pore, 375:633
Ramos, C. R. R. *See* Silva, M. B.
Ranson, H. *See* Ortelli, F.
Rao, M. A. *See* Wafa, L. A.
Rao, P. *See* Chen, T.
Rao, V. S.
——; Joseph, J. S.; Kini, R. M.
Group D prothrombin activators from snake venom are structural homologues of mammalian blood coagulation factor Xa, 369:635
Rask, L. *See* Larsson, M.
Raux, E.
——; Leech, H. K.; Beck, R.; Schubert, H. L.; Santander, P. J.; Roessner, C. A.; Scott, A. I.; Martens, J. H.; Jahn, D.; Thermes, C.; Rambach, A.; Warren, M. J.
Identification and functional analysis of enzymes required for precorrin-2 dehydrogenation and metal ion insertion in the biosynthesis of sirohaem and cobalamin in *Bacillus megaterium*, 370:505
Ravens, U. *See* Rosskopf, D.
Ray, M. *See* Roy, S. S.
Ray, S. *See* Roy, S. S.
Raychaudhuri, S.
——; Reddy, M. M.; Rajkumar, N. R.; Rajasekharan, R.
Cytosolic iron superoxide dismutase is a part of the triacylglycerol biosynthetic complex in oleaginous yeast, 372:587
Raymondjean, M. *See* Antonio, V.
Read, J. T. *See* Yeung, L. H. Y.
Recio-Pinto, E. *See* Zhu, J.
Reddy, M. M. *See* Raychaudhuri, S.
Redelinghuys, P. *See* Gordon, K.
Redondo, P. C.
——; Lajas, A. I.; Salido, G. M.; Gonzalez, A.; Rosado, J. A.; Pariente, J. A.
Evidence for secretion-like coupling involving $pp60^{src}$ in the activation and maintenance of store-mediated Ca^{2+} entry in mouse pancreatic acinar cells, 370:255
Reed, J. C. *See* Shin, H.; Zhai, D.; Stehlik, C.
Reed, S. I. *See* Xu, K.; Marrakchi, H.
Rees, E. *See* Luckman, S. P.
Regev-Shoshani, G.
——; Shoseyov, O.; Bilkis, I.; Kerem, Z.
Glycosylation of resveratrol protects it from enzymic oxidation, 374:157
Rehm, B. H. A. *See* Amara, A. A.
——; Polyester synthases: natural catalysts for plastics, 376:15
Reid, E. *See* Turner, S.
Reid, G. *See* Zelcer, N.
Reid, G. A. *See* Pessanha, M.
Reid, J. D. *See* Hussain, S.; Shepherd, M.
Reiner, E. *See* Kovarik, Z.
Reinisalo, M. *See* Mäkinen, J.
Relou, I. A. M.
——; Bax, L. A. B.; van Rijn, H. J. M.; Akkerman, J.-W. N.
Site-specific phosphorylation of platelet focal adhesion kinase by low-density lipoprotein, 369:407
Renauld, J.-C. *See* Dumoutier, L.
René, P. *See* Haqq, A. M.
Rennert, K. *See* Rubio, I.
Rennie, P. S. *See* Wafa, L. A.; Yeung, L. H. Y.
Resmini, M. *See* Gul, S.; Hussain, S.
Revuelta, J. L. *See* Schlüpen, C.
Ribaux, P. G.
——; Iynedjian, P. B.
Analysis of the role of protein kinase B (cAKT) in insulin-dependent induction of glucokinase and sterol regulatory element-binding protein 1 (SREBP1) mRNAs in hepatocytes, 376:697
Ribbons, D. W. *See* Straganz, G. D.
Ribeiro, A. *See* Hatzivassiliou, E.
Ribot, C. *See* Léon, S.
Ricci, C. *See* Bracci, L.
Ricci, G.
——; Caccuri, A. M.; Lo Bello, M.; Parker, M. W.; Nuccetelli, M.; Turella, P.; Stella, L.; Di Ilorio, E. E.; Federici, G.

© 2004 Biochemical Society

Glutathione transferase P1-1: self-preservation of an anti-cancer enzyme, 376:71
Rice-Evans, C. *See* Mani, A. R.; Schroeter, H.; Spencer, J. P. E.
Richard, A.-M. T. *See* Cunningham, B. A.
Richards, C. M. *See* Brown, S. A. N.
Richardson, D. R. *See* Watts, R. N.
Richarme, G. *See* Kern, R.
Rideau, M. *See* Laffer, S.
Ridgway, N. D.
——; Lagace, T. A.
Regulation of the CDP-choline pathway by sterol regulatory element binding proteins involves transcriptional and post-transcriptional mechanisms, 372:811
Riebeling, C. *See* Lloyd-Evans, E.
Riedel, H. *See* Kirwan, A. F.
Riefler, G. M.
——; Balasingam, G.; Lucas, K. G.; Wang, S.; Hsu, S.-C.; Firestein, B. L.
Exocyst complex subunit sec8 binds to postsynaptic density protein-95 (PSD-95): a novel interaction regulated by cypin (cytosolic PSD-95 interactor) 373:49
Riekens, B. *See* Bruhn, H.
Rigo, A. *See* Di Paolo, M. L.
Rique, H. *See* Rodriguez, M.
Ritty, T. M.
——; Broekelmann, T. J.; Werneck, C. C.; Mecham, R. P.
Fibrillin-1 and -2 contain heparin-binding sites important for matrix deposition and that support cell attachment, 375:425
Rivas, C. *See* Muñoz-Fontela, C.
Rivas, L. *See* Luque-Ortega, J. R.
Rivett, A. J. *See* Fuertes, G.; Bess, K. L.
Riviere, P. J. *See* Qi, S. Y.
Rivière, S.
——; Lartigue, A.; Quennedey, B.; Campanacci, V.; Farine, J.-P.; Tegoni, M.; Cambillau, C.; Brossut, R.
A pheromone-binding protein from the cockroach *Leucophaea maderae*: cloning, expression and pheromone binding, 371:573
Roach, P. L. *See* Long, A. J.
Robberecht, P. *See* Nachtergael, I.
Roberts, G. C. K. *See* Flanagan, J. U.
Roberts, I. *See* Roman, E.
Robinson, B. H. *See* Carbone, M. A.
Robinson, C. V. *See* Aquilina, J. A.
Robinson, R. C. *See* Larsson, M.
Rocher, C. *See* Rossignol, R.
Rock, C. O. *See* Marrakchi, H.
Rodrigo, L.
——; Gil, F.; Hernandez, A. F.; Lopez, O.; Pla, A.
Identification of paraoxonase 3 in rat liver microsomes: purification and biochemical properties, 376:261
Rodríguez, E. *See* Muñoz-Fontela, C.
Rodriguez, J. A.
——; Span, S. W.; Kruyt, F. A. E.; Giaccone, G.
Subcellular localization of CrmA: identification of a novel leucine-rich nuclear export signal conserved in anti-apoptotic serpins, 373:251
Rodriguez, M.
——; Audinot, V.; Dromaint, S.; Macia, C.; Lamamy, V.; Beauverger, P.; Rique, H.; Imbert, J.; Nicolas, J. P.; Boutin, J. A.; Galizzi, J. P.
Molecular identification of the long isoform of the human neuropeptide Y Y5 receptor and pharmacological comparison with the short Y5 receptor isoform, 369:667
Rodríguez, P. H. *See* Baez, M.
Rodriguez, R.
——; Matsuda, M.; Storey, A.; Katan, M.
Requirements for distinct steps of phospholipase Cγ2 regulation, membrane-raft-dependent targeting and subsequent enzyme activation in B-cell signalling, 374:269
Rodríguez, R. *See* Palomares, O.
Roemen, T. H. M. *See* Hasselbaink, D. M.
Roessner, C. A. *See* Raux, E.
Roher, N. *See* Llorens, F.
Rohner-Jeanrenaud, F. *See* Dreyer, M. G.
Rohrer, L. *See* Hersberger, M.
Rojo, A. I. *See* Pérez, M.
Rolfe, M. *See* Wang, L.
Roman, E.
——; Roberts, I.; Lidholt, K.; Kusche-Gullberg, M.
Overexpression of UDP-glucose dehydrogenase in *Escherichia coli* results in decreased biosynthesis of K5 polysaccharide, 374:767
Romanello, M. *See* Pines, A.
Romão, M. J. *See* Garattini, E.
Rombauts, W. *See* Haelens, A.
Roneker, C. A. *See* Cheng, W.-H.
Rönnstrand, L. *See* Wollberg, P.; Demoulin, J.-B.
Rooney, M. *See* Giuliano, S.
Rosado, J. A. *See* Redondo, P. C.
Rösch, P. *See* Neudecker, P.
Rossi, M. *See* Pedone, E.
Rossignol, R.
——; Faustin, B.; Rocher, C.; Malgat, M.; Mazat, J.-P.; Letellier, T.
Mitochondrial threshold effects, 370:751
Rossiter, L. C. *See* Ortelli, F.
Rosskopf, D.
——; Manthey, I.; Habich, C.; Kielbik, M.; Eisenhardt, A.; Nikula, C.; Urban, M.; Kohnen, S.; Graf, E.; Ravens, U.; Siffert, W.
Identification and characterization of Gβ3s2, a novel splice variant of the G-protein β3 subunit, 371:223
Rosso, J.-P. *See* Alami, M.
Rostas, J. A. P. *See* Sim, A. T. R.
Roth, D. *See* Birkenfeld, J.
Roth, R. A. *See* Andersen, C. B.
Rothery, E. L. *See* Pessanha, M.
Roubelakis, M. *See* Zannettino, A. C. W.
Rougé, P. *See* Coulon, A.; Peumans, W. J.
Roughley, P. J.
——; Barnett, J.; Zuo, F.; Mort, J. S.
Variations in aggrecan structure modulate its susceptibility to aggrecanases, 375:183
Rousseau, G. G. *See* Nacer-Cherif, H.
Roussel, A. *See* Payan, F.
Roussou, A. *See* Kardassis, D.
Roustan, C. *See* Larvor, M.-P.
Roux, M. P. *See* Tassa, A.
Rowe, T. *See* Buxton, P.
Roy, C. N. *See* Davies, P. S.
Roy, S. S.
——; Biswas, S.; Ray, M.; Ray, S.
Protective effect of creatine against inhibition by methylglyoxal of mitochondrial respiration of cardiac cells, 372:661
Roza, M. *See* Schantl, J. A.
Ruben, S. M. *See* Yenugu, S.
Rubinstein, E. *See* Charrin, S.
Rubio, I.
——; Rennert, K.; Wittig, U.; Wetzker, R.
Ras activation in response to lysophosphatidic acid requires a permissive input from the epidermal growth factor receptor, 376:571 (*see* Downward, J. for online-only commentary)
Rudnäs, B. *See* Högback, S.
Ruediger, R. *See* Zhou, J.
Ruff, J.
——; Denger, K.; Cook, A. M.
Sulphoacetaldehyde acetyltransferase yields acetyl phosphate: purification from *Alcaligenes defragrans* and gene clusters in taurine degradation, 369:275
Ruiz, C. *See* Karantzeni, I.
Ruiz, F. X. *See* Llorens, F.
Ruiz-Cabello, J. *See* Sánchez-Alcázar, J. A.
Rus, A. D. *See* Zaragozá, R.
Rusch, A. *See* Kzhyshkowska, J.
Rutledge, P. J. *See* Long, A. J.
Rutter, G. A. *See* Da Silva Xavier, G.; Tsuboi, T.
——; Calcium signalling: NAADP comes out of the shadows (online-only commentary on Brailoiu, E.), 373:e3
——; da Silva Xavier, G.; Leclerc, I.
Roles of 5′-AMP-activated protein kinase (AMPK) in mammalian glucose homoeostasis, 375:1
Ruzzene, M. *See* Donella-Deana, A.; Sarno, S.
Rylatt, M. *See* Lochhead, P. A.
Rys-Sikora, K. E. *See* Ma, H.-T.

Sacchetta, P. *See* De Luca, A.
Sá-Correia, I. *See* Marques, A. R.
Sadler, P. J. *See* Zhu, H.
Sadowski, I. *See* Wafa, L. A.
Saeki, M. *See* Hatakeyama, M.
Saeki, T. *See* Zelcer, N.
Safrany, S. T. *See* Ingram, S. W.
Sage, S. O. *See* Brownlow, S. L.
Saggerson, E. D. *See* Broadway, N. M.
Sagua, H. *See* González, J.
Said, H. M. *See* Boulware, M. J.
Saido, T. C. *See* Pörn-Ares, M. I.
Saint, N. *See* Fernandes, J. M. O.
Saito, K. *See* Hatakeyama, M.
Saito, M. *See* Makondo, K.
Saito, Y. *See* Hasegawa, G.
Sakaguchi, K. *See* Mizushina, Y.
Sakata, K. *See* Asami, T.
Sakaue, H. *See* Andersen, C. B.
Sakowska, M. *See* Green, D.
Sakurai, S. *See* Yonekura, H.
Sakwe, A. M. *See* Larsson, M.
Sala, A. *See* Galliano, M.
Salamino, F. *See* De Tullio, R.
Salamonsen, L. A. *See* Nie, G.-Y.
Salcedo, G. *See* Calabozo, B.
Salero, E.
——; Giménez, C.; Zafra, F.
Identification of a non-canonical E-box motif as a regulatory element in the proximal promoter region of the apolipoprotein E gene, 370:979
Salgueiro, C. A. *See* Pessanha, M.
Salido, G. M. *See* Redondo, P. C.
Salim, S. *See* Shafqat, N.
Salinas, G. *See* Lorenzo, C.
Salvador, C. *See* Vernimmen, D.
Salvato, B. *See* Dewilde, S.; Dolashka-Angelova, P.
Salvesen, G. S. *See* Shin, H.
Salvioli, R. *See* Ciaffoni, F.
Samari, H. R. *See* Moller, M. T. N.

© 2004 Biochemical Society

Sampaio, C. A. M. *See* Silva, M. B.
Samways, D. S. K.
——; Li, W.-h.; Conway, S. J.; Holmes, A. B.; Bootman, M. D.; Henderson, G.
Co-incident signalling between μ-opioid and M_3 muscarinic receptors at the level of Ca^{2+} release from intracellular stores: lack of evidence for Ins(1,4,5)P_3 receptor sensitization, 375:713
Sánchez-Alcázar, J. A.
——; Schneider, E.; Hernández-Muñoz, I.; Ruiz-Cabello, J.; Siles-Rivas, E.; Torre, P. D. L.; Bornstein, B.; Brea, G.; Arenas, J.; Garesse, R.; Solís-Herruzo, J. A.; Knox, A. J.; Navas, P.
Reactive oxygen species mediate the down-regulation of mitochondrial transcripts and proteins by tumour necrosis factor-α in L929 cells, 370:609
Sánchez-Torres, P.
——; Visser, J.; Benen, J. A. E.
Identification of amino acid residues critical for catalysis and stability in *Aspergillus niger* family 1 pectin lyase A, 370:331
Sanders, P. W. *See* Ying, W.-Z.
Sandler, S. J. *See* Lloyd, J. R.
Saneyoshi, M. *See* Mizushina, Y.
Sangella, G. A. *See* Gormley, K.
Sanguinetti, A. R.
——; Cao, H.; Corley Mastick, C.
Fyn is required for oxidative- and hyperosmotic-stress-induced tyrosine phosphorylation of caveolin-1, 376:159
Sanna, M. T. *See* Pellegrini, Mariagiuseppina
san Sebastian, E. *See* Arrastua, L.
Santambrogio, P. *See* Paris, S.
Santander, P. J. *See* Raux, E.
Santidrián, A. F. *See* López, J. M.
Santoni, V.
——; Vinh, J.; Pflieger, D.; Sommerer, N.; Maurel, C.
A proteomic study reveals novel insights into the diversity of aquaporin forms expressed in the plasma membrane of plant roots, 373:289
Santoro, M. M.
——; Gaudino, G.; Villa-Moruzzi, E.
Protein phosphatase 1 binds to phospho-Ser-1394 of the macrophage-stimulating protein receptor, 376:587
Santos, A. *See* Pignatelli, M.
Santos, M. A. *See* Schlüpen, C.
Santos, M. R. M. *See* González, J.
Santos, R.
——; Dancis, A.; Eide, D.; Camadro, J.-M.; Lesuisse, E.
Zinc suppresses the iron-accumulation phenotype of *Saccharomyces cerevisiae* lacking the yeast frataxin homologue (Yfh1), 375:247
Santucci, A. *See* Trabalzini, L.
Sanz-Aparicio, J. *See* González, B.
Saraste, M. *See* Haltia, T.
Saravanamuthu, A. *See* Hamilton, C. J.
Sarno, S. *See* Donella-Deana, A.; Llorens, F.
——; De Moliner, E.; Ruzzene, M.; Pagano, M. A.; Battistutta, R.; Bain, J.; Fabbro, D.; Schoepfer, J.; Elliott, M.; Furet, P.; Meggio, F.; Zanotti, G.; Pinna, L. A.
Biochemical and three-dimensional-structural study of the specific inhibition of protein kinase CK2 by [5-oxo-5,6-dihydroindolo-(1,2-a)quinazolin-7-yl]acetic acid (IQA), 374:639
Sarri, E.
——; Pardo, R.; Fensome-Green, A.; Cockcroft, S.
Endogenous phospholipase D2 localizes to the plasma membrane of RBL-2H3 mast cells and can be distinguished from ADP ribosylation factor-stimulated phospholipase D1 activity by its specific sensitivity to oleic acid, 369:319
Sasaki, T. *See* Giuriato, S.
Sasisekharan, R. *See* Berry, D.
Sato, A.
——; Sone, S.
A peptide mimetic of human interferon (IFN)-β, 371:603
Sato, K. *See* Malchinkhuu, E.
Sato, U. *See* Watanabe, Takeshi
Sato, Y. *See* Hasegawa, G.
Satomi, S. *See* Tsuzuki, S.
Satsu, H.
——; Terasawa, E.; Hosokawa, Y.; Shimizu, M.
Functional characterization and regulation of the taurine transporter and cysteine dioxygenase in human hepatoblastoma HepG2 cells, 375:441
Sattler, W. *See* Egger, T.
Saucier, M. *See* Boyer, A.
Saugar, J. M. *See* Luque-Ortega, J. R.
Sautereau, A.-M. *See* Coulon, A.
Sauvé, S. S. *See* Boucard, A. A.
Savchenko, A. *See* Vieille, C.
Saville, G. *See* McKenzie, E.
Savithri, H. S. *See* Jala, V. R.
Savolainen, J. *See* Hytönen, V. P.
Sawicki, R.
——; Singh, S. P.; Mondal, A. K.; Beneš, H.; Zimniak, P.
Cloning, expression and biochemical characterization of one Epsilon-class (GST-3) and ten Delta-class (GST-1) glutathione S-transferases from *Drosophila melanogaster*, and identification of additional nine members of the Epsilon class, 370:661
Sayre, L. M. *See* Tessier, F. J.
Scalabrino, G. *See* Gianazza, E.
Scaloni, A. *See* Fini, C.; Trabalzini, L.
Scarpa, M. *See* Di Paolo, M. L.
Scarselli, M. *See* Bracci, L.
Schacht, D. *See* Tan, F.
Schachter, H. *See* Zhang, W.
Schack, L. *See* Pedersen, K. E.
Schäfer, C. *See* Denecke, B.; Lornejad-Schäfer, M. R.
Schaller, G. *See* Coulon, A.
Schantl, J. A.
——; Roza, M.; De Jong, A. P.; Strous, G. J.
Small glutamine-rich tetratricopeptide repeat-containing protein (SGT) interacts with the ubiquitin-dependent endocytosis (UbE) motif of the growth hormone receptor, 373:855
Schaper, F. *See* Heinrich, P. C.
Scharffetter-Kochanek, K. *See* Brenneisen, P.
Schattner, M. *See* Silva, M. B.
Schätzl, H. M. *See* Whyte, S. M.
Schauer, R. *See* Malykh, Y. N.
Schauwaers, K. *See* Haelens, A.
Scheer, A. *See* Dietrich, A.
Scheiner, O. *See* Laffer, S.
Schell, T.
——; Köcher, T.; Wilm, M.; Seraphin, B.; Kulozik, A. E.; Hentze, M. W.
Complexes between the nonsense-mediated mRNA decay pathway factor human upf1 (up-frameshift protein 1) and essential nonsense-mediated mRNA decay factors in HeLa cells, 373:775 (*see* Graham, S. V. for online-only commentary)
Schenberg, I. *See* Buxton, P.
Scheurer, S. *See* Neudecker, P.
Schilling, W. P. *See* Wisnoskey, B. J.
Schinner, S. *See* Meirhaeghe, A.
Schliess, F. *See* Lornejad-Schäfer, M. R.
Schlüpen, C.
——; Santos, M. A.; Weber, U.; de Graaf, A.; Revuelta, J. L.; Stahmann, K.-P.
Disruption of the *SHM2* gene, encoding one of two serine hydroxymethyltransferase isoenzymes, reduces the flux from glycine to serine in *Ashbya gossypii*, 369:263
Schmid, G. H. *See* Burda, K.
Schmidt, W. K. *See* Cadiñanos, J.
Schmitt, D. *See* Ardail, D.
Schneider, E. *See* Sánchez-Alcázar, J. A.
Schneider, H.-P. *See* Galić, S.
Schneider, L. *See* Brenneisen, P.
Schoepfer, J. *See* Sarno, S.
Schoeser, M. *See* Haas, H.
Schofield, C. J. *See* Long, A. J.
Schofield, D. *See* McKenzie, E.
Schols, H. A. *See* van Alebeek, G.-J. W. M.
Schomburg, L.
——; Schweizer, U.; Holtmann, B.; Flohé, L.; Sendtner, M.; Köhrle, J.
Gene disruption discloses role of selenoprotein P in selenium delivery to target tissues, 370:397
Schooley, K.
——; Zhu, P.; Dower, S. K.; Qwarnström, E. E.
Regulation of nuclear translocation of nuclear factor-κB relA: evidence for complex dynamics at the single-cell level, 369:331
Schraml, E. *See* Oberkofler, H.
Schraw, T. D.
——; Lemons, P. P.; Dean, W. L.; Whiteheart, S. W.
A role for Sec1/Munc18 proteins in platelet exocytosis, 374:207
Schroeter, H.
——; Boyd, C. S.; Ahmed, R.; Spencer, J. P. E.; Duncan, R. F.; Rice-Evans, C.; Cadenas, E.
c-Jun N-terminal kinase (JNK)-mediated modulation of brain mitochondria function: new target proteins for JNK signalling in mitochondrion-dependent apoptosis, 372:359
Schuber, F. *See* Ceni, C.
Schubert, H. L. *See* Raux, E.
Schuetz, J. D. *See* Zelcer, N.
Schuligoi, R. *See* Egger, T.
Schuller, D. *See* Soares-Silva, I.
Schulte, U. *See* Duarte, M.
Schultz, G. A. *See* Wang, P.
Schurmans, S. *See* Giuriato, S.
Schut, G. J. *See* Verhees, C. H.
Schwager, S. L. U. *See* Gordon, K.
Schwaiger, E. *See* Kitzmüller, C.
Schwartz, O. *See* Cho, H.
Schwecke, T. *See* Sielaff, H.
Schweizer, U. *See* Schomburg, L.
Scirè, A. *See* Pedone, E.
Scott, A. I. *See* Raux, E.
Scott, K. P. *See* Devillard, E.
Scrutton, N. S. *See* McLean, K. J.
Seabra, M. C. *See* Magee, A. I.
Sealfon, S. C. *See* Nair, V. D.
Sebbag, M. *See* Guerrin, M.
Seckl, J. R. *See* Shen, C.-N.

© 2004 Biochemical Society

Seglen, P. O. *See* Moller, M. T. N.
Seidah, N. G. *See* Bergeron, E.; Conesa, M.
Sekiguchi, T. *See* Kawata, H.; Yamada, K.
Sekimata, K. *See* Asami, T.
Selvapandiyan, A. *See* Rajagopal, R.
Sen, A. *See* Das, T.
Sendai, Y. *See* Araki, Y.
Sendtner, M. *See* Schomburg, L.
Senshu, T. *See* Guerrin, M.
Seo, J. K. *See* Demoulin, J.-B.
Seraphin, B. *See* Schell, T.
Serebryanaya, D. V. *See* Grivennikova, V. G.
Serra, M. *See* Soler, C.
Serrano, L. *See* Villanueva, J.
Serrano, M. A. *See* Briz, O.
Serre, G. *See* Guerrin, M.
Seta, P. *See* Larvor, M.-P.
Sethi, J. K. *See* Meirhaeghe, A.
Sevanian, A. *See* Duncan, R. F.
Severino, A. *See* De Luca, A.
Sgubin, S. *See* Boniotto, M.
Shafqat, N.
——; Marschall, H.-U.; Filling, C.; Nordling, E.; Wu, X.-Q.; Björk, L.; Thyberg, J.; Mårtensson, E.; Salim, S.; Jörnvall, H.; Oppermann, U.
Expanded substrate screenings of human and *Drosophila* type 10 17β-hydroxysteroid dehydrogenases (HSDs) reveal multiple specificities in bile acid and steroid hormone metabolism: characterization of multifunctional 3α/7α/7β/17β/20β/21-HSD, 376:49
Shames, A. *See* Katz, M.
Shang, T. *See* Kalivendi, S. V.
Shankar, R. *See* de Silva, K. I.
Shannon, P. *See* Qu, N.
Sharma, A. *See* Singh, S. K.
Sharp, S. J. *See* Woodings, J. A.
Shatrov, V. A.
——; Brüne, B.
Induced expression of manganese superoxide dismutase by non-toxic concentrations of oxidized low-density lipoprotein (oxLDL) protects against oxLDL-mediated cytotoxicity, 374:505
Shaw, C. *See* Chen, T.
Shaw, L. *See* Malykh, Y. N.
Shayeghi, M. *See* Broadway, N. M.
Shears, S. B. *See* Hua, L. V.
Shelton, S. N.
——; Barylko, B.; Binns, D. D.; Horazdovsky, B. F.; Albanesi, J. P.; Goodman, J. M.
Saccharomyces cerevisiae contains a Type II phosphoinositide 4-kinase, 371:533
Shen, C.-N.
——; Seckl, J. R.; Slack, J. M. W.; Tosh, D.
Glucocorticoids suppress β-cell development and induce hepatic metaplasia in embryonic pancreas, 375:41
Shenoy, S. K.
——; Lefkowitz, R. J.
Multifaceted roles of β-arrestins in the regulation of seven-membrane-spanning receptor trafficking and signalling, 375:503
Shenton, D.
——; Grant, C. M.
Protein S-thiolation targets glycolysis and protein synthesis in response to oxidative stress in the yeast *Saccharomyces cerevisiae*, 374:513
Shepherd, C. M.
——; Vogel, H. J.; Tieleman, D. P.
Interactions of the designed antimicrobial peptide MB21 and truncated dermaseptin S3 with lipid bilayers: molecular-dynamics simulations, 370:233
Shepherd, M.
——; McSorley, T.; Olsen, A. E.; Johnston, L. A.; Thomson, N. C.; Baillie, G. S.; Houslay, M. D.; Bolger, G. B.
Molecular cloning and subcellular distribution of the novel PDE4B4 cAMP-specific phosphodiesterase isoform, 370:429
——; Reid, J. D.; Hunter, C. N.
Purification and kinetic characterization of the magnesium protoporphyrin IX methyltransferase from *Synechocystis* PCC6803, 371:351
Shigeta, Y. *See* Ali, V.
Shika, Y. *See* Shiokawa, D.
Shilo, S.
——; Aronis, A.; Komarnitsky, R.; Tirosh, O.
Selenite sensitizes mitochondrial permeability transition pore opening *in vitro* and *in vivo*: a possible mechanism for chemo-protection, 370:283
Shimada, Y. *See* Asami, T.
Shimazaki, N. *See* Mizushina, Y.
Shimizu, M. *See* Satsu, H.
Shin, D.
——; Park, S.; Park, C.
A splice variant acquiring an extra transcript leader region decreases the translation of glutamine synthetase gene, 374:175
Shin, H.
——; Okada, K.; Wilkinson, J. C.; Solomon, K. M.; Duckett, C. S.; Reed, J. C.; Salvesen, G. S.
Identification of ubiquitination sites on the X-linked inhibitor of apoptosis protein, 373:965
Shinkai, Y. *See* Araki, Y.
Shiokawa, D.
——; Shika, Y.; Tanuma, S.-i.
Identification of two functional nuclear localization signals in DNase γ and their roles in its apoptotic DNase activity, 376:377
Shirakawa, T. *See* Takeuchi, S.
Shirouzu, M. *See* Hatakeyama, M.
Shoolingin-Jordan, P. M. *See* Erskine, P. T.
Shoseyov, O. *See* Paldi, T.; Regev-Shoshani, G.
Shoshan-Barmatz, V. *See* Zalk, R.
Shou, Z. *See* Kawata, H.; Yamada, K.
Shriver, Z. *See* Berry, D.
Sibbet, G. *See* Lochhead, P. A.
Siddiqui, R. A.
——; Jenski, L. J.; Harvey, K. A.; Wiesehan, J. D.; Stillwell, W.; Zaloga, G. P.
Cell-cycle arrest in Jurkat leukaemic cells: a possible role for docosahexaenoic acid, 371:621
Siddle, K. *See* Yeo, G.
Sielaff, H.
——; Dittmann, E.; Tandeau de Marsac, N.; Bouchier, C.; von Döhren, H.; Börner, T.; Schwecke, T.
The *mcyF* gene of the microcystin biosynthetic gene cluster from *Microcystis aeruginosa* encodes an aspartate racemase, 373:909
Siffert, W. *See* Rosskopf, D.
Silbert, J. E. *See* Mroz, P. J.
Siles-Rivas, E. *See* Sánchez-Alcázar, J. A.
Silva, D. *See* Moldes, M.
Silva, M. B.
——; Schattner, M.; Ramos, C. R. R.; Junqueira-de-Azevedo, I. L. M.; Guarnieri, M. C.; Lazzari, M. A.; Sampaio, C. A. M.; Pozner, R. G.; Ventura, J. S.; Ho, P. L.; Chudzinski-Tavassi, A. M.
A prothrombin activator from *Bothrops erythromelas* (jararaca-da-seca) snake venom: characterization and molecular cloning, 369:129
Sim, A. T. R.
——; Baldwin, M. L.; Rostas, J. A. P.; Holst, J.; Ludowyke, R. I.
The role of serine/threonine protein phosphatases in exocytosis, 373:641
Sim, E. *See* Boukouvala, S.
Simeon-Rudolf, V. *See* Kovarik, Z.
Simmaco, M. *See* Ponti, D.
Simmons, P. J. *See* Zannettino, A. C. W.
Simon, M. *See* Guerrin, M.
Simon-Assmann, P. *See* Olsen, J.
Simonet, V. *See* Bredin, J.
Simpson, D. J. *See* Hamilton, J. M. U.
Singh, A. P. *See* Singh, S. K.
Singh, S. K.
——; Singh, A. P.; Pandey, S.; Yazdani, S. S.; Chitnis, C. E.; Sharma, A.
Definition of structural elements in *Plasmodium vivax* and *P. knowlesi* Duffy-binding domains necessary for erythrocyte invasion, 374:193
Singh, S. P. *See* Sawicki, R.
Sinkins, W. G. *See* Wisnoskey, B. J.
Sironi, L. *See* Gianazza, E.
Sirri, A. *See* Cenni, V.
Situ, H.
——; Wei, G.; Smith, C. J.; Mashhoon, S.; Bobek, L. A.
Human salivary MUC7 mucin peptides: effect of size, charge and cysteine residues on antifungal activity, 375:175
Sivakumar, S. *See* Rajagopal, R.
Sjölander, A. *See* Wikström, K.
Skarstad, K. *See* Slominska, M.
Skidgel, R. A. *See* Tan, F.
Skriver, K. *See* Greve, K.
Slabas, A. R. *See* Hamilton, J. M. U.
Slack, J. M. W. *See* Shen, C.-N.
Slominska, M.
——; Wahl, A.; Wegrzyn, G.; Skarstad, K.
Degradation of mutant initiator protein DnaA204 by proteases ClpP, ClpQ and Lon is prevented when DNA is SeqA-free, 370:867
Slotte, J. P. *See* Högback, S.
Smeds, E.
——; Habuchi, H.; Do, A.-T.; Hjertson, E.; Grundberg, H.; Kimata, K.; Lindahl, U.; Kusche-Gullberg, M.
Substrate specificities of mouse heparan sulphate glucosaminyl 6-O-sulphotransferases, 372:371
Smeller, L. *See* Böde, C.
Smethurst, P. *See* Nicholas, B.
Smith, C. J. *See* Situ, H.
Smith, C. D. *See* Varner, A. S.
Smith, H. *See* Turner, S.
Smith, J. B. *See* Smith, L.
Smith, J. L. *See* Gangopadhyay, S. S.
Smith, L.
——; Wang, Z.; Smith, J. B.
Caspase processing activates atypical protein kinase Cζ by relieving autoinhibition and destabilizes the protein, 375:663
Smith, N. D. *See* Holness, M. J.
Smith, N. I. *See* Hughes, A.
Smith, R. *See* Murray-Stewart, T.
Smith, S. B. *See* Hu, H.; Inoue, K.

© 2004 Biochemical Society

Smith, V. J. *See* Fernandes, J. M. O.
Smith, V. R.
——; Fearnley, I. M.; Walker, J. E.
Altered chromatographic behaviour of mitochondrial ADP/ATP translocase induced by stabilization of the protein by binding of 6′-*O*-fluorescein-atractyloside, 376:757
Snell, D. *See* McKenzie, E.
Snell, K. *See* de Koning, T. J.
So, C. Y. *See* Marrakchi, H.
Soares-Silva, I.
——; Schuller, D.; Andrade, R. P.; Baltazar, F.; Cássio, F.; Casal, M.
Functional expression of the lactate permease Jen1p of *Saccharomyces cerevisiae* in *Pichia pastoris*, 376:781
Soeta, S. *See* Miyazaki, M.
Sohal, R. S. *See* Radyuk, S. N.
Sok, D.-E. *See* Nguyen, S. D.
Soler, C.
——; Felipe, A.; García-Manteiga, J.; Serra, M.; Guillén-Gómez, E.; Casado, F. J.; MacLeod, C.; Modolell, M.; Pastor-Anglada, M.; Celada, A.
Interferon-γ regulates nucleoside transport systems in macrophages through signal transduction and activator of transduction factor 1 (STAT1)-dependent and -independent signalling pathways, 375:777
Solís-Herruzo, J. A. *See* Sánchez-Alcázar, J. A.
Solito, E. *See* Croxtall, J. D.
Sollai, L. *See* Pellegrini, Mariagiuseppina
Solomon, K. M. *See* Shin, H.
Soloway, P. *See* Worley, J. R.
Sommerer, N. *See* Santoni, V.
Sone, S. *See* Sato, A.
Song, J. J.
——; Lee, Y. J.
Differential role of glutaredoxin and thioredoxin in metabolic oxidative stress-induced activation of apoptosis signal-regulating kinase 1, 373:845
Song, J. *See* Zhu, Xiaonan
Song, T. *See* Watanabe, Y.
Sonkaria, S. *See* Gul, S.
Sorathia, R. *See* George, C. H.
Sørensen, M. B. *See* Madsen, L.
Sorenson, P. *See* Yeung, L. H. Y.
Sorokin, D. Y. *See* Antipov, A. N.
Sorrentino, V. *See* Bánhegyi, G.
Sosa, S. *See* Medeck, R. J.
Soto, T. *See* Franco, A.
Soubeyran, P.
——; Barac, A.; Szymkiewicz, I.; Dikic, I.
Cbl–ArgBP2 complex mediates ubiquitination and degradation of c-Abl, 370:29
Soula-Rothhut, M. *See* Lambert, E.
Sowa, M.-L. *See* Lambert, E.
Span, S. W. *See* Rodriguez, J. A.
Specht, S. I. *See* Tözsér, J.
Spence, A. M. *See* Zhang, W.
Spence, H. J. *See* Chen, Y.-J.
Spencer, J. P. E. *See* Schroeter, H.
Spencer, J. P. E.
——; Kuhnle, G. G. C.; Williams, R. J.; Rice-Evans, C.
Intracellular metabolism and bioactivity of quercetin and its *in vivo* metabolites, 372:173
Sperr, W. R. *See* Laffer, S.
Spiller, D. G. *See* Abdelraheim, S. R.
Springael, J.-Y.
——; Penninckx, M. J.
Nitrogen-source regulation of yeast γ-glutamyl transpeptidase synthesis involves the regulatory network including the GATA zinc-finger factors Gln3, Nil1/Gat1 and Gzf3, 371:589
Sriratana, A. *See* Buxton, P.
Stadelmaier, B. T. *See* Boustead, J. N.
Staels, B. *See* Kok, T.
Stafforini, D. M. *See* Wu, Xiaoqing
Stahmann, K.-P. *See* Schlüpen, C.
Stamps, A. *See* McKenzie, E.
Standart, N. *See* Thom, G.
Staroverov, D. B. *See* Bulina, M. E.; Gurskaya, N. G.
Starzyńska, E. *See* Guranowski, A.
Staudacher, E. *See* Zhang, W.
Stayton, P. S. *See* Jones, R. A.
Stec, W. J. *See* Guranowski, A.
Steenbakkers, P. J. M.
——; Harhangi, H. R.; Bosscher, M. W.; van der Hooft, M. M. C.; Keltjens, J. T.; van der Drift, C.; Vogels, G. D.; Op Den Camp, H. J. M.
β-Glucosidase in cellulosome of the anaerobic fungus *Piromyces* sp. strain E2 is a family 3 glycoside hydrolase, 370:963
Steenkamp, D. J. *See* Vogt, R. N.
Stehlik, C.
——; Krajewska, M.; Welsh, K.; Krajewski, S.; Godzik, A.; Reed, J. C.
The PAAD/PYRIN-only protein POP1/ASC2 is a modulator of ASC-mediated nuclear-factor-κB and pro-caspase-1 regulation, 373:101 (*see* Mariathasan, S. for online-only commentary)
Stein, R. *See* Martin, C. C.
Steiner, W. *See* Straganz, G. D.
Stella, L. *See* Ricci, G.
Sterchi, E. E. *See* Leuenberger, B.
Stevanato, R. *See* Di Paolo, M. L.
Stevanovic, S. *See* Dolashka-Angelova, P.
Stewart, A. *See* Meirhaeghe, A.
Stewart, R.
——; Zissimopoulos, S.; Lai, F. A.
Oligomerization of the cardiac ryanodine receptor C-terminal tail, 376:795
Stheneur, C.
——; Dumontier, M.-F.; Guedes, C.; Fulchignoni-Lataud, M.-C.; Tahiri, K.; Karsenty, G.; Corvol, M. T.
Basic fibroblast growth factor as a selective inducer of matrix Gla protein gene expression in proliferative chondrocytes, 369:63
Stifanese, R. *See* De Tullio, R.
Stillwell, W. *See* Siddiqui, R. A.
Stöckl, P. *See* Zwerschke, W.
Stoichevska, V. *See* Macaulay, S. L.
Stokes, A. *See* Turner, H.
Stokka, A. J.
——; Flatmark, T.
Substrate-induced conformational transition in human phenylalanine hydroxylase as studied by surface plasmon resonance analyses: the effect of terminal deletions, substrate analogues and phosphorylation, 369:509
Storch, S. *See* Partanen, S.
Storey, A. *See* Rodriguez, R.
Stoven, V. *See* Ramaen, O.
Stowell, K. M. *See* Magan, N.
Straganz, G. D.
——; Glieder, A.; Brecker, L.; Ribbons, D. W.; Steiner, W.
Acetylacetone-cleaving enzyme Dke1: a novel C–C-bond-cleaving enzyme from *Acinetobacter johnsonii*, 369:573
Strauss, J. G.
——; Hayn, M.; Zechner, R.; Levak-Frank, S.; Frank, S.
Fatty acids liberated from high-density lipoprotein phospholipids by endothelial-derived lipase are incorporated into lipids in HepG2 cells, 371:981
Stringer, D. E. *See* Qu, N.
Strømhaug, P. E. *See* Møller, M. T. N.
Strongin, A. Y. *See* Marchenko, G. N.
Strous, G. J. *See* Schantl, J. A.
Strzałka, K. *See* Burda, K.; Kruk, J.
Stubberfield, C. *See* McKenzie, E.
Stuhlmann, H. *See* Hooper, J. D.
Sturrock, E. D. *See* Gordon, K.
Subramaniam, N. *See* Tay, E. S. E.
——; Campión, J.; Rafter, I.; Okret, S.
Cross-talk between glucocorticoid and retinoic acid signals involving glucocorticoid receptor interaction with the homoeodomain protein Pbx1, 370:1087
Subramanian, V. S. *See* Boulware, M. J.
Sugahara, T.
——; Yang, Y.-S.; Liu, C.-C.; Pai, T. G.; Liu, M.-C.
Sulphonation of dehydroepiandrosterone and neurosteroids: molecular cloning, expression, and functional characterization of a novel zebrafish SULT2 cytosolic sulphotransferase, 375:785
Sugawara, F. *See* Mizushina, Y.
Sugden, M. C. *See* Holness, M. J.; Langdown, M. L.
——; Holness, M. J.
Trials, tribulations and finally, a transporter: the identification of the mitochondrial pyruvate transporter (online-only commentary on Hildyard, J. C. W.), 374:e1
Sugimoto, K. *See* Tsuda, Y.; Watanabe, Y.
Sugimura, K. *See* Kawashima, H.
Sugita, S. *See* Kawashima, H.
Sugiyama, J. *See* Imai, T.; Watanabe, Takeshi
Sumino, Y. *See* Mitomo, H.
Sumioka, A.
——; Imoto, S.; Martins, R. N.; Kirino, Y.; Suzuki, T.
XB51 isoforms mediate Alzheimer's β-amyloid peptide production by X11L (X11-like protein)-dependent and -independent mechanisms, 374:261
Sun, H. *See* Zhao, C., Li, Hongyan
Sun, N.-K. *See* Kamarajan, P.
Sun, Y.
——; Witte, D. P.; Jin, P.; Grabowski, G. A.
Analyses of temporal regulatory elements of the prosaposin gene in transgenic mice, 370:557
Sundberg, C. *See* Larsson, M.
Suokas, M.
——; Lampela, O.; Juffer, A. H.; Myllylä, R.; Kellokumpu, S.
Retrieval-independent localization of lysyl hydroxylase in the endoplasmic reticulum via a peptide fold in its iron-binding domain, 370:913
Surtees, R. *See* De Koning, T. J.
Sutcliffe, M. J. *See* Flanagan, J. U.
Suwa, M. *See* Hasegawa, G.
Suzuki, T. *See* Sumioka, A.
Svitek, C. A. *See* Martin, C. C.
Swanson, T. A. *See* Kim, S. I.
Sweezey, N. B. *See* Oyewumi, L.

© 2004 Biochemical Society

Swingler, T. E. *See* Bess, K. L.
Sylvester, I. D. *See* Whyte, S. M.
Szent-Györgyi, A. G. *See* Nyitrai, M.
Szremska, A. P. *See* Magan, N.
Szymański, M.
——; Barciszewska, M. Z.; Erdmann, V. A.; Barciszewski, J.
5 S rRNA: structure and interactions, 371:641
Szymkiewicz, I. *See* Soubeyran, P.

Taborsky Jr, G. J. *See* Yang, L.
Tachibanaki, S. *See* Okada, M.
Tago, K. *See* Yanagisawa, K.
Tahiri, K. *See* Stheneur, C.
Taira, H. *See* Miyazaki, M.
Takada, M. *See* Yajima, M.
Takahara, Y. *See* Kawashima, H.
Takahashi, N. *See* Yajima, M.
Takano, H. *See* Kawashima, H.
Takasawa, S. *See* Yonekura, H.
Takatsuto, S. *See* Asami, T.
Takayama, K.
——; Hayes, B.; Vestling, M. M.; Massey, R. J.
Transposon-5 mutagenesis transforms *Corynebacterium matruchotii* to synthesize novel hybrid fatty acids that functionally replaces corynomycolic acid, 373:465
Takehara, K. *See* Yamaguchi, H.
Takemura, M. *See* Mizushina, Y.
Takeuchi, M. *See* Yonekura, H.
Takeuchi, R. *See* Mizushina, Y.
Takeuchi, S.
——; Mandai, Y.; Otsu, A.; Shirakawa, T.; Masuda, K.; Chinami, M.
Differences in properties between human αA- and αB-crystallin proteins expressed in *Escherichia coli* cells in response to cold and extreme pH, 375:471
Takezawa, D. *See* Okada, M.
Takuwa, N. *See* Banno, Y.; Yamaguchi, H.
Takuwa, Y. *See* Banno, Y.; Yamaguchi, H.
Talamo, F. *See* Fini, C.; Trabalzini, L.
Talianidis, I. *See* Kardassis, D.
Talts, J. F. *See* Yu, H.
Tam, M. F. *See* Chang, K. N.
Tan, F.
——; Balsitis, S.; Black, J. K.; Blöchl, A.; Mao, J.-F.; Becker, R. P.; Schacht, D.; Skidgel, R. A.
Effect of mutation of two critical glutamic acid residues on the activity and stability of human carboxypeptidase M and characterization of its signal for glycosylphosphatidylinositol anchoring, 370:567
Tan, L. *See* Osaki, M.
Tan, S.-L.
——; Parker, P. J.
Emerging and diverse roles of protein kinase C in immune cell signalling, 376:545
Tanaka, M. *See* Habuchi, H.
Tanaka, T. *See* Payie, K. G.
Tandeau de Marsac, N. *See* Sielaff, H.
Tanfani, F. *See* Pedone, E.
Tang, W. *See* Araya, Z.
Tang, X.
——; Wang, L.; Proud, C. G.; Downes, C. P.
Muscarinic receptor-mediated activation of p70 S6 kinase 1 (S6K1) in 1321N1 astrocytoma cells: permissive role of phosphoinositide 3-kinase, 374:137
Tani, M. *See* Monjusho, H.
Tanuma, S.-i. *See* Shiokawa, D.
Taparowsky, E. J. *See* Deppmann, C. D.
Tardif, M.
——; Brouchon, L.; Rabiet, M.-J.; Boulay, F.
Direct binding of a fragment of the Wiskott–Aldrich syndrome protein to the C-terminal end of the anaphylatoxin C5a receptor, 372:453
Tarn, W.-Y. *See* Lai, M.-C.
Tárrega, C. *See* Muñoz, J. J.
Taskén, K. *See* Yaqub, S.; Mustelin, T.
Tassa, A.
——; Roux, M. P.; Attaix, D.; Bechet, D. M.
Class III phosphoinositide 3-kinase–Beclin1 complex mediates the amino acid-dependent regulation of autophagy in C_2C_{12} myotubes, 376:577
Tassone, P. *See* Quaresima, B.
Tatti, M. *See* Ciaffoni, F.
Taub, D. *See* Baek, J. Y.
Tay, E. S. E.
——; Guven, K. L.; Subramaniam, N.; Polly, P.; Issa, L. L.; Gunning, P. W.; Hardeman, E. C.
Regulation of alternative splicing of *Gtf2ird1* and its impact on slow muscle promoter activity, 374:359
Taylor, C. W. *See* Moneer, Z.
Taylor, K. M.
——; Morgan, H. E.; Johnson, A.; Hadley, L. J.; Nicholson, R. I.
Structure–function analysis of LIV-1, the breast cancer-associated protein that belongs to a new subfamily of zinc transporters, 375:51
Taylor, M. C. *See* Board, P. G.
Taylor, P. *See* Kovarik, Z.
Taylor, P. M. *See* Beugnet, A.; Hyde, R.
Taylor-Papadimitriou, J. *See* Bäckström, M.
Tee, A. R. *See* Beugnet, A.
Teeri, T. T. *See* Henriksson, H.
Tegoni, M. *See* Haltia, T.; Mosbah, A.; Rivière, S.
Teh, T. *See* Fontes, M. R. M.
Tell, G. *See* Marsich, E.; Pines, A.
Tepikin, A. V. *See* Ashby, M. C.
Terao, M. *See* Garattini, E.
Terasawa, E. *See* Satsu, H.
Terland, O.
——; Flatmark, T.
Anion- and pH-dependent activation of the soluble form of dopamine β-hydroxylase, 369:675
Teruel, T. *See* Hernandez, R.
Tessier, F. J.
——; Monnier, V. M.; Sayre, L. M.; Kornfield, J. A.
Triosidines: novel Maillard reaction products and cross-links from the reaction of triose sugars with lysine and arginine residues, 369:705
Tezuka, T. *See* Watanabe, Y.
Thackray, A. M.
——; Madec, J.-Y.; Wong, E.; Morgan-Warren, R.; Brown, D. R.; Baron, T.; Bujdoso, R.
Detection of bovine spongiform encephalopathy, ovine scrapie prion-related protein (PrP^{Sc}) and normal PrP^{c} by monoclonal antibodies raised to copper-refolded prion protein, 370:81
Theakston, R. D. G. *See* Calvete, J. J.
Thekkumkara, T. J.
——; Linas, S. L.
Evidence for involvement of 3′-untranslated region in determining angiotensin II receptor coupling specificity to G-protein, 370:631
Thelestam, M. *See* Higuita, J.
Thermes, C. *See* Raux, E.
Thom, G.
——; Minshall, N.; Git, A.; Argasinska, J.; Standart, N.
Role of cdc2 kinase phosphorylation and conserved N-terminal proteolysis motifs in cytoplasmic polyadenylation-element-binding protein (CPEB) complex dissociation and degradation, 370:91
Thomas, A. P. *See* Tsuboi, T.
Thomas, E. W. *See* Hussain, S.; Gul, S.
Thomas, G. *See* Hannan, K. M.
Thompkins, P. B. *See* Worley, J. R.
Thomsen, K. K. *See* Wilson, T. J. G.
Thomson, N. C. *See* Shepherd, M.
Thomson, R. E. *See* Jowsey, I. R.
Thöny, B. *See* Leitner, K. L.
Thornalley, P. J.
——; Battah, S.; Ahmed, N.; Karachalias, N.; Agalou, S.; Babaei-Jadidi, R.; Dawnay, A.
Quantitative screening of advanced glycation endproducts in cellular and extracellular proteins by tandem mass spectrometry, 375:581
Thornberry, N. A. *See* Leiting, B.
Thorneley, R. N. F. *See* Vrzheshch, P. V.
Thornhill, W. B. *See* Zhu, J.
Thornton, T. M. *See* Deppmann, C. D.
Thyberg, J. *See* Shafqat, N.
Tian, W. *See* Zhao, H.
Tidd, T. *See* Toso, R.
Tieleman, D. P. *See* Shepherd, C. M.
Ting, S. B.
——; Wilanowski, T.; Cerruti, L.; Zhao, L.-L.; Cunningham, J. M.; Jane, S. M.
The identification and characterization of human Sister-of-Mammalian Grainyhead (SOM) expands the *grainyhead*-like family of developmental transcription factors, 370:953
Tirosh, O. *See* Shilo, S.
Tokuda, M. *See* Watanabe, Y.
Tokumitsu, H. *See* Okada, M.; Watanabe, Y.
Tokuyasu, K. *See* Hekmat, O.
Tölgyesi, F. G. *See* Böde, C.
Tominaga, S.-I. *See* Yanagisawa, K.
Tong, X. *See* Zhao, C.
Tong, Z.
——; Wu, Xuli; Kehrer, J. P.
Increased expression of the lipocalin 24p3 as an apoptotic mechanism for MK886, 372:203
Toratani, T. *See* Watanabe, Takeshi
Torgersen, K. M. *See* Yaqub, S.
Tornheim, K. *See* Cunningham, B. A.
Törnquist, K. *See* Högback, S.
Torras-Llort, M.
——; Azorín, F.
Functional characterization of the human phosphodiesterase 7A1 promoter, 373:835
Torres, L. *See* Zaragozá, R.
Tosh, D. *See* Shen, C.-N.
Toso, R.
——; Bernardi, F.; Tidd, T.; Pinotti, M.; Camire, R. M.; Marchetti, G.; High, K. A.; Pollak, E. S.
Factor VII mutant V154G models a zymogen-like form of Factor VIIa, 369:563
Tossi, A. *See* Boniotto, M.
Toth, G. *See* Fontes, M. R. M.
Touraine, B. *See* Léon, S.
Touré, A. *See* Naud, N.
Townsend, R. *See* McKenzie, E.

© 2004 Biochemical Society

Tözsér, J.
——: Bagossi, P.; Zahuczky, G.; Specht, S. I.; Majerova, E.; Copeland, T. D.
Effect of caspase cleavage-site phosphorylation on proteolysis, 372:137
Trabalzini, L.
——: Paffetti, A.; Scaloni, A.; Talamo, F.; Ferro, E.; Coratza, G.; Bovalini, L.; Lusini, P.; Martelli, P.; Santucci, A.
Proteomic response to physiological fermentation stresses in a wild-type wine strain of *Saccharomyces cerevisiae*, 370:35
Tracey, K. J. *See* Li, W.
Travers, M. T. *See* Price, N. T.; Barber, M. C.
Trepel, J. *See* Jung, Y.
Troelsen, J. T. *See* Olsen, J.
Trojnar, J. *See* Qi, S. Y.
Trucco, M. T. *See* Gao, Z.
Truong, T. N. *See* Hooper, J. D.
Tsai, I.-C. *See* Ke, P.-Y.
Tseng, Y.-T. *See* Chiu, S.-K.
Tsubery, H. *See* Katz, M.
Tsuboi, T. *See* da Silva Xavier, G.
Tsuboi, T.
——: da Silva Xavier, G.; Holz, G. G.; Jouaville, L. S.; Thomas, A. P.; Rutter, G. A.
Glucagon-like peptide-1 mobilizes intracellular Ca^{2+} and stimulates mitochondrial ATP synthesis in pancreatic MIN6 β-cells, 369:287
Tsuchida, S. *See* Mayama, J.
Tsuda, Y.
——: Nakatani, F.; Hashimoto, K.; Ikawa, S.; Matsuura, C.; Fukada, T.; Sugimoto, K.; Himeno, M.
Cytotoxic activity of *Bacillus thuringiensis* Cry proteins on mammalian cells transfected with cadherin-like Cry receptor gene of *Bombyx mori* (silkworm), 369:697
Tsuzuki, S.
——: Kokado, Y.; Satomi, S.; Yamasaki, Y.; Hirayasu, H.; Iwanaga, T.; Fushiki, T.
Purification and identification of a binding protein for pancreatic secretory trypsin inhibitor: a novel role of the inhibitor as an anti-granzyme A, 372:227
Tu, C.-Y. *See* Chiu, S.-K.
Tuchman, M. *See* Caldovic, L.
Tuckwell, D. S. *See* Eble, J. A.
Tuininga, J. E. *See* Verhees, C. H.
Turco, M. C. *See* Pierantoni, G. M.
Turella, P. *See* Ricci, G.
Turnay, J. *See* Lecona, E.
Turner, A.
——; McGivan, J. D.
Glutaminase isoform expression in cell lines derived from human colorectal adenomas and carcinomas, 370:403
Turner, D. L. *See* Pessanha, M.
Turner, H.
——: Fleig, A.; Stokes, A.; Kinet, J.-P.; Penner, R.
Discrimination of intracellular calcium store subcompartments using TRPV1 (transient receptor potential channel, vanilloid subfamily member 1) release channel activity, 371:341
Turner, N. *See* Brand, M. D.
Turner, N. A. *See* Broadway, N. M.
Turner, P. *See* McKenzie, E.
Turner, S.
——; Reid, E.; Smith, H.; Cole, J.
A novel cytochrome *c* peroxidase from *Neisseria gonorrhoeae*: a lipoprotein from a Gram-negative bacterium, 373:865
Tytgat, J. *See* Alami, M.
Tyynelä, J. *See* Heine, C.; Partanen, S.
Tzartos, S. J. *See* Marinou, M.
Tzeng, C.-M. *See* Chiu, S.-K.

Uchimura, T. *See* Fumoto, K.
Ueda, K. *See* Fumoto, K.
Ueno, S. *See* Pillai, A.
Ugalde, U. *See* Arrastua, L.
Ugwu, F. *See* Ramjeesingh, M.
Ulianich, L. *See* Jeso, B. D.
Uramoto, H.
——: Izumi, H.; Nagatani, G.; Ohmori, H.; Nagasue, N.; Ise, T.; Yoshida, T.; Yasumoto, K.; Kohno, K.
Physical interaction of tumour suppressor p53/p73 with CCAAT-binding transcription factor 2 (CTF2) and differential regulation of human high-mobility group 1 (HMG1) gene expression, 371:301
Urban, M. *See* Rosskopf, D.
Urech, K. *See* Coulon, A.
Uruno, T.
——: Zhang, P.; Liu, J.; Hao, J.-J.; Zhan, X.
Haematopoietic lineage cell-specific protein 1 (HS1) promotes actin-related protein (Arp) 2/3 complex-mediated actin polymerization, 371:485
Usai, C. *See* Bruzzone, S.
Utama, F. E. *See* Deppmann, C. D.
Uversky, V. N. *See* Kataeva, I. A.

Vaandrager, A. B. *See* van der Sanden, M. H. M.
Vaccaro, A. M. *See* Ciaffoni, F.
Vacher, H. *See* Alami, M.
Valcárcel, J. *See* Förch, P.
Valensin, S. *See* Bini, L.
Valent, P. *See* Laffer, S.
Valenta, R. *See* Laffer, S.
Valera, E. *See* Blanes-Mira, C.
Vallance, A. J. *See* Barber, M. C.
Valmary, S. *See* Guerrin, M.
Valnickova, Z. *See* Petersen, S. V.
van Aalten, D. M. F. *See* Komander, D.; Milburn, C. C.
van Alebeek, G.-J. W. M. *See* Kluskens, L. D.
——; van Scherpenzeel, K.; Beldman, G.; Schols, H. A.; Voragen, A. G. J.
Partially esterified oligogalacturonides are the preferred substrates for pectin methylesterase of *Aspergillus niger*, 372:211
van Berkel, T. *See* Hrzenjak, A.
van Blittenswijk, W. J. *See* van der Luit, A. H.
van Blitterswijk, W. J.
——; van der Luit, A. H.; Veldman, R. J.; Verheij, M.; Borst, J.
Ceramide: second messenger or modulator of membrane structure and dynamics?, 369:199
van Damme, E. J. M. *See* Peumans, W. J.
Vandenabeele, P. *See* Jupp, O. J.
Vandenbussche, P. *See* Harmegnies, D.
van der Berg, I. E. T. *See* Klomp, A. E. M.
van der Drift, C. *See* Steenbakkers, P. J. M.
van der Gun, L. T. M. *See* Klomp, A. E. M.
van der Heijden, I. *See* Zelcer, N.
van der Hooft, M. M. C. *See* Steenbakkers, P. J. M.
van der Leij, F. R. *See* Price, N. T.
van der Luit, A. H. *See* van Blitterswijk, W. J.
——; Budde, M.; Verheij, M.; van Blitterswijk, W. J.
Different modes of internalization of apoptotic alkyl-lysophospholipid and cell-rescuing lysophosphatidylcholine, 374:747
van der Oost, J. *See* Kluskens, L. D.; Verhees, C. H.
van der Sanden, M. H. M.
——; Houweling, M.; van Golde, L. M. G.; Vaandrager, A. B.
Inhibition of phosphatidylcholine synthesis induces expression of the endoplasmic reticulum stress and apoptosis-related protein CCAAT/enhancer-binding protein-homologous protein (CHOP/GADD153), 369:643
Van der Vusse, G. J. *See* Hasselbaink, D. M.
Vandewalle, A. *See* Ouar, Z.
van Eijk, L. I. *See* Dings, R. P. M.
Vang, T. *See* Yaqub, S.
van Gennip, A. H. *See* de Ruijter, A. J. M.
van Golde, L. M. G. *See* van der Sanden, M. H. M.
van Hal, P. Th. W. *See* Croxtall, J. D.
van Kuilenburg, A. B. P. *See* de Ruijter, A. J. M.
Vannahme, C.
——; Gösling, S.; Paulsson, M.; Maurer, P.; Hartmann, U.
Characterization of SMOC-2, a modular extracellular calcium-binding protein, 373:805
van Rijn, H. J. M. *See* Relou, I. A. M.
Van Roey, P. *See* Aronson, Jr, N. N.
van Scherpenzeel, K. *See* van Alebeek, G.-J. W. M.
Varadi, A. *See* da Silva Xavier, G.
Varela, I. *See* Cadiñanos, J.
Varfolomeev, S. D. *See* Vrzheshch, P. V.
Varner, A. S.
——; Ducker, C. E.; Xia, Z.; Zhuang, Y.; De Vos, M. L.; Smith, C. D.
Characterization of human palmitoyl-acyl transferase activity using peptides that mimic distinct palmitoylation motifs, 373:91
Vasiliou, V. *See* Pappa, A.
Vassilev, L. T. *See* Xu, K.
Vattem, K. M. *See* Abe, T.
Veber, D. *See* Gianazza, E.
Veldman, R. J. *See* van Blitterswijk, W. J.
Venkatachalam, K. *See* Ma, H.-T.
Venkataraman, G. *See* Berry, D.
Venkatesan, R. N. *See* De Rycker, M.
Ventura, J. S. *See* Silva, M. B.
Venuta, S. *See* Pierantoni, G. M.; Quaresima, B.
Verde, C. *See* Pellegrini, Mariagiuseppina
Verde, P. *See* Filosa, S.
Verderio, E. *See* Nicholas, B.
Verdino, P. *See* Laffer, S.
Verga Falzacappa, M. V. *See* Boniotto, M.
Verhees, C. H.
——; Kengen, S. W. M.; Tuininga, J. E.; Schut, G. J.; Adams, M. W. W.; de Vos, W. M.; van der Oost, J.
The unique features of glycolytic pathways in Archaea, 375:231
Verheij, M. *See* van Blitterswijk, W. J.; van der Luit, A. H.
Verkhusha, V. V. *See* Bulina, M. E.
Verma, C. S. *See* Hussain, S.
Verma, V. *See* Lee, M.-H.
Vernimmen, D.
——; Begon, D.; Salvador, C.; Gofflot, S.; Grooteclaes, M.; Winkler, R.
Identification of HTF (HER2 transcription factor) as an AP-2 (activator protein-2)

© 2004 Biochemical Society

transcription factor and contribution of the HTF binding site to *ERBB2* gene overexpression, 370:323
Verrijdt, G. *See* Haelens, A.
Vertongen, P. *See* Nachtergael, I.
Vestling, M. M. *See* Takayama, K.
Vetere, A. *See* Marsich, E.
——; Marsich, E.; Di Piazza, M.; Koncan, R.; Micali, F.; Paoletti, S.
Neurogenin3 triggers β-cell differentiation of retinoic acid-derived endoderm cells, 371:831
Vial, H. *See* Larvor, M.-P.
Viala, C. *See* Giuriato, S.
Vianello, F. *See* Di Paolo, M. L.
Vicente-Soler, J. *See* Franco, A.
Vidal-Puig, A. J. *See* Meirhaeghe, A.
Videira, A. *See* Duarte, M.
Videira, P. *See* Marques, A. R.
Vieille, C.
——; Krishnamurthy, H.; Hyun, H.-H.; Savchenko, A.; Yan, Honggao; Zeikus, J. G.
Thermotoga neapolitana adenylate kinase is highly active at 30 C, 372:577
Vieths, S. *See* Neudecker, P.
Vignes, C. *See* Ouar, Z.
Viitala, P. *See* Mäkinen, J.
Vilk, G. *See* Donella-Deana, A.
Villa, A. *See* Nori, A.
Villalba, M. *See* Palomares, O.
Villa-Moruzzi, E. *See* Santoro, M. M.
Villanueva, J.
——; Villegas, V.; Querol, E.; Avilés, F. X.; Serrano, L.
Monitoring disappearance of monomers and generation of resistance to proteolysis during the formation of the activation domain of human procarboxypeptidase A2 (ADA2h) amyloid fibrils by matrix-assisted laser-desorption ionization–time-of-flight-MS, 374:489
Villarroya, A. *See* Fuertes, G.
Villaz, M. *See* Ceni, C.
Villegas, V. *See* Villanueva, J.
Villemur, R. *See* Boyer, A.
Viña, J. R. *See* Zaragozá, R.
Vinh, J. *See* Santoni, V.
Vinogradov, A. D. *See* Grivennikova, V. G.
Virden, R. *See* Morillas, M.
Visai, L. *See* Galliano, M.
Visser, J. *See* Sánchez-Torres, P.
Vito, P. *See* Jeso, B. D.
Viviani, W. *See* Andrioli, L. P. M.
Voelter, W. *See* Dolashka-Angelova, P.
Vogel, H. J. *See* Shepherd, C. M.
Vogels, G. D. *See* Steenbakkers, P. J. M.
Vogt, R. N.
——; Steenkamp, D. J.
The metabolism of S-nitrosothiols in the trypanosomatids: the role of ovothiol A and trypanothione, 371:49
——; Steenkamp, D. J.; Zheng, R.; Blanchard, J. S.
The metabolism of nitrosothiols in the mycobacteria: identification and characterization of *S*-nitrosomycothiol reductase, 374:657
Voit, E. O. *See* Ferreira, A. E. N.
Vojnovic, B. *See* Calleja, V.
Volanakis, J. E. *See* Garnier, G.
Volpe, M. *See* De Luca, A.
Volpe, P. *See* Nori, A.
von Döhren, H. *See* Sielaff, H.
von Knethen, A. *See* Zech, B.
Vontas, J. *See* Ortelli, F.
Voragen, A. G. J. *See* Kluskens, L. D.; van Alebeek, G.-J. W. M.
Vougier, S.
——; Mary, J.; Friguet, B.
Subcellular localization of methionine sulphoxide reductase A (MsrA): evidence for mitochondrial and cytosolic isoforms in rat liver cells, 373:531
Vrzheshch, P. V.
——; Batanova, E. A.; Mevkh, A. T.; Varfolomeev, S. D.; Gazaryan, I. G.; Thorneley, R. N. F.
A novel approach to distinguish between enzyme mechanisms: quasi-steady-state kinetic analysis of the prostaglandin H synthase peroxidase reaction, 372:713
Vujcic, S. *See* Chen, Y.; Mariathasan, S.
——; Liang, P.; Diegelman, P.; Kramer, D. L.; Porter, C. W.
Genomic identification and biochemical characterization of the mammalian polyamine oxidase involved in polyamine back-conversion, 370:19
Vulpe, C. D. *See* Li, L.
Vusio, P. *See* Harmegnies, D.

Waelbroeck, M. *See* Nachtergael, I.
Wafa, L. A.
——; Cheng, H.; Rao, M. A.; Nelson, C. C.; Cox, M.; Hirst, M.; Sadowski, I.; Rennie, P. S.
Isolation and identification of L-dopa decarboxylase as a protein that binds to and enhances transcriptional activity of the androgen receptor using the repressed transactivator yeast two-hybrid system, 375:373
Wahl, A. *See* Slominska, M.
Wainszelbaum, M. J.
——; Belaunzarán, M. L.; Lammel, E. M.; Florin-Christensen, M.; Florin-Christensen, J.; Isola, E. L. D.
Free fatty acids induce cell differentiation to infective forms in *Trypanosoma cruzi*, 375:705
Walker, J. E. *See* Smith, V. R.
Walker, S. M. *See* McConnachie, G.
Wallace, H. M. *See* Hughes, A.
——; Fraser, A. V.; Hughes, A.
A perspective of polyamine metabolism, 376:1
Wallace, L. A. *See* Nathaniel, C.
Wallace, R. J. *See* Devillard, E.
Waller, R. F. *See* Patterson, J. H.
Wallis, N. G. *See* Marrakchi, H.
Walmsley, A. R. *See* Borges-Walmsley, M. I.
——; Hooper, N. M.
Distance of sequons to the C-terminus influences the cellular N-glycosylation of the prion protein, 370:351
Walsh, B. *See* Buxton, P.
Walsh, J. P. *See* Abe, T.
Walsh, P. J. *See* Jaenicke, E.
Walter, G. *See* Zhou, J.
Wandosell, F. *See* Pérez, M.
Wang, E.-D. *See* Li, J.
Wang, Goafeng *See* Barki-Harrington, L.
Wang, Guirong
——; Christensen, N. D.; Wigdahl, B.; Guttentag, S. H.; Floros, J.
Differences in N-linked glycosylation between human surfactant protein-B variants of the C or T allele at the single-nucleotide polymorphism at position 1580: implications for disease, 369:179
Wang, H. *See* Caloca, M. J.
Wang, J.
——; Chen, G.; Pantopoulos, K.
The haemochromatosis protein HFE induces an apparent iron-deficient phenotype in H1299 cells that is not corrected by co-expression of β_2-microglobulin, 370:891
Wang, K. *See* Ma, K.
Wang, L. *See* Tang, X.
——; Rolfe, M.; Proud, C. G.
Ca^{2+}-independent protein kinase C activity is required for α_1-adrenergic-receptor-mediated regulation of ribosomal protein S6 kinases in adult cardiomyocytes, 373:603
Wang, P.
——; Branch, D. R.; Bali, M.; Schultz, G. A.; Goss, P. E.; Jin, T.
The POU homeodomain protein OCT3 as a potential transcriptional activator for fibroblast growth factor-4 (FGF-4) in human breast cancer cells, 375:199
Wang, R. *See* Bell, S. L.; Khatri, I. A.
Wang, S. *See* Riefler, G. M.
Wang, X.-M. *See* Harmegnies, D.
Wang, Y. *See* Murray-Stewart, T.; Ramjeesingh, M.
Wang, Z. *See* Smith, L.
Wangorsch, A. *See* Neudecker, P.
Ward, B. J. *See* Croxtall, J. D.
Ward, C. W. *See* Macaulay, S. L.
Warren, M. J. *See* Erskine, P. T.; Raux, E.
Watanabe, I. *See* Zhu, J.
Watanabe, Takuo *See* Yonekura, H.
Watanabe, Takeshi *See* Imai, T.
——; Ariga, Y.; Sato, U.; Toratani, T.; Hashimoto, M.; Nikaidou, N.; Kezuka, Y.; Nonaka, T.; Sugiyama, J.
Aromatic residues within the substrate-binding cleft of *Bacillus circulans* chitinase A1 are essential for hydrolysis of crystalline chitin, 376:237
Watanabe, Y.
——; Song, T.; Sugimoto, K.; Horii, M.; Araki, N.; Tokumitsu, H.; Tezuka, T.; Yamamoto, T.; Tokuda, M.
Post-synaptic density-95 promotes calcium/calmodulin-dependent protein kinase II-mediated Ser^{847} phosphorylation of neuronal nitric oxide synthase, 372:465
Watt, S. M. *See* Zannettino, A. C. W.
Watts, F. Z. *See* Ho, J. C. Y.
Watts, R. N.
——; Ponka, P.; Richardson, D. R.
Effect of nitrogen monoxide and carbon monoxide on molecular and cellular iron metabolism: mirror-image effector molecules that target iron, 369:429; 370:1111 (Correction)
Waugh, M. G.
——; Minogue, S.; Anderson, J. S.; Balinger, A.; Blumenkrantz, D.; Calnan, D. P.; Cramer, R.; Hsuan, J. J.
Localization of a highly active pool of type II phosphatidylinositol 4-kinase in a p97/valosin-containing-protein-rich fraction of the endoplasmic reticulum, 373:57
——; Minogue, S.; Blumenkrantz, D.; Anderson, J. S.; Hsuan, J. J.
Identification and characterization of differentially active pools of type IIα phosphatidylinositol 4-kinase activity in unstimulated A431 cells, 376:497
Weber, D. *See* Xu, K.
Weber, U. *See* Schlüpen, C.
Wedegaertner, P. B. *See* Bhattacharyya, R.

© 2004 Biochemical Society

Wegrzyn, G. *See* Slominska, M.
Wehage, E. *See* Heiner, I.
Wei, C. *See* De Rycker, M.
Wei, G. *See* Situ, H.
Weidauer, E. *See* Lecaille, F.
Wek, R. C. *See* Abe, T.
Welham, M. J. *See* Wheadon, H.
Welldon, K. J. *See* Zannettino, A. C. W.
Wells, T.
——; Davidson, C.; Mörgelin, M.; Bird, J. L. E.; Bayliss, M. T.; Dudhia, J.
Age-related changes in the composition, the molecular stoichiometry and the stability of proteoglycan aggregates extracted from human articular cartilage, 370:69
Welsh, K. *See* Stehlik, C.
Werneck, C. C. *See* Ritty, T. M.
Werner, E. R. *See* Leitner, K. L.
Werner-Felmayer, G. *See* Leitner, K. L.
Wernstedt, C. *See* Lorenzo, C.
Werry, T. D.
——; Wilkinson, G. F.; Willars, G. B.
Mechanisms of cross-talk between G-protein-coupled receptors resulting in enhanced release of intracellular Ca^{2+}, 374:281
West, J. *See* Marrakchi, H.; Marrakchi, H.
Westh, P. *See* Nielsen, A. D.
Wetzker, R. *See* Rubio, I.
Wheadon, H.
——; Edmead, C.; Welham, M. J.
Regulation of interleukin-3-induced substrate phosphorylation and cell survival by SHP-2 (Src-homology protein tyrosine phosphatase 2), 376:147
Wheeler, K. P. *See* Brigotti, M.
Whiteheart, S. W. *See* Schraw, T. D.
Whitesell, R. R.
——; Ardehali, H.; Printz, R. L.; Beechem, J. M.; Knobel, S. M.; Piston, D. W.; Granner, D. K.; Meer, W. V. D.; Perriott, L. M.; May, J. M.
Control of glucose phosphorylation in L6 myotubes by compartmentalization, hexokinase, and glucose transport, 370:47
Whyte, S. M.
——; Sylvester, I. D.; Martin, S. R.; Gill, A. C.; Wopfner, F.; Schätzl, H. M.; Dodson, G. G.; Bayley, P. M.
Stability and conformational properties of doppel, a prion-like protein, and its single-disulphide mutant, 373:485
Widén, C.
——; Gustafsson, J.-Å.; Wikström, A.-C.
Cytosolic glucocorticoid receptor interaction with nuclear factor-κB proteins in rat liver cells, 373:211
Wiebe, P. O. *See* Boustead, J. N.
Wielinga, P. *See* Zelcer, N.
Wiesehan, J. D. *See* Siddiqui, R. A.
Wietzorrek, G. *See* Moebius, F. F.
Wigdahl, B. *See* Wang, Guirong
Wikström, A.-C. *See* Widén, C.
Wikström, K.
——; Juhas, M.; Sjölander, A.
The anti-apoptotic effect of leukotriene D_4 involves the prevention of caspase 8 activation and Bid cleavage, 371:115
Wikvall, K. *See* Araya, Z.
Wilanowski, T. *See* Ting, S. B.
Wilchek, M. *See* Marttila, A. T.
Wilkinson, G. F. *See* Werry, T. D.
Wilkinson, J. C. *See* Shin, H.
Willars, G. B. *See* Werry, T. D.
Williams, D. S. *See* Adams, R. A.
Williams, R. J. *See* Spencer, J. P. E.
Williamson, G. *See* Berrin, J.-G.; Payan, F.
Willis, A. C. *See* Yan, Hong
Willison, K. R. *See* Chapple, J. P.
Wilm, M. *See* Schell, T.
Wilson, D. K. *See* Kavanagh, K. L.; Klimacek, M.
Wilson, M. R. *See* Jones, R. A.
Wilson, T. J. G.
——; Thomsen, K. K.; Petersen, B. O.; Duus, J. Ø.; Oliver, R. P.
Detection of 3-hydroxykynurenine in a plant pathogenic fungus, 371:783
Wind, T. *See* Einholm, A. P.; Pedersen, K. E.
Winder, S. J. *See* Chen, Y.-J.
——; Jess, T.; Ayscough, K. R.
SCP1 encodes an actin-bundling protein in yeast, 375:287
Winfrey, V. P. *See* Bi, M.
Winkelmann, G. *See* Haas, H.
Winkler, R. *See* Vernimmen, D.
Winkles, J. A. *See* Brown, S. A. N.
Winston, C. P. *See* Paul, D. S.
Winterbourn, C. C. *See* Chapman, A. L. P.
Wintersperger, A. *See* Egger, T.
Wisnoskey, B. J.
——; Sinkins, W. G.; Schilling, W. P.
Activation of vanilloid receptor type I in the endoplasmic reticulum fails to activate store-operated Ca^{2+} entry, 372:517
Withers, S. G. *See* Hekmat, O.
Witt, T. L. *See* Liu, X. Y.
Witte, D. P. *See* Sun, Y.
Wittig, U. *See* Rubio, I.
Wlaschek, M. *See* Brenneisen, P.
Wo, X. *See* Hrzenjak, A.
Woehlecke, H.
——; Pohl, A.; Alder-Baerens, N.; Lage, H.; Herrmann, A.
Enhanced exposure of phosphatidylserine in human gastric carcinoma cells overexpressing the half-size ABC transporter BCRP (ABCG2), 376:489
Wolf, B. A. *See* Gao, Z.
Wolf, C. R. *See* Flanagan, J. U.
Wolf, H. *See* Kzhyshkowska, J.
Woll, P. J. *See* Coulson, J. M.
Wollberg, P.
——; Lennartsson, J.; Gottfridsson, E.; Yoshimura, A.; Rönnstrand, L.
The adapter protein APS associates with the multifunctional docking sites Tyr-568 and Tyr-936 in c-Kit, 370:1033
Wolters, H. *See* Kok, T.
Wöltje, M. *See* Denecke, B.
Wong, E. *See* Thackray, A. M.
Wongsantichon, J.
——; Harnnoi, T.; Ketterman, A. J.
A sensitive core region in the structure of glutathione S-transferases, 373:759
Wood, S. P. *See* Erskine, P. T.
Woodings, J. A.
——; Sharp, S. J.; Machesky, L. M.
MIM-B, a putative metastasis suppressor protein, binds to actin and to protein tyrosine phosphatase δ, 371:463
Woods, A. A.
——; Linton, S. M.; Davies, M. J.
Detection of HOCl-mediated protein oxidation products in the extracellular matrix of human atherosclerotic plaques, 370:729
——; Davies, M. J.
Fragmentation of extracellular matrix by hypochlorous acid, 376:219
Wopfner, F. *See* Whyte, S. M.
Worley, J. R.
——; Thompkins, P. B.; Lee, M. H.; Hutton, M.; Soloway, P.; Edwards, D. R.; Murphy, G.; Knäuper, V.
Sequence motifs of tissue inhibitor of metalloproteinases 2 (TIMP-2) determining progelatinase A (proMMP-2) binding and activation by membrane-type metalloproteinase 1 (MT1-MMP), 372:799
Worth, C. *See* Aronson, Jr, N. N.
Woscholski, R. *See* Calleja, V.
Wright, M. C. *See* Marek, C. J.
Wright, R. *See* Garattini, E.
Wright, S. C. *See* Fox, E. J.; Kime, L.
Wu, A. M.
——; Wu, J. H.; Herp, A.; Liu, J.-H.
Effect of polyvalencies of glycotopes on the binding of a lectin from the edible mushroom, *Agaricus bisporus*, 371:311
Wu, C. C. *See* Bal, N.
Wu, J. H. *See* Wu, A. M.
Wu, J. K. *See* Leiting, B.
Wu, X.-Q. *See* Shafqat, N.
Wu, Xuli *See* Tong, Z.
Wu, Xiaoqing
——; McIntyre, T. M.; Zimmerman, G. A.; Prescott, S. M.; Stafforini, D. M.
Molecular characterization of the constitutive expression of the plasma platelet-activating factor acetylhydrolase gene in macrophages, 375:351
Wuytack, F. *See* Dewaste, V.

Xia, Z. *See* Varner, A. S.
Xiang, S.-H. *See* Marden, N. Y.
Xu, G. *See* Bell, S. L.
Xu, H. *See* Zhao, H.
Xu, J. *See* Feng, J.
Xu, K.
——; Belunis, C.; Chu, W.; Weber, D.; Podlaski, F.; Huang, K.-S.; Reed, S. I.; Vassilev, L. T.
Protein–protein interactions involved in the recognition of p27 by E3 ubiquitin ligase, 371:957
Xu, L. *See* Beviglia, L.
Xu, X. *See* Mizushina, Y.
Xu, Y. *See* Garnier, G.
Xu, Z. *See* Liang, L.

Yada, R. Y. *See* Payie, K. G.
Yagame, S. *See* Okuta, A.
Yagi, T.
——; Baroja-Fernández, E.; Yamamoto, R.; Muñoz, F. J.; Akazawa, T.; Hong, K. S.; Pozueta-Romero, J.
Cloning, expression and characterization of a mammalian Nudix hydrolase-like enzyme that cleaves the pyrophosphate bond of UDP-glucose, 370:409
Yajima, M.
——; Takada, M.; Takahashi, N.; Kikuchi, H.; Natori, S.; Oshima, Y.; Kurata, S.
A newly established *in vitro* culture using transgenic *Drosophila* reveals functional coupling between the phospholipase A_2-generated fatty acid cascade and lipopolysaccharide-dependent activation of the immune deficiency (imd) pathway in insect immunity, 371:205
Yamada, K. *See* Kawata, H.
——; Kawata, H.; Shou, Z.; Hirano, S.; Mizutani, T.; Yazawa, T.; Sekiguchi, T.; Yoshino, M.; Kajitani, T.; Miyamoto, K.

© 2004 Biochemical Society

Analysis of zinc-fingers and homeoboxes (ZHX) 1-interacting proteins: molecular cloning and characterization of a member of the ZHX family, ZHX3, 373:167
Yamada, M. *See* Banno, Y.
Yamagishi, N. *See* Ishihara, K.
Yamaguchi, H.
——; Kitayama, J.; Takuwa, N.; Arikawa, K.; Inoki, I.; Takehara, K.; Nagawa, H.; Takuwa, Y.
Sphingosine-1-phosphate receptor subtype-specific positive and negative regulation of Rac and haematogenous metastasis of melanoma cells, 374:715
Yamaguchi, T. *See* Mizushina, Y.
Yamaji, D. *See* Makondo, K.
Yamamoto, H. *See* Yonekura, H.
Yamamoto, M. *See* Nioi, P.
Yamamoto, N. *See* Inoue, A.
Yamamoto, R. *See* Yagi, T.
Yamamoto, T. *See* Watanabe, Y.
Yamamoto, Y. *See* Yonekura, H.
Yamasaki, Y. *See* Tsuzuki, S.
Yamashita, H. *See* Furuyama, T.
Yamashita, K. *See* Lee, B. R.
Yamashita, T. *See* Miyazaki, M.
Yamauchi, P. *See* Qu, N.
Yamazaki, T. *See* Mayama, J.
Yan, C. *See* Zhu, J.
Yan, Honggao *See* Vieille, C.
Yan, Hong
——; Willis, A. C.; Harding, J. J.
γIII-Crystallin is the primary target of glycation in the bovine lens incubated under physiological conditions, 374:677
Yan, R.-Y. *See* Chiu, S.-K.
Yanagisawa, K.
——; Tago, K.; Hayakawa, M.; Ohki, M.; Iwahana, H.; Tominaga, S.-I.
A novel splice variant of mouse interleukin-1-receptor-associated kinase-1 (IRAK-1) activates nuclear factor-κB (NF-κB) and c-Jun N-terminal kinase (JNK), 370:159
Yaney, G. C. *See* Cunningham, B. A.
Yang, C.-C. *See* Ke, P.-Y.
Yang, L.
——; Mei, Q.; Zielinska-Kwiatkowska, A.; Matsui, Y.; Blackburn, M. L.; Benedetti, D.; Krumm, A. A.; Taborsky Jr, G. J.; Chansky, H. A.
An ERG (*ets*-related gene)-associated histone methyltransferase interacts with histone deacetylases 1/2 and transcription co-repressors mSin3A/B, 369:651
Yang, X. *See* Beviglia, L.
Yang, Y.-L. *See* Chuang, L.-Y.
Yang, Y.-S. *See* Sugahara, T.
Yanushevich, Y. G. *See* Gurskaya, N. G.
Yao, Y.-N. *See* Li, J.
Yaqub, S.
——; Abrahamsen, H.; Zimmerman, B.; Kholod, N.; Torgersen, K. M.; Mustelin, T.; Herberg, F. W.; Taskén, K.; Vang, T.
Activation of C-terminal Src kinase (Csk) by phosphorylation at serine-364 depends on the Csk–Src homology 3 domain, 372:271
Yasui, K. *See* Yonekura, H.
Yasumoto, K. *See* Uramoto, H.
Yazawa, T. *See* Kawata, H.; Yamada, K.
Yazdani, S. S. *See* Singh, S. K.
Yenugu, S.
——; Hamil, K. G.; Birse, C. E.; Ruben, S. M.; French, F. S.; Hall, S. H.
Antibacterial properties of the sperm-binding proteins and peptides of human epididymis 2 (HE2) family; salt sensitivity, structural dependence and their interaction with outer and cytoplasmic membranes of *Escherichia coli*, 372:473; 373:1000 (Correction)
Yeo, G. *See* Meirhaeghe, A.
——; Siddle, K.
Attractin' more attention – new pieces in the obesity puzzle? (online-only commentary on Haqq, A. M.), 376:e7
Yeung, L. H. Y.
——; Read, J. T.; Sorenson, P.; Nelson, C. C.; Gleave, M.; Jia, W.; Rennie, P. S.
Identification and characterization of a prostate-specific androgen-independent protein-binding site in the probasin promoter, 371:843
Ying, W.-Z.
——; Sanders, P. W.
Accelerated ubiquitination and proteasome degradation of a genetic variant of inducible nitric oxide synthase, 376:789
Yokoyama, K. K. *See* Liang, L.
Yokoyama, S. *See* Hatakeyama, M.
Yokoyama, T. *See* Nakashima, S.
Yonekura, H.
——; Yamamoto, Y.; Sakurai, S.; Petrova, R. G.; Abedin, M. J.; Li, Hui; Yasui, K.; Takeuchi, M.; Makita, Z.; Takasawa, S.; Okamoto, H.; Watanabe, Takuo; Yamamoto, H.
Novel splice variants of the receptor for advanced glycation end-products expressed in human vascular endothelial cells and pericytes, and their putative roles in diabetes-induced vascular injury, 370:1097
Yoo, D. *See* Kovacs-Nolan, J.
Yoshida, H. *See* Mizushina, Y.
Yoshida, M. *See* Monjusho, H.
Yoshida, S. *See* Asami, T.
Yoshida, T. *See* Uramoto, H.
Yoshida, Y. *See* Osaki, M.
Yoshida-Komiya, H. *See* Araki, Y.
Yoshimura, A. *See* Wollberg, P.
Yoshino, M. *See* Kawata, H.; Yamada, K.
Youell, J. H. *See* Erskine, P. T.
Young, K. *See* McKenzie, E.
Young, R. A. *See* Gao, Z.
Yu, H.
——; Talts, J. F.
β1 Integrin and α-dystroglycan binding sites are localized to different laminin-G-domain-like (LG) modules within the laminin α5 chain G domain, 371:289
Yuan, F. *See* Feng, J.
Yuan, X.-M. *See* Li, W.
Yudkin, M. D. *See* Clarkson, J.
Yudkoff, M. *See* Nissim, Itzhak
Yui, T. *See* Imai, T.
Yumoto, N. *See* Hatakeyama, M.
Yun, Y. S. *See* Nam, G. H.

Zafra, F. *See* Salero, E.
Zähringer, U. *See* Friedl, C. H.
Zahuczky, G. *See* Tözsér, J.
Zaini, P. A. *See* Andrioli, L. P. M.
Zalk, R.
——; Shoshan-Barmatz, V.
ATP-binding sites in brain p97/VCP (valosin-containing protein), a multifunctional AAA ATPase, 374:473
Zaloga, G. P. *See* Siddiqui, R. A.
Zammit, V. A. *See* Price, N. T.
Zannettino, A. C. W.
——; Roubelakis, M.; Welldon, K. J.; Jackson, D. E.; Simmons, P. J.; Bendall, L. J.; Henniker, A.; Harrison, K. L.; Niutta, S.; Bradstock, K. F.; Watt, S. M.
Novel mesenchymal and haematopoietic cell isoforms of the SHP-2 docking receptor, PZR: identification, molecular cloning and effects on cell migration, 370:537
Zannis, V. *See* Hatzivassiliou, E.; Kardassis, D.
Zanotti, G. *See* Sarno, S.
Zaragozá, R.
——; García, C.; Rus, A. D.; Pallardó, F. V.; Barber, T.; Torres, L.; Miralles, V. J.; Viña, J. R.
Inhibition of liver trans-sulphuration pathway by propargylglycine mimics gene expression changes found in the mammary gland of weaned lactating rats: role of glutathione, 373:825
Zech, B.
——; Köhl, R.; von Knethen, A.; Brüne, B.
Nitric oxide donors inhibit formation of the Apaf-1/caspase-9 apoptosome and activation of caspases, 371:1055
Zechner, R. *See* Strauss, J. G.
Zeikus, J. G. *See* Vieille, C.
Zeisel, S. H. *See* Zhu, Xiaonan
Zelcer, N.
——; Saeki, T.; Bot, I.; Kuil, A.; Borst, P.
Transport of bile acids in multidrug-resistance-protein 3-overexpressing cells co-transfected with the ileal Na^+-dependent bile-acid transporter, 369:23
——; Reid, G.; Wielinga, P.; Kuil, A.; van der Heijden, I.; Schuetz, J. D.; Borst, P.
Steroid and bile acid conjugates are substrates of human multidrug-resistance protein (MRP) 4 (ATP-binding cassette C4), 371:361
Zelezetsky, I. *See* Boniotto, M.
Zelko, I. N.
——; Folz, R. J.
Myeloid zinc finger (MZF)-like, Kruppel-like and Ets families of transcription factors determine the cell-specific expression of mouse extracellular superoxide dismutase, 369:375
Zhai, D.
——; Ke, N.; Zhang, H.; Ladror, U.; Joseph, M.; Eichinger, A.; Godzik, A.; Ng, S.-C.; Reed, J. C.
Characterization of anti-apoptotic mechanism of Bcl-B, 376:229
Zhan, X. *See* Uruno, T.
Zhang, A.-S. *See* Davies, P. S.
Zhang, C.-F.
——; Dhanvantari, S.; Lou, H.; Loh, Y. P.
Sorting of carboxypeptidase E to the regulated secretory pathway requires interaction of its transmembrane domain with lipid rafts, 369:453
Zhang, C. *See* Feng, J.
Zhang, H. *See* Pillai, A.; Zhai, D.
Zhang, J. *See* Fu, M.
Zhang, M. *See* Chen, F.
Zhang, P. *See* Uruno, T.
Zhang, T.
——; Ma, J.; Cao, X.
Grb2 regulates Stat3 activation negatively in epidermal growth factor signalling, 376:457
Zhang, W.
——; Cao, P.; Chen, S.; Spence, A. M.; Zhu, S.; Staudacher, E.; Schachter, H.

© 2004 Biochemical Society

Synthesis of paucimannose N-glycans by *Caenorhabditis elegans* requires prior actions of UDP-*N*-acetyl-D-glucosamine:α-3-D-mannoside β1,2-*N*-acetylglucosaminyltransferase I, α3,6-mannosidase II and a specific membrane-bound β-*N*-acetylglucosaminidase, 372:53
Zhang, X.-M. *See* Buxton, P.
Zhao, C.
——; Sun, H.; Tong, X.; Qi, Y.
An antitumour lectin from the edible mushroom *Agrocybe aegerita*, 374:321
Zhao, H.
——; Tian, W.; Xu, H.; Cohen, D. M.
Urea signalling to immediate-early gene transcription in renal medullary cells requires transactivation of the epidermal growth factor receptor, 370:479
Zhao, L. *See* Fu, M.
Zhao, L.-L. *See* Ting, S. B.
Zhao, M. *See* Liang, L.
Zheng, F. *See* Ma, H.-T.
Zheng, R. *See* Vogt, R. N.
Zheng, X. *See* Cheng, W.-H.
Zhong, C.
——; Chen, Chin; Kilberg, M. S.
Characterization of the nutrient-sensing response unit in the human asparagine synthetase promoter, 372:603
Zhou, H. *See* Murthy, K. S.
Zhou, J.
——; Pham, H. T.; Ruediger, R.; Walter, G.
Characterization of the Aα and Aβ subunit isoforms of protein phosphatase 2A: differences in expression, subunit interaction, and evolution, 369:387
Zhou, Yonggang *See* Hrzenjak, A.
Zhou, Yuan
——; Ching, Y.-P.; Ng, R. W. M.; Jin, D.-Y.
Differential expression, localization and activity of two alternatively spliced isoforms of human APC regulator CDH1, 374:349
Zhu, H.
——; Alexeev, D.; Hunter, D. J. B.; Campopiano, D. J.; Sadler, P. J.
Oxo-iron clusters in a bacterial iron-trafficking protein: new roles for a conserved motif, 376:35
Zhu, J.
——; Watanabe, I.; Gomez, B.; Thornhill, W. B.
Trafficking of Kv1.4 potassium channels: interdependence of a pore region determinant and a cytoplasmic C-terminal VXXSL determinant in regulating cell-surface trafficking, 375:761
——; Watanabe, I.; Poholek, A.; Koss, M.; Gomez, B.; Yan, C.; Recio-Pinto, E.; Thornhill, W. B.
Allowed N-glycosylation sites on the Kv1.2 potassium channel S1–S2 linker: implications for linker secondary structure and the glycosylation effect on channel function, 375:769
Zhu, P. *See* Schooley, K.
Zhu, S. *See* Zhang, W.
Zhu, Xiaojun *See* Fu, M.
Zhu, Xiaonan
——; Song, J.; Mar, M.-H.; Edwards, L. J.; Zeisel, S. H.
Phosphatidylethanolamine N-methyltransferase (PEMT) knockout mice have hepatic steatosis and abnormal hepatic choline metabolite concentrations despite ingesting a recommended dietary intake of choline, 370:987
Zhuang, L. *See* Inoue, K.
Zhuang, Y. *See* Varner, A. S.
Zia, J. K. *See* Jones, R. A.
Zielinska-Kwiatkowska, A. *See* Yang, L.
Zimmerman, B. *See* Yaqub, S.
Zimmerman, G. A. *See* Wu, Xiaoqing
Zimniak, P. *See* Sawicki, R.
Zissimopoulos, S. *See* Stewart, R.
Zitt, C. *See* Heiner, I.
Zoladz, J. A. *See* Korzeniewski, B.
Zolkiewska, A. *See* Liu, Z.
Zolkiewski, M. *See* Liu, Z.
Zucchi, M. R.
——; Nascimento, O. R.; Faljoni-Alario, A.; Prieto, T.; Nantes, I. L.
Modulation of cytochrome *c* spin states by lipid acyl chains: a continuous-wave electron paramagnetic resonance (CW-EPR) study of haem iron, 370:671
Zuo, F. *See* Roughley, P. J.
Zuo, Y. *See* Moldes, M.
Zurbriggen, K. *See* Kunz, C.
Zwerschke, W.
——; Mazurek, S.; Stöckl, P.; Hütter, E.; Eigenbrodt, E.; Jansen-Dürr, P.
Metabolic analysis of senescent human fibroblasts reveals a role for AMP in cellular senescence, 376:403

© 2004 Biochemical Society

Keyword Index

VOLUMES 369–376 (2003)

ABCG2, 373:767
Abl, 370:29, 376:159
abscisic acid-responsive nitrogen assimilation control protein (NAC), 371:97
acetoacetate, 371:753
acetylacetone degradation pathway, 369:573
acetylation, 373:713, 375:539
acetylcholine receptor, 371:423
acetylcholinesterase mutation, 373:33
acetyl-CoA carboxylase, 375:415
N-acetylglucosaminidase, 372:53
N-acetylglucosaminyl-transferase I, 372:53
N-acetylglutamate synthase, 372:279
N-acetyltransferase, 376:441
N-acyl phosphatidylethanolamine, 374:109
Acidianus ambivalens, 374:247
acid phosphatase, 376:481
acid protease, 371:541
acquired mutation, 373:767
acrosome, 375:477
acrosome reaction, 372:407
actin, 369:45, 371:233, 371:463
actin binding, 370:1039, 375:329
actin-binding protein, 375:287
actin bundling, 375:329
actin cytoskeleton, 370:255, 371:485
actin-depolymerizing factor, 369:45
actinidin, 372:735
actinomycete, 372:821
actin reorganization, 376:625
actin sliding assay, 374:89
activated protein C, 373:65
activation energy, 373:337
activator protein-1, 373:669
activator protein 1 (AP-1), 376:441
activator protein-1 (AP-1), 374:423
activator protein-2 (AP-2 factor), 373:925
activator protein-2 (AP-2) binding site, 370:323
active-site geometry, 375:297
active-site mimics, 371:175
active transport, 375:17
activin, 371:257
acute-phase protein, 373:345
acyl-carrier protein, 372:587
acyl transfer, 375:745
acyltransferase, 372:871
ADAMTS (a disintegrin and metalloproteinase with thrombospondin motifs), 375:183
adapter, 371:907
adapter protein, 375:503, 376:525
adaptive regulation, 375:441
adenine nucleotide, 369:519
adenine nucleotide translocator, 371:799
S-adenosylhomocysteine, 373:505
S-adenosylmethionine, 373:505
adenoviral vector, 371:981, 376:765
adenylate kinase, 373:515
adenylylated polyol, 373:635
adenylyl cyclase, 375:517
adhesion, 369:311, 372:485, 375:477
adhesion molecule, 370:687
adipocyte, 376:625
adipocyte differentiation, 375:539
A-domain, 376:77
ADP/ATP translocase, 376:757
ADP-ribosyl cyclase, 370:175, 375:395
adrenal gland, 371:361
adrenaline (epinephrine), 370:695
adrenodoxin reductase, 372:317
advanced glycation endproduct, 376:109
aequorin, 369:287
affinity purification, 372:227
Agaricus bisporus agglutinin, 371:311
AGC kinase, 372:e1, 372:33
aggrecan, 370:69, 375:183
aggregation, 370:529
aging (*see* senescence)
agonist-evoked Ca^{2+} entry, 375:697
agouti, 376:e7
Agrocybe aegerita, 374:321
Aic2A (β-chain of the murine IL-3R), 376:147
Akt, 373:613
Akt kinase, 371:405
Akt/protein kinase B kinase, 376:303
Akt/protein serine/threonine kinase B (PKB), 376:587
alanine:glyoxylate aminotransferase, 374:79
L-alanine–glyoxylate aminotransferase II, 376:169
alanine scan, 372:183
aldehyde dehydrogenase 3A1 (ALDH3A1), 376:615
aldehyde oxidase, 372:15
aldo–keto reductase, 373:973
aldosterone, 371:1
alkaline extraction, 369:357
alkoxide mechanism, 375:141
alkylaminoquinoline, 376:801
alkylating agent, 375:449
O^6-alkylguanine-DNA alkyltransferase, 375:449
allergen, 369:593, 376:e1
allergen structure, 376:97
allergy, 372:889, 373:261, 376:e1, 376:97
allometry, 376:741
allosteric activation, 371:997
allosteric regulation, 376:277
allostery, 372:121
all-*trans*-retinoic acid, 375:199
alternatively spliced isoform of collagen type XI, 376:361
alternative mRNA splicing, 370:429
alternative polyadenylation, 372:347
alternative splicing, 370:159, 370:195, 370:1097, 372:347, 372:881, 373:191, 374:359, 375:191, 375:689
Alzheimer's disease, 370:979, 374:261, 374:463
Amadori product, 376:109
Amerindian, 370:275
amidotransferase, 369:497
amine oxidase, 371:429, 371:549
amino acid, 372:603, 371:653
amino acid composition, 376:553
amino acid metabolism, 369:263
amino acid transporter, 371:721
γ-aminobutyric acid (GABA), 376:633
2-aminoethoxydiphenyl borate, 372:517, 376:667
2-aminoethyl diphenylborate, 370:695
5-aminoimidazole-4-carboxamide (AICA) riboside, 370:1027
5-aminoimidazole-4-carboxamide ribonucleoside (AICAR), 375:1
5-aminolaevulinic acid dehydratase, 373:733
3-aminopropanal, 371:429
amino sugar N-deacylase, 374:369
3-aminotyrosine, 370:339
amlexanox, 374:433
ammonium assimilation, 373:357
amoebapore, 375:737
AMP, 376:403, 371:761
AMP-activated protein kinase (AMPK), 370:1027, 375:1
amphibian, 373:539
amphibian skin, 370:121
amphipathic helix, 375:643
amphipathicity, 375:175
amphiphilic, 374:307
α-amylase, 373:337
amylin, 374:779
β-amyloid, 374:261, 371:789
amyloid fibril, 374:489
amyloid P component, 375:323
amyloid precursor protein, 370:1063, 374:261
amyloid protein, 373:485
anaerobic protist, 375:729
anaphase-promoting complex (APC), 374:349
anchoring, 370:873
androgen receptor, 375:373
androgen specificity, 369:141
angiogenesis, 369:341, 370:1097, 374:199, 375:131
angiotensin I-converting enzyme (ACE), 371:437
angiotensin II, 370:631
animal DNA polymerase inhibitor, 370:299
anion channel, 371:451
anionic phospholipids, 373:785
annexin, 371:927
Anopheles dirus, 373:759
Anopheles gambiae, 373:957
anthracycline, 370:185, 372:703
anti-allergic drug, 374:433
anti-androgen, 369:163
anti-apoptotic protein, 372:767
antibacterial activity, 372:473, 374:707
antibacterial peptide, 375:405
antibiotic resistance, 376:801
antibiotics, 376:313
antibody, 374:443
anti-cancer agent, 373:523
antigen, 369:319
antimicrobial agent, 373:305, 375:737
antimicrobial peptide, 373:621, 374:707
antimicrobial protein, 376:481
antioxidant, 369:375, 371:877, 374:337
antioxidant enzyme, 371:495
antioxidant response element, 374:337
antiparallel β-structure, 370:529
α_2-antiplasmin, 371:277
antisense, 371:789
antisense RNA, 369:447
antithrombin, 372:371
α_1-antitrypsin, 370:345
α1-antitrypsin Portland (α1-PDX), 373:475
anti-tumour activity, 374:321, 376:393
aorsin, 371:541
Apg protein, 376:577
Aplysia, 375:681
apolipoprotein, 376:423
apolipoprotein C-II (apoC-II), 372:291
apolipoprotein E, 370:979
apoplast, 370:57
apoptosis, 369:1, 369:199, 370:129, 370:205, 370:283, 370:927, 370:935, 370:1027, 370:1063, 371:301, 371:429, 371:789,

© 2004 Biochemical Society

372:129, 372:203, 373:65, 373:201, 373:251, 373:281, 373:739, 373:825, 374:321, 374:393, 374:403, 374:453, 374:481, 374:505, 375:567, 375:663, 375:99, 376:1, 376:229, 376:253, 376:377, 376:725
apoptosis signal-regulating kinase 1, 373:845
appetite, 376:e7
APS adaptor protein, 370:1033
aquaporin, 373:289
Arabidopsis family 1 glycosyltransferase, 373:987
arachidonic acid, 370:439, 371:927, 374:315, 376:285
A7r5 cell, 370:439
Archaebacteria, 370:373, 372:253, 375:231
archaeon, 374:247
ArgBP2, 370:29
arginine- and serine-rich domain (RS domain), 372:235
arginine biosynthesis, 372:279
arginine vasopressin (AVP), 369:549
argininosuccinate, 376:179
arginyl hydrolase, 373:933
aromatic amino acid, 376:237
array, 372:703
β-arrestin, 375:503
arrestin, 370:1
arsenic resistance, 371:495
artefactual nitration, 370:339
arylamine, 375:593
arylamine N-acetyltransferase, 375:593
ASBT (ileal apical Na^+-dependent bile-acid transporter), 369:23
ascorbate, 369:675
asialo-orosomucoid (ASOR), 372:861
aspartate racemase, 373:909
aspartic proteinase, 372:671
Aspergillus niger, 372:211
Aspergillus oryzae, 371:541
asthma, 370:1, 370:429
atherosclerosis, 370:339, 370:729, 370:1019
atherosclerosis, 372:643, 373:241, 373:547, 376:423, 376:765
ATP, 373:327
ATP/ADP homoeostasis, 374:37
ATPase, 369:627, 370:609, 370:839, 371:451, 374:473, 376:773
ATP binding and hydrolysis, 376:749
ATP-binding cassette (ABC), 376:749
ATP-binding cassette (ABC) protein, 370:357
ATP-binding-cassette transporter (ABC transporter), 369:539, 371:451, 373:767, 376:313
ATP binding/hydrolysis, 371:183
ATP hydrolysis, 375:753
ATP level, 375:221
atractyloside (ATR), 376:757
atrial natriuretic peptide, 370:149
attenuated total reflection, 369:239
attractin, 376:e7, 376:595
atypical protein kinase C, 375:663
autoantigen, 373:393
autodephosphorylation, 372:347
autoinhibition, 373:571
autophosphorylation, 370:805
autoregulation, 373:547
autoregulatory element, 370:1087
avidin–biotin technology, 369:249, 372:219
azatyrosine, 375:121

Bacillus thuringiensis, 374:255
back-mutation, 373:393
bacterial capsule, 374:767
bacterial DD-peptidase, 373:949
bacterial glutathione S-transferase, 373:305
bacterial transferrin, 376:35
bacterial virulence, 373:515
baculovirus, 374:329
Bad, 371:115
Bak, 376:229
β-barrel, 372:329
basement membrane, 371:289
basic fibroblast growth factor, 374:123
basic helix–loop–helix, 375:489
basic helix–loop–helix transcription factor, 376:707
basic leucine zipper, 374:423
Bax, 370:129, 372:359, 372:631, 374:393, 376:229
B-cell signalling, 374:269
Bcl-2, 372:203, 372:359, 372:631, 375:263, 376:229
Bcl-X_L, 371:115, 374:393
BEN protein, 374:359
p-benzoyl-L-phenylalanine, 370:829
3′-*O*-(4-benzoylbenzoyl)ATP (BzATP), 374:473
O^6-benzylguanine, 375:449
berythractivase, 369:129
betaine, 369:369, 370:987, 376:517
bglI gene, 370:793
bicarbonate transport, 371:687
Bid, 374:403
big mitogen-activated protein kinase 1 (BMK1), 372:567
bile, 369:539
bile acid, 371:361, 372:291, 376:49
bile acid biosynthesis, 372:529
bile salt, 369:539
bilirubin, 371:897, 372:381
Bim, 375:99
binding affinity, 371:369, 372:905
binding domain, 372:183
binding energy, 374:633
binding pocket, 370:829
binding reversibility, 372:905
binding subsite, 373:41
biochemical and NMR studies, 376:749
biodiversity, 371:125
biogenesis, 375:721
bioinformatics, 376:553
bioluminescence, 373:403
biopolyester, 376:15
biopolymer, 376:15
biosynthesis, 371:1013
biotin-binding protein, 369:249, 372:219
N-biotinylaminoethyl methanethiosulphonate, 374:27
biotinylation, 374:793
BiP/GRP78, 369:643
1,3-bis(2-chloroethyl)-*N*-nitrosourea, 373:885
N^I,N^{II}-bis(ethyl)norspermine, 373:629, 373:885
blip, 370:621
blood flow, 372:163
blood protein, 376:135
Blumeria, 371:783
BM-40, 373:805
B16 melanoma cells, 374:715
body mass, 376:741
Bohr effect, 372:679
bone marrow, 370:315
bone morphogenetic protein 1 (BMP-1), 376:361
bradykinin, 371:581, 371:1021
bradykinin B_2 receptor, 375:151
brain, 370:175, 371:653, 373:49
BRCA2-associated factor 35 (BRAF35), 374:497
breast cancer, 375:51, 375:199
breast cancer cell, 370:771, 373:201
breast tumour line, 373:925
bridging sulphide, 369:77
bromodomain, 371:385
2-bromopalmitate, 373:91
buried surface, 371:175
butyrylcholinesterase mutation, 373:33

Ca^{2+} (*see* calcium)
Ca^{2+}-ATPase, 375:753
Caco-2/TC7, 375:167
CadA, 369:681
Ca^{2+}-dependent proteolysis, 375:689
cADP-ribose, 373:e3
Caenorhabditis elegans, 372:53
caffeic acid phenethyl ester, 371:887
Ca^{2+} influx, 375:697
calcineurin endogenous inhibitor, 374:567
calcipressin, 374:567
calcium, 370:283, 370:469, 375:517, 375:673, 375:713, 375:805
calcium binding, 373:337, 373:437, 376:209, 371:811
calcium-binding protein, 371:61, 375:87
calcium/calmodulin-dependent protein kinase (CaM kinase), 370:873
calcium entry, 370:111
calcium influx, 370:255, 370:695, 371:1045
calcium mobilization, 373:e3, 373:313
calcium regulation, 370:839
calcium-release-activated current, 371:341
calcium-release channel, 371:81, 375:603
calcium signalling, 376:667, 376:795
calcium-specific binding, 374:89
calcium store, 371:341, 373:313
calcium transport, 375:753
calcium wave, 369:441
calmodulin, 374:697
calmodulin-binding protein kinase (CBK), 376:291
calmodulin-dependent protein kinase IIγ, 372:347
calmodulin-dependent protein kinase II, 372:465
calorimetry, 373:337, 375:745
calpain, 374:403, 375:643, 376:625
calpain isoform, 375:689
calponin, 375:287
calreticulin, 370:449, 373:893
calyculin A, 373:703
cAMP, 369:173, 370:429, 373:835, 375:517
cAMP-response-element-binding protein (CREB), 373:835
camptothecin, 369:239
cancer, 371:957, 372:661, 372:747, 373:723, 374:723, 376:1, 376:313, 376:393
cancer cell, 370:205
cancer predisposition, 374:577
cancer treatment, 372:219
Candida albicans, 375:175
canonical transient receptor potential channel (TRPC channel), 376:667
capillary electrophoresis, 372:821, 376:291
carbamoyl phosphate, 376:179
carbamylphosphate synthetase I, 372:279
carbinolamine dehydratase, 373:993
carbohydrate, 376:339
carbohydrate-active enzyme database (CAZy database), 370:793
carbohydrate-binding module, 373:495, 371:1027
carbohydrate specificity, 371:311
carbonic anhydrase-related protein (CARP), 372:435
carbon monoxide, 369:429
carboxypeptidase E, 369:453
carcinoma, 375:263
cardiac hypertrophy, 373:603
cardiac muscle, 376:795

© 2004 Biochemical Society

cardiolipin hydroperoxide, 371:799
cardiomyocyte, 370:149
carnitine acyltransferase, 370:223
carnitine palmitoyltransferase, 369:687
carp, 376:433
carpet model, 370:233
carrier, 376:633, 376:645
cartilage, 376:511
cascade system, 371:277
casein kinase-2, 372:841
caspase, 370:195, 370:1027, 373:965, 375:663
caspase-3, 371:151, 371:789, 372:137
caspase-7, 372:137
caspase-8, 372:137
caspase activation, 373:201
caspase processing, 371:1055
catalysis, 374:731, 376:633, 376:645
catalytic activity, 373:559
catalytic base, 375:141
catalytic domain, 376:237
catalytic mechanism, 373:733, 374:413, 376:15
catalytic subunit of protein kinase A, 373:211
catalytic triad, 369:191
cataract, 374:677
catecholamine, 369:675
catechol 2,3-dioxygenase, 371:557
catechol oxidase, 371:515
cathepsin, 375:307
cation channel, 376:807
cauxin, 370:101
caveolin, 376:159
CbiX, 370:505
Cbl, 370:29
CCAAT/enhancer-binding protein α (C/EBPα), 372:617
CCAAT/enhancer-binding protein β (C/EBPβ), 375:41, 376:607
c-Cbl, 370:1033, 371:405
CD (*see* circular dichroism)
CD9, 373:409
CD34$^+$, 370:537
CD36, 371:981
CD38, 370:175, 373:e3
CD81, 373:409
CD88, 372:453
CDH1, 374:349
Cdk2, 375:263
cDNA, 375:551, 376:717
cDNA cloning, 371:125, 371:131, 373:167
C1 domain, 370:901
CD spectroscopy, 373:437
β-cell, 373:641
cell adhesion, 373:547
cell cycle, 369:1, 369:227, 369:387, 369:477, 370:265, 370:291, 370:307, 372:703
cell-cycle arrest, 371:301
cell-cycle control, 374:349
cell-cycle progression, 373:191
cell death, 370:195, 373:739, 373:965
cell growth, 376:1
cell–matrix interaction, 371:289
cell migration, 371:233
cell motility, 370:551, 374:697
cell proliferation, 371:927, 376:285
cell signalling, 372:193
cell-surface expression, 375:761
cell-surface molecule, 375:207
cell-surface processing, 371:687
cell-surface proteoglycan, 371:565
cell survival, 369:1, 375:471
cellular interaction, 371:211
cellular localization signal, 371:97
cellular mis-sorting, 370:703
cellular proliferation, 373:539
cellular stress, 371:857
cellular trafficking, 372:465
cellulose degradation, 370:963
Cellvibrio, 371:1027
cell volume, 371:609
cell-wall glycolipids, 372:77
central nervous system, 370:557, 370:817
cephalosporinase, 371:175
ceramidase, 376:473
ceramide, 371:621, 374:307, 375:567, 376:473, 376:697, 376:725
cerebellum, 372:435
cerebral ischaemia, 371:429
cerebrospinal fluid, 374:239
c-Fgr, 372:841
cGMP, 370:349, 372:419
cGMP-dependent protein kinase (PKG), 372:419, 374:559
Chagas disease, 373:933
chain elongation, 374:755
channel-activating protease, 371:1
channel protein, 375:681
channel regulation, 370:579
chaperone, 370:449, 370:849, 370:867, 374:433
chaperone activity, 370:859, 371:917
chaperone protein, 373:855
chaperonin, 371:669
chemical cross-linker, 374:793
chemical small-molecule library, 373:523
chemoattractant, 372:453
chemokine, 376:393
chemoprevention, 374:481
chemotaxis, 376:505
chemotherapy, 374:723
chimaera, 370:129, 372:247
chimaeric enzyme, 372:671
chimaeric protein, 376:717
β2-chimaerin, 375:313
Chinese-hamster ovary cell, 372:335
chitin, 376:87
β-chitin, 374:755
chitinase, 376:87
chitin biosynthesis, 374:755
chloramine, 370:729, 376:219
chloride, 369:77
chloride-selective channel, 375:633
β-chloro-L-alanine, 376:169
chlorophenols, 373:297
chlorophyll biosynthesis, 371:351
chloroplast, 371:823
CHO cell, 369:179, 372:811
CHO-K1 cell, 369:363
cholestasis, 369:23, 371:361
cholesterol, 369:255, 372:811, 373:941
cholesterol biosynthesis, 374:21, 374:229
cholesterol homoeostasis, 372:529
choline, 376:517
choline deficiency, 370:987
CHO mutant MT58, 369:643
chondrocyte, 372:485
chromaffin granule, 369:675
chromatin, 369:651
chromatin immunoprecipitation, 375:489, 376:351
chromium–ATP complex (CrATP), 371:29
chromosomal instability, 374:577
chronic obstructive pulmonary disease (COPD), 370:1
circular dichroism (CD), 372:757, 374:687, 374:785, 375:531
circulating white cell, 375:689
cisplatin, 372:651, 376:253
cis-proline, 375:297
citrate synthase, 371:669, 374:433
citrulline, 370:167
c-Jun N-terminal kinase (JNK), 370:159, 371:789
c-Kit, 370:1033
Cks1, 371:957
Claisen-type condensation, 373:465
class II polyhydroxyalkanoate synthase (class II PHA synthase), 374:413
cleavage site, 372:137
C_1 metabolism, 369:263
CMP-*N*-acetylneuraminic acid hydroxylase, 370:601
c-Myb binding site, 372:851
co-activator, 375:373, 376:465
coagulating gland, 371:631
coagulation, 369:129
cobalamin deficiency, 374:239
cobalt activation, 372:625
cockroach, 372:535
coenzyme A (CoA), 375:745
cohort protein, 374:433
coiled-coil, 370:213, 375:643
cold shock, 375:471
colicin, 376:245
collagen-binding, 374:199
collagen type XI, 376:361
colorectal cancer, 374:481
combinatorial chemistry, 375:159
combinatorial library, 373:271
compensation, 376:773
competitive inhibition, 376:77
complementation, 370:751
complex I, 371:1005
computer simulation, 373:451
conformational change, 369:39, 372:e1, 372:33
conformational stability, 372:241
conformational transition, 369:509
conformation tuning, 371:369
consensus sequence, 372:625
conservation, 371:125
continuous assay, 374:369
control of gene expression, 372:831
co-operativity, 375:415
copper, 371:597
copper metabolism, 374:219
copper protein, 369:77
copper site, 369:417
copper transport, 370:881
coral fluorescent protein, 371:109
cord blood T cell, 370:497
co-repressor, 370:737, 376:465
cornea, 369:461, 376:615
cortactin, 371:485
cortical neuron, 373:613
corynomycolic acid, 373:465
coupling energy, 374:633
CpG island, 373:835
C-reactive protein (CRP), 375:323
creatine, 372:661
Crenarchaea, 374:247
Crithidia, 371:49
cross-reactivity, 373:261, 376:97
cross-recognition, 376:773
cross-resistance, 376:253
cross-talk, 373:451, 374:281
cryopyrin, 373:e1, 373:101
Cryptococcus neoformans, 375:175
crystallin, 375:471
α-crystallin, 370:859
crystalline-chitin hydrolysis, 376:237
crystallography, 375:531
crystal structure, 373:319
Cry toxin, 369:697, 370:971
Csk, 371:15
C-S lyase, 371:473
C-terminal non-collagenous domain (NCI domain), 372:485
C-terminal Src kinase, 372:271

© 2004 Biochemical Society

CTP:phosphocholine cytidylyltransferase, 369:643, 372:811, 374:747, 375:653
Cu_A, 369:77
cupredoxin, 371:377
Cu_z, 369:77
CXC ligand 9 (CXCL9), 376:393
CX3C receptor 1 (CX3CR1), 373:547
CXXC, 369:681
cyanobacteria, 373:909
cyclic ADP-ribose, 370:175, 375:395
cyclic ADP-ribose hydrolase, 375:395
cyclic nucleotide, 374:559
cyclin A, 371:621
cyclin D1, 373:133
cyclin-dependent kinase 2 (cdk2), 371:621
cycloheximide, 372:555
cyclo-oxygenase, 372:695, 375:539
cyclo-oxygenase 2, 371:115
Cys-less, 370:357
γ-cystathionase, 373:825
cystatin, 376:135
cysteine, 375:745
L-cysteine, 373:825
cysteine biosynthesis, 375:729
cysteine dioxygenase, 375:441
cysteine modification, 375:633
cysteine protease, 373:981, 375:307
cysteine proteinase mechanism, 372:735
cysteine-rich secretory protein (CRISP), 376:61
cysteine S-conjugate β-lyase activity, 376:169
cystic fibrosis, 371:1
cystic fibrosis transmembrane conductance regulator, 374:793
cystic fibrosis transmembrane conductance regulator (CFTR), 370:357, 371:451, 375:633
Cyt2Aa1, 374:255
cytochalasin D, 370:255
cytochrome b_5, 370:601
cytochrome b_{550}, 371:597
cytochrome *c*, 370:283, 371:115, 371:1055, 372:359, 372:631, 375:215
cytochrome *c* conformation, 370:671
cytochrome *c* maturation, 375:721
cytochrome *c* oxidase, 376:537
cytochrome *c* peroxidase, 373:865
cytochrome *c* release, 371:799
cytochrome P450, 373:669
cytochrome P450 (P450), 370:763, 370:981
cytokine, 369:331, 370:591, 371:395, 371:603, 372:495, 375:23, 376:545
cytokine receptor, 370:391, 374:453
cytokine response modifier 1 (CRM1), 373:251
cytokine signalling, 374:1
cytokinesis, 372:105
cytolytic, 375:737
cytolytic toxin, 374:255
cytoprotectant, 373:505
cytoprotection, 371:887
cytoskeletal dynamics, 369:45
cytoskeletal reorganization, 371:565
cytoskeleton, 371:463, 372:391, 374:697, 376:505
cytosol, 373:793, 375:111
cytosolic calcium, 374:137
cytosolic peroxide, 375:567
cytotoxicity, 369:399, 374:307
cytotoxicity assay, 369:697

Dahl/Rapp rat, 376:789
dark yellow fluorescent protein (YFP^{dark}), 372:e1, 372:33
database sequence identity search, 374:97
DDT, 373:957
dead-end inhibition, 371:29
death domain, 370:159
decoy, 370:631
deep-apical tubule, 373:125
de-esterification, 372:211
defensin, 371:663, 372:473
deglycosylation, 376:339
dehalogenase, 373:297
dehydroepiandrosterone (DHEA), 375:785
dehydroepiandrosterone 3-sulphate (DHEAS), 371:361
deimination, 370:167
denaturation, 370:529, 373:337
denitrification, 369:77
2-deoxyglucose, 371:29
deoxy-hexose, 371:989
deoxyribonuclease II, 371:867
desensitization, 372:407, 375:503, 375:805
desulphonation, 369:275
detergent, 372:757, 374:307
detergent-insoluble membrane, 376:497
detoxification, 370:661, 376:71
deuterostomic branch, 370:299
development, 374:381
developmental regulation, 370:557
dexamethasone, 371:61, 376:607
dextromethorphan, 370:921
DHPR–RyR interaction, 372:305
diabetes, 369:17, 371:675, 371:831, 373:393, 375:581
diabetes mellitus, 374:779, 375:1
diabetic nephropathy, 375:385
diabetic vascular complication, 370:1097
diacylglycerol (DAG), 369:199, 373:917, 375:313, 375:673
diacylglycerol kinase, 375:673
diadenosine oligophosphate, 369:519
diadenosine tetraphosphatase (Ap_4Aase), 373:635
diadenosine tetraphosphate analogue (Ap_4A analogue), 373:635
diamide, 370:935
dicarbonyl cleavage, 369:573
S-(1,2-dichlorovinyl)-L-cysteine, 376:169
diclofenac, 370:921
Dictyoptera, 371:573
Dictyostelium discoideum, 374:697, 376:473
differential scanning calorimetry, 374:785
differentiation, 370:291, 375:457
difluoromethylornithine enantiomer, 375:465
dihydropyridine receptor (DHPR) II–III loop, 372:305
dihydroxyacetone, 369:705
diketone cleavage, 369:573
dimer evolution, 370:785
dimerization, 372:335, 373:747
dinitrosotrypanothione, 371:49
dinucleoside tetraphosphate hydrolase, 373:635
dipeptidyl peptidase 8 (DPP8), 373:179
dipeptidyl peptidase 9 (DPP9), 373:179
dipeptidyl peptidase 10 (DPP10), 373:179
dipeptidyl peptidase II, 371:525
dipeptidyl peptidase IV (DPPIV, DPP4), 371:525, 373:179
diphosphoinositol polyphosphate phosphohydrolase type 3 (DIPP3), 373:81
diphosphorylation, 370:551
Diptera, 370:661
directed evolution, 371:143
disease resistance, 370:121
disintegrin, 372:725
disodium cromoglycate, 374:433
dissimilatory Fe(III) reduction, 369:153
dissociation constant, 376:291
distal tubules, 370:101
disulphide, 373:281, 373:793
disulphide bond, 372:725
disulphide recycling, 369:529
5,5′-dithio-bis-(2-nitrobenzoic acid), 369:529
dityrosyl motif, 376:35
divalent-metal transporter 1 (DMT1), 372:757
DNA binding domain, 374:423
DNA-binding protein, 369:103
DNA capture, 371:413
DNA damage, 371:301, 376:725
DNA damage response, 372:97
DNA diversity, 371:557
DNA fragmentation, 370:195, 376:377
DNA immobilization efficiency, 374:625
DNA insertion sequence, 374:799
DNA library, 371:557
DNA microarray, 374:625
DNA mismatch, 371:697
DNA polymerase ε, 370:299
DNA repair, 372:651, 374:577, 375:449
DNase, 374:321, 376:377
DNASE2 gene, 371:867
DNase I, 371:697
DNase IIβ, 371:867
DNase II-like acid DNase (DLAD), 371:867
docking-site peptide, 370:1077
domain mobility, 373:115
domain-structured polypeptide, 372:151
dominant-negative Stat1α, 369:103
dopamine agonist, 373:25
dose–response, 372:407
Drosophila, 370:953, 374:297, 374:381, 376:49
drug discovery, 375:159
drug metabolism, 375:593
drug resistance, 374:723
drug target, 370:1047
DSCR1, 374:567
dual acylation, 372:427
dual-specificity kinase, 369:1, 374:381
dual specificity tyrosine phosphorylated and regulated kinase 1a (DYRK1a), 374:639
dual specificity tyrosine phosphorylated and regulated kinase-related kinase (DYRK), 372:881, 374:381
Duffy antigen, 374:193
Duffy-binding-domain architecture, 374:193
Duffy receptor, 374:193
dynamical model, 376:109
dynorphin, 375:17
dystonia, 374:117
dystroglycan, 375:329

early endosome, 370:213
early gene, 373:739
early growth response protein 1 (Egr-1), 373:815
E-box, 370:979
ectodomain shedding, 371:437
E2F, 371:265
efflux inhibitor, 376:801
efflux pump, 376:801
EF hand, 371:811, 373:805, 376:209
EF-hand motif, 375:87
EGFP fusion proteins, 374:545
eicosanoid, 372:695
elastic protein, 374:687
electron crystallography, 374:755
electron-impact MS, 373:465
electron microscopy, 372:335
electron transfer, 369:153, 371:377, 373:115, 374:761
electron transfer protein, 370:489
electrophile, 370:661
electrospray ionization MS, 374:185
electrospray MS, 373:465

© 2004 Biochemical Society

electrostatically modulated protein dynamics, 372:735
electrostatic interactions, 371:549
electrostatic potential calculation, 372:735
Elk-1, 370:1077
Embden–Meyerhof pathway, 375:231
embryogenesis, 372:503
emopamil-binding protein (EBP)-like protein, 374:229
endochondral ossification, 372:485
endocytosis, 371:233, 372:65, 372:861, 374:443, 374:747, 375:503, 375:793
endonuclease, 371:321, 371:867
endopeptidase 24.15 (EP24.15), 375:111
endoplasmic reticulum (ER), 370:351, 371:775, 372:335, 372:517, 373:313, 373:57, 373:901, 374:117, 375:769
endoplasmic reticulum-associated degradation (ERAD), 373:901, 376:687
endoplasmic reticulum microenvironment, 370:449
endoplasmic reticulum protein turnover, 375:603
endoplasmic reticulum retrieval signal, 371:775
endoplasmic reticulum stress response, 372:603
endosomal disruption, 372:65
endosome, 373:145, 375:151
endostatin, 375:131
endothelial cell, 374:403
endothelial cell proliferation, 373:281
endothelial cell protein C receptor (EPCR), 373:65
δ-endotoxin, 369:697
endo-type enzyme, 374:369
energy transduction, 369:619
English plantain, 372:889
enhanced acceptor fluorescence, 372:e1, 372:33
enhancer, 369:549
enkephalin, 375:17
Entamoeba histolytica, 375:729
Enterococcus avium, 371:191
enthalpy, 372:679
Entner–Douderoff pathway, 375:231
enzyme-catalysed folinic acid metabolism, 374:773
enzyme hysteresis, 369:509, 369:619
enzyme inactivation, 372:713
enzyme inactivation parameter, 375:465
enzyme inhibitor, 373:231
enzyme kinetics, 370:839, 373:393, 373:973
enzyme oligomerization, 376:209
enzyme purification, 374:647
enzyme specificity, 373:319, 373:949
enzyme trafficking defect, 374:79
enzymic regulation, 375:623
eosin-5-maleimide, 376:277
epidermal growth factor (EGF), 376:457
epidermal growth factor receptor (EGFR), 376:e9, 376:571
epidermis, 370:167
epimastigote, 375:705
epinephrine, *see* adrenaline
epithelial cell, 371:115
epithelium, 376:615
epitope, 370:81
epitope characterization, 376:269
epitope mapping, 373:115
EPR, 369:417, 370:671
E2 promoter binding factor (E2F), 370:307
ErbB, 373:451
ERBB2 promoter, 370:323
ERG-associated protein with a SET domain (ESET), 369:651
ER/Golgi-intermediate compartment (ERGIC), 371:775
ergosterol biosynthesis, 369:71
erythrocyte-binding protein, 374:193
erythrocyte invasion, 374:193
Escherichia coli, 370:867, 374:767
esculentin-1, 370:121
ethanol, 370:35
N^1-ethyl-N^{11}-[(cycloheptyl)methyl]-4,8-diazaundecane, 373:885
ethyl ester, 372:211
E26 transforming-specific transcription factor, 374:165
Ets protein, 372:787
eukaryotic initiation factor 4E-binding protein (4E-BP1), 374:137
eukaryotic translation-initiation factor 2 (eIF2), 375:623
evolution, 372:725, 374:219
excitation–contraction coupling, 372:305, 376:795
exocellular protein, 369:731
exocrine, 369:441
exocyst, 373:49
exocytosis, 369:319, 373:641, 375:433
exoglucanase, 370:963
expression, 373:559, 374:647
expression pattern, 372:881
extensin, 376:717
extracellular linker, 375:769
extracellular matrix, 370:729, 372:503, 373:241, 373:805, 375:191, 375:425, 376:219
extracellular-signal-regulated kinase (ERK), 369:363, 370:459, 370:817, 370:1077, 371:71, 372:567, 373:613, 374:51, 375:99
extreme pH, 375:471
ezrin-binding protein 50 (EBP50), 376:505

FabI, 370:1055
F-actin, 375:287, 375:329
factor VIII, 373:593
family 18, 376:87
family 18 chitinase, 372:399
farnesylation, 370:1047, 376:449
farnesyl, 376:e3
Fas, 376:253, 371:1055
fatty acid, 369:721, 372:811, 375:705, 376:741
fatty acid activation, 372:587
fatty acid metabolism, 372:871
fatty acid synthase, 371:981
fatty acid synthesis, 369:351, 370:1055
fatty acid uptake, 371:753
ferric reduction, 371:783
ferritin, 370:891
fertility, 372:473
fertilization, 374:551, 375:477, 375:805
Fe–S, 371:823
Fe–S protein, 375:247
fetal lung explant, 369:179
fetal programming, 375:41
α-fetoprotein, 376:135
fetuin-A, 376:135
fetuin-B, 376:135
Fgr, 369:407
fibrate, 373:941
fibril, 369:461
fibrillin, 375:425
fibroblast, 372:173, 373:681, 376:403
fibroblast growth factor-2, 370:817
fibroblast growth factor-4 (FGF-4), 375:199
fibronectin, 369:311, 369:603
fibronectin heparin-binding domain III (Hep III) domain, 371:565
fish-egg lectin (FEL), 376:433
fish haemoglobin, 372:679
fission yeast, 369:519
FK506-binding protein (FKBP), 370:579
FK506-binding protein 51 (FKB51), 376:285
flanking sequence, 369:141
flavocytochrome b_2, 373:115
flavonoid, 372:173, 373:505
flavonoid glycoside, 373:41
flavoprotein, 370:1055, 372:317
flexibility of hapten, 376:813
FLIP (FLICE-like inhibitory protein), 376:253
flippase, 376:489
FLISPP motif, 374:567
fluorescence, 370:331
fluorescence microscopy, 376:369
fluorescence polarization, 374:71
fluorescence quenching, 371:597, 375:405
fluorescence resonance energy transfer (FRET), 372:e1, 372:33
fluorescence spectroscopy, 373:437
fluorescent-binding assay, 371:573
fluorimetric substrate, 369:55
fluorogenic substrate, 373:981, 375:307
flux control coefficient, 370:47
Fn14, 371:395
focal adhesion kinase (FAK), 369:407
α-fodrin, 374:403
fodrin, 374:613
folate, 374:27, 376:43
folinic acid formation, 374:773
footprint, 371:843
forkhead transcription factor, 375:365
formaldehyde dehydrogenase, 374:657
5-formyltetrahydrofolate, 374:773
Fourier-transform IR (FTIR) spectroscopy, 373:875
FOXO, 375:365
FprA, 372:317
fractalkine (CX3CL1), 373:547
free oligosaccharide, 373:901
free radical, 370:609
fructosamine, 375:581
fructose, 374:677, 375:167
fuel selection, 370:403
functional genomics, 371:125
functional reconstitution, 376:781
fungus, 369:263, 370:417, 371:505
fura-2, 372:517, 373:133
furin, 373:475
Fyn, 376:159

Gab2, 376:147
gain-of-function, 372:121
galactosylsphingosine, 375:561
ganglioside, 371:1013
GATA zinc finger, 371:589
Gd^{3+}, 370:695
gelatinase, 369:485, 374:739
geldanamycin, 370:849, 376:789
gel formation, 370:529
gene cloning, 374:647
gene delivery, 372:65
gene expression, 369:375, 369:721, 370:737, 372:603, 373:155, 373:357
gene induction, 376:441
gene-knockout, 374:551
gene promoter, 371:265
general control 2 (GCN2), 373:1
gene regulation, 370:771, 370:979, 371:265, 372:291, 372:851, 375:365, 376:423
gene structure, 372:881, 373:559
gene therapy, 369:255
gene transcription, 370:307
genomic organization, 374:647
genomics, 370:19, 373:661
genomic structure, 370:537, 373:155
geranylgeranyl, 376:e3
gibberellin, 369:71
gill haemoglobin, 370:245

© 2004 Biochemical Society

$GlcNSO_3$-6-O-sulphation, 371:131
glial tissue, 372:503
global analysis, 370:47
glucan hydrolase, 369:593
glucocorticoid, 371:385, 375:41
glucocorticoid receptor, 373:211, 376:285
glucocorticoid-responsive gene, 376:61
glucocorticoid signalling, 376:285
glucokinase, 371:29, 376:697
gluconeogenesis, 369:17, 370:409, 375:729
glucosaminyl 6-O-sulphotransferase, 372:371
glucose, 370:35, 371:761, 374:677, 375:167, 375:385
glucose deprivation, 373:845
glucose homoeostasis, 375:1
glucose transport, 376:123
glucose transporter, 372:247
glucose uptake, 370:995, 372:617
β-glucosidase, 370:793
glucosphingolipid-induced proliferation, 371:243
glucosylsphingosine, 375:561
glucosyltransferase, 374:307
glucuronide, 372:173
GLUT4, 372:617, 376:123, 376:625
glutamate dehydrogenase, 373:357, 376:179
glutamate racemase, 373:909
glutamate synthase, 373:357
glutaminase, 369:497, 370:403
glutamine, 370:403, 370:771
glutamine synthetase, 373:357, 374:175
$\varepsilon(\gamma$-glutamyl)lysine, 371:413
γ-glutamyl transpeptidase, 371:589
glutaredoxin, 373:845
glutathiolation, 372:611
glutathione, 371:589, 372:241, 372:661, 374:513, 376:725, 376:807
glutathione conjugation, 370:661
glutathione depletion, 371:243
glutathione (GSH), 373:793, 373:825, 373:845
glutathione peroxidase, 370:397, 371:151
glutathione S-transferase (GST), 373:305, 373:539, 373:559, 373:957, 374:731, 376:71
glutathione S-transferase pull-down, 376:595
glycation, 369:705, 374:677
glyceraldehyde, 369:705
glyceraldehyde-3-phosphate, 369:705
glycerate dehydrogenase, 375:729
glycerol, 373:993
glycine, 371:653
glycoform, 370:351, 375:61
glycogen, 370:409
glycogen synthase, 371:857
glycogen synthase kinase 3 (GSK3), 372:1, 372:129
glycogen synthesis, 370:995
glycolysis, 370:609, 375:231, 376:403
glycolytic enzyme, 375:231
glycoprotein, 370:101, 370:449, 374:551, 376:339, 376:61, 376:677, 376:765
glycoprotein binding, 371:311
glycoprotein 130 (gp 130), 374:1
glycosaminoglycan, 371:131, 372:227, 372:371, 374:767, 376:219, 376:511
glycosidase mechanism, 376:87
glycoside, 374:157
glycoside hydrolase, 372:151, 371:1027, 373:495
glycosylation, 369:659, 370:601, 370:881, 371:437, 373:345, 375:633, 376:677
glycosylation sites, 374:185
glycosyl hydrolase, 372:535, 376:87
glycosyl hydrolase family 1, 373:41
glycosyl-phosphatidylinositol, 370:351
glycosylphosphatidylinositol anchor, 372:443
glycosyltransferase, 371:1013
glycosyl transferase family 2, 374:755
glyoxal, 376:109
glyoxalase I, 372:611
Golgi, 371:775, 371:1013
gonococcal anaerobic regulation, 373:865
gonococci, 373:865
$gp91^{phox}$, 374:315
G-protein, 373:25, 375:517, 375:713, 376:e9
G-protein-coupled receptor (GPCR), 370:829, 371:443, 371:581, 374:281, 375:503, 376:e7, 376:595, 376:733
G-protein $\beta\gamma$ dimer, 376:449
G-protein β subunit (GNB3), 371:223
grainyhead, 370:953
graminicide, 375:415
granzyme A, 372:227
green fluorescent protein (GFP), 371:109, 373:403, 375:151, 375:643, 376:377
growth arrest, 375:567
growth factor, 369:63, 374:123
growth factor receptor-binding protein 2 (Grb2), 376:457
growth-factor-receptor transactivation, 371:733
growth hormone, 372:529
growth hormone receptor, 373:855
growth plate cartilage, 369:63
GrpE, 369:627
GSH, 370:935
GTF3 protein, 374:359
guanine-nucleotide-exchange factor, 376:e9

haematopoiesis, 374:667
haematopoietic cell, 371:485, 376:199
haem catabolism, 372:381
haem-containing enzyme, 369:185
haem co-ordination, 375:721
haem iron, 370:671
haemocyanin, 371:515, 374:185, 374:219
haemoglobin, 372:679, 375:33
haemolymph, 375:681
haemolysis, 372:65, 374:255
haemopoiesis, 371:165
haemostasis, 369:129, 373:593
haem oxygenase-1 (HO-1) regulation, 371:887, 372:381
haem uptake, 372:381
haplotype, 372:643
heart, 371:61
heat production, 375:753
heat-shock protein 70 (Hsp70), 369:627, 371:917
heat-shock protein 90 (hsp90), 373:211, 376:789
heavy metal, 369:681
hedgehog, 376:765
HEK-293 cell, 371:981, 372:695, 374:51, 376:465
helix, 375:681
heparanase, 373:423
heparanase heterodimer, 373:423
heparan sulphate, 372:371, 373:423, 375:131
heparin, 372:371, 373:241
heparin-binding epidermal growth factor, 370:479
heparin-binding peptide, 371:565
heparin/heparan sulphate binding, 375:425
hepatic control region 1 (HCR-1), 372:291
hepatic transdifferentiation, 375:41
hepatocyte, 375:441, 376:465
hepatocyte growth factor (HGF), 371:211, 374:63
hepatocyte nuclear factor 1α, 373:993
hepatoma cancer cell, 370:771
Hepes, 369:399
HepG2 cells, 371:981
hephaestin, 375:793
hepsin, 373:689
herbicide sensitivity, 375:415
hereditary haemochromatosis, 373:145
hereditary non polyposis colon cancer (HNPCC), 371:183
heregulin, 373:451
HER2 transcription factor (HTF), 370:323
heterodimeric receptor, 371:603
heterogeneous nuclear ribonucleoprotein D (hnRNP D), 372:775
heterogeneous nuclear ribonucleoprotein D0 (hnRNP D0), 372:775
heterogeneous nuclear ribonucleoprotein (hnRNP), 371:331, 371:385
heterogeneous nuclear RNA (hnRNA), 372:775
heterologous expression, 376:781
heterotetramer, 371:109
heterotrimeric G-protein, 371:709, 376:449
heterotrimeric G-protein signalling, 371:973
hevamine, 372:399
Hex, 374:667
hexokinase kinetics, 371:29
hexose specificity, 370:47
hexose transport, 370:47
HEXXH motif, 375:51
high-mobility group, 372:651
high-mobility group A1 (*HMGA1*), 372:145
high-throughput screening, 369:529
Hill coefficient, 370:621
histamine, 369:117
histone, 371:385, 373:621
histone acetyltransferase, 374:165
histone deacetylase, 370:737
HL60 cell, 372:145
HNF-4, 369:17
homocysteine, 376:517
homocysteine metabolism, 370:945
homologue, 370:953
hopsarin D, 369:635
hormone nuclear receptor, 376:423
hormone-refractory prostate cancer, 369:163
host defence, 371:205, 372:473
host–parasite interaction, 374:193
HOXB1, 370:1087
Hsp90, 374:433
human αA-crystallin, 375:471
human αB-crystallin, 375:471
human epididymis 2 (HE2), 372:473
human gene regulation, 373:669
human genome, 372:503
human interferon-γ, 370:529
human kinesin superfamily protein member 4 (KIF4), 374:497
human phosphoserine aminotransferase gene, 373:191
human transient receptor potential, 375:697
human up-frameshift protein 1 (upf1), 373:775
hus5, 372:97
hyaluronan, 370:69
hybrid enzyme, 371:557
hybrid organelle, 372:861
hydatid disease, 369:191
hydrazide, 375:613
hydride transfer, 374:529
Hydrogenobacter thermophilus, 375:721
hydrogen peroxide, 371:877
hydrolase family 1, 370:793
hydrolytic catalytic antibody, 376:813
hydrophobic interactions, 371:549
β-hydroxybutyrate, 371:753
hydroxykynurenine, 371:783
hydroxyl radical, 371:697
4-hydroxy-2-nonenal, 376:615
7-hydroxystaurosporine (UCN-01), 375:255
17β-hydroxysteroid dehydrogenase (17β-HSD), 376:49
3β-hydroxysteroid sterol Δ^8-Δ^7 isomerase, 374:229

© 2004 Biochemical Society

hydroxyurea, 372:97
hyperammonaemia, 372:279
hyperosmolarity, 369:369
hyper-osmotic stress, 369:357
hyperplasia, 370:631
hypertension, 371:1, 371:223, 376:789
hyperthermoacidophile, 374:247
hyperthermophilic enzyme, 372:577
hyperthyroidism, 369:687, 375:753
hypertonicity, 370:479
hypertriglyceridaemia, 372:291
hypertrophy, 370:631
hypoallergenic mutant, 376:97
hypochlorite, 370:729, 376:219
hypotonicity, 373:327
hypoxia, 369:485, 373:669, 376:e5, 376:537
hypoxia-inducible factor-1, 370:149
hypoxia-inducible factor-1α (HIF-1α), 370:1011, 376:e5, 376:537
hysteresis, 369:509, 369:619, 370:785

IgE-epitope analysis, 376:97
ileal apical Na^+-dependent bile-acid transporter (ASBT), 369:23
imaging, 372:407
imino sugar, 374:307
immune cell signalling, 376:545
immunocytochemistry, 369:357
immunodetection, 374:463
immunoglobulin depletion, 374:463
immunoglobulin superfamily, 370:537, 375:207
immunoglobulin Y, 376:269
immunolocalization, 372:263
immunophilin, 376:285
immunoreactivity, 372:219
importin-α (karyopherin-α), 375:339
increment detection, 370:621
Indy, 374:21
inflammation, 369:331, 370:687, 371:1021, 375:351, 376:545
inhibitory κB kinase (IKK), 373:e1
inhibitor binding, 375:415
inhibitor of apoptosis protein (IAP), 373:965
initiation codon context, 369:667
initiation factor, 369:213, 372:555
initiation of replication, 370:867
innate immunity, 371:205, 371:663, 373:e1, 373:101, 374:707, 376:433
inositol, 369:369
inositol phosphate, 369:519
inositol phospholipid, 373:e3
inositol pyrophosphate, 373:81
inositol 1,4,5-trisphosphate [Ins(1,4,5)P_3], 374:281, 375:561, 375:603, 375:713
inositol-1,4,5-trisphosphate 3-kinase, 374:41
inositol 1,4,5-trisphosphate receptor ($InsP_3R$), 370:621, 372:435, 373:133, 375:603, 376:667
insect, 370:971
insect cell, 372:517
insect flight, 371:811
insecticide resistance, 373:957
insect metabolism, 376:49
insulin, 369:287, 370:995, 371:761, 371:831, 373:e3, 375:41, 376:697, 376:707
insulin action, 369:227, 376:123
insulin-like growth factor-I (IGF-I), 369:363
insulin receptor, 376:123
insulin resistance, 371:609
insulin secretion, 375:1
insulin signalling, 371:721, 372:87, 374:297
integral kinetics, 372:713
integral membrane protease, 370:1047
α2β1 integrin, 376:77
integrin, 372:121, 372:485, 373:1, 373:475
integrin A domain, 372:121
integrin I domain, 372:121
interferon, 371:603
interferon α, 370:205
interferon-γ, 370:529, 375:777, 376:393
interleukin-1β, 373:e1, 373:101
interleukin-11 agonist, 375:23
interleukin-11 (IL-11), 375:23
interleukin-1-associated-kinase 2 (IRAK2), 376:303
interleukin-6 (IL-6), 374:1
interleukin-2 receptor, 370:129
interleukin-1-receptor-associated kinase (IRAK), 370:159
interleukin-1 signalling, 370:159, 376:303
interleukin-6 signalling, 372:495
internally quenched fluorogenic substrate, 373:271
intestine, 375:167
intracellular Ca^{2+} homoeostasis, 370:579
intracellular calcium, 374:41
intracellular calcium release, 374:281
intracellular pH, 376:505
intracellular protein sorting, 369:453
intracellular trafficking, 370:213
intrinsic fluorescence, 369:627
in vitro mutagenesis, 369:341
ion channel, 370:517, 372:435, 376:795
ionic strength, 369:369
iron, 369:429, 375:247, 375:793
iron-binding protein, 376:35
iron cofactor, 369:573
iron-regulatory protein, 370:891
iron respiration, 369:153
iron-responsive element, 370:891
iron superoxide dismutase, 372:587
iron transport, 376:35
iron uptake, 371:505
ischaemia, 370:149
islet, 369:287, 371:761
islet amyloid, 374:779
islet β-cell, 374:779
isobutylmethylxanthine, 376:607
isochoric measurement, 374:71
isoenzyme localization, 374:41
isoform, 373:531
isoguanine–isocytosine pair, 369:611
isoguanine–thymine pair, 369:611
isoprenoid, 370:679
isoprenylation, 376:449
[^{125}I-Tyr^3]mastoparan, 371:81

JACRO cells, 371:927
Janus kinase inhibitor, 369:103
Janus kinase (JAK), 369:103, 370:391, 372:767, 374:1
jasplakinolide, 370:255
JEN1, 376:781
Jurkat T lymphocyte, 372:703

kallidin, 371:1021
karyopherin-α, 375:339
K562 cell, 372:145
Kenpaullone, 371:199
keratan sulphate proteoglycan, 369:461
ketosteroid isomerase, 375:297
K homology domain, 376:383
kidney stone disease, 374:79
kinase, 371:15, 371:761
kinase alignment, 375:255
kinase inhibitor specificity, 375:255
kinetic analysis, 372:713
kinetic characterization, 376:813
kinetics, 370:245, 374:529, 376:733
kinetic study, 370:945
kinetoplastid, 375:705
kininogen, 371:1021
KMSK, 376:773
KN-93, 372:465
knockout, 372:595
knockout gene, 373:305
K5 polysaccharide, 374:767
Krüppel-like factor (KLF), 375:457

lactacystin, 375:663
β-lactam antibiotic, 372:687
lactate, 370:995
lactate transporter, 376:781
lactation, 373:825, 375:489
lactosylsphingosine, 375:561
laminin-5, 371:211
laminin protein module, 371:289
LANA2, 374:545
lanthanum chloride, 376:807
L235 antibody, 374:463
Lck, 371:15
leaving-group determinant, 376:813
lectin, 371:311, 376:717
lectin binding, 373:345
Leishmania, 369:447, 375:221
lens, 374:677
leucocytes, 370:687
Leucophaea madera, 371:573
leukaemia, 372:145
lgl1, 376:61
ligand binding, 375:23
ligand-binding site, 372:543
lignin peroxidase, 374:761
link protein, 370:69
lipid asymmetry, 376:489
lipid peroxidation, 370:661, 376:615
lipid raft, 369:199, 369:453, 371:907, 372:427, 373:125
lipid synthesis, 374:21
lipocalin, 372:203
lipocortin, 371:927
lipogenesis, 375:489
lipoglycan, 372:821
lipolysis, 369:173
lipopolysaccharide, 371:989, 375:395
lipoprotein, 370:817, 372:643, 373:865, 374:505, 376:765
lipoprotein remnant, 373:941
liposome, 370:671, 375:215
lipoxygenase, 375:539
5-lipoxygenase (LOX), 372:203
lithium, 372:129
lithium therapy, 374:21
LIV-1, 375:51
liver, 369:687, 370:763, 371:609, 371:721, 371:897, 376:697
liver differentiation, 369:583
liver perfusion, 376:179
liver steatosis, 370:987
liver X receptor, 376:351
liver X receptor response element, 371:89
LOE-908, 370:695
long-chain dehydrogenase, 375:141
long leptin receptor isoform (OB-Rb), 370:591
low-buoyant-density membrane, 376:497
low-density lipoprotein, 374:403
LRP8, 369:407
LSB6, 371:533
L-type Ca^{2+} channel, 376:655
luciferase, 369:287, 370:557, 376:189
luminescence, 375:221
lung cancer, 369:549
lung development, 376:61
lung fibroblast, 371:927

© 2004 Biochemical Society

lymphocyte, 373:681
lymphoid tissue, 372:227
Lyn, 372:841
lysophosphatidic acid (LPA), 376:e9, 376:571
lysophosphatidylcholine, 374:747, 376:655
lysosomal-associated membrane protein 1 (LAMP1), 373:145
lysosomal degradation, 370:703
lysosomal proteinase, 373:981
lysosomal storage, 369:55
lysosomal storage disorder, 376:369
lysosome, 370:185, 371:429, 373:145, 375:75

macroautophagy, 375:75, 376:577
α_2-macroglobulin, 374:123
macrophage, 369:447, 374:505, 374:97, 375:351, 375:777, 376:545
macrophage-stimulating protein (MSP), 376:587
Mad, 370:291, 370:307
Maf protein, 374:337
magainin, 370:233
magnesium-ADP complex (MgADP), 371:29
Maillard reaction, 376:109
maitotoxin, 373:327
major facilitator, 371:505
malaria, 375:653
MALDI–TOF-MS, 371:175, 372:211, 372:567, 372:821, 374:489
maleylacetate isomerase (MAAI), 374:731
malic enzyme, 374:633
3-(*N*-maleimidyl-propionyl)biocytin, 374:27
malonyl-CoA, 370:223, 372:871
mammalian development, 370:953
mammalian target of rapamycin (mTOR), 373:1, 373:583, 374:137
mammary gland, 372:41
manganese-dependent superoxide dismutase (MnSOD), 374:505, 376:369
mannan, 371:1027
mannose, 372:77
α1,2-mannosidase, 376:687
mannosidase II, 372:53
marimastat, 371:733
mass spectrometry (MS), 372:443, 373:505, 373:855, 373:965, 374:369, 375:323, 376:677
mast cell, 369:603, 373:641
maternal mRNA, 370:91
mathematical analysis, 370:641
matrix-assisted laser-desorption ionization analysis (MALDI analysis), 373:345
matrix-assisted laser-desorption ionization (MALDI)-MS, 374:185
matrix-assisted laser-desorption/ionization–time-of-flight mass spectrometry (*see* MALDI–TOF-MS)
matrix metalloproteinase, 374:739, 375:191
matrix metalloproteinase-21, 372:503
matrix metalloproteinase internalization, 373:19
matrix metalloproteinase 2 (MMP-2), 373:19
mdm2, 373:739
megakaryocytic differentiation, 372:145
megalin, 373:381
melanocortin, 376:e7
melanocortin receptor, 376:595
melanotransferrin, 374:463
membrane, 369:39, 372:443, 375:405
membrane anchoring, 370:567
membrane-associated guanylate kinase (MAGUK), 373:381
membrane-binding domain, 375:653
membrane-binding peptide, 370:233
membrane destabilization, 373:785
membrane fusion, 370:641
membrane lysis, 370:233
membrane microdomain, 369:301, 376:497
membrane mucin, 372:263
membrane permeabilization, 375:221
membrane pore, 374:255
membrane potential, 372:359
membrane protein, 372:329
membrane raft, 374:269
membrane ruffling, 369:319
membrane shedding, 369:659
membrane solubilization, 373:785
membrane topology, 370:881
membrane trafficking, 373:125
membrane transport, 376:245
M13 endopeptidase, 373:271
mesenchymal–epithelial interaction, 376:61
Metabolic Control Analysis, 370:751
metabolic oxidative stress, 373:845
metabolism, 376:403
metabolite control, 372:603
metabotropic glutamate receptor, 372:183
metacyclic trypomastigote, 375:705
metal-binding site, 374:633
metal ion, 370:81
metallopeptidase, 375:111
metalloporphyrin, 371:151
metalloprotease, 375:51, 375:183, 376:189
metalloproteinase, 369:129, 370:479
metastasis, 371:463, 374:715
methanethiosulphonate, 374:27
methidiumpropyl-EDTA-Fe(II), 371:697
methionine metabolism, 370:945
methionine sulphoxide reductase, 373:531
methionine synthase gene, 376:517
methotrexate, 369:31, 373:767, 374:27
methylation, 370:867, 371:351
methylation protection, 371:843
methyl ester, 372:211
O^6-methylguanine, 375:449
methylglyoxal, 372:661, 375:581
metzincin, 369:659
MHC, 375:207
microarray, 371:257
microcystin, 373:909
Microcystis aeruginosa, 373:909
microtubule, 375:121
microtubule-associated protein, 372:129
mimetic, 371:603
minibrain, 374:381
mismatch, 372:651
mismatch repair, 371:183
mistletoe, 374:71
mitochondria-associated membrane (MAM), 371:1013
mitochondrial aspartate aminotransferase, 376:179
mitochondrial biogenesis, 373:155
mitochondrial carrier family, 374:607
mitochondrial disease, 370:751
mitochondrial DNA (mtDNA), 370:751, 374:131
mitochondrial import, 370:275
mitochondrial permeability transition, 370:283
mitochondrial protein targeting, 374:79
mitochondrial pyruvate transport, 374:e1, 374:607
mitochondrial respiration, 371:877, 372:661, 375:799
mitochondrial transcript, 370:609
mitochondrial translation, 374:131
mitochondrial transport protein, 376:757
mitochondrion, 369:287, 369:351, 370:223, 371:799, 373:559, 374:393, 375:247, 376:e5, 376:537, 376:741
mitogen-activated protein kinase (MAPK), 369:351, 370:459, 370:497, 370:1077, 371:581, 372:1, 372:611, 372:787, 374:1, 374:51, 374:63
mitogen-activated protein kinase docking, 372:1, 372:193
mitogen-activated protein kinase (MAPK)/extracellular-signal-regulated kinase (ERK) kinase kinase 3 (MEKK3), 373:71
mitogen-activated protein kinase (MAPK)/extracellular-signal-related kinase (ERK) kinase (MEK), 370:1077
mitogen-activated protein kinase kinase 3/6 (MKK3/6), 372:631
mitogen-activated protein kinase kinase 5 (MKK5), 372:567
mitogen-activated protein kinase (MAPK) phosphatase (MKP), 370:1077
mitosis, 370:265, 373:547
mNAT3, 371:721
modified starch, 372:905
molecular cloning, 373:369, 375:785
molecular dynamics, 374:109
molecular-dynamics simulation, 370:233
molecular modelling, 372:679, 373:345, 373:393, 375:23
molten globule-like state, 373:875
molybdenum, 372:15
molybdenum cofactor, 372:15
molybdo–flavoenzymes, 372:15
monocarboxylate transporter (MCT1), 376:413
monocyte, 370:591
monomeric intermediate, 370:785
mono-oxygenase, 369:675
monophosphorylation, 370:551
mood stabilizer, 374:21
mosquito, 373:957
motility, 371:463
moulting cycle, 374:219
mouse chromosome 6, 371:631
mouse erythroleukaemia cells, 370:291
mouse matriptase-2, 373:689
mRNA export, 376:383
mRNA translation, 372:555
MRP3 (multidrug-resistant protein 3), 369:23
MS, 372:173, 373:289
mucin, 372:335
MUC7 12-mer, 375:175
mucosal immunity, 373:621
mucus glycoprotein, 373:893
multicopper oxidase, 375:793
multidrug resistance, 370:185, 370:357, 371:243, 373:767, 376:801
multidrug-resistance-associated protein 1 (MRP1), 376:749
multidrug resistance protein (MRP), 370:357, 371:361
multidrug-resistant protein 3 (MRP3), 369:23
multi-functional protein, 372:775
multihaem, 370:489
multimodular protein, 372:151
multipin peptide synthesis, 372:543
multiple endocrine neoplasia type 2A (MEN2A), 372:897
multi-substrate enzyme reaction, 372:713
multivalent effect, 371:311
multivesicular body, 372:861
murine *Nat2* promoter, 375:593
murine tissue inhibitor of metalloproteinases 4 (murine TIMP-4), 372:799
muscarinic, 370:901
muscarinic receptor, 374:145
muscle cell, 376:577
muscle contraction, 371:857
muscle regulation, 374:89

© 2004 Biochemical Society

muscle TFII-I repeat domain-containing protein (MusTRD), 374:359
muscle-type nicotinic acetylcholine receptor (AChR), 372:543
muscular dystrophy, 375:329
mushroom lectin, 374:321
mutagenesis, 369:31, 369:497, 370:331, 370:351, 370:921, 371:1005, 372:695, 376:633, 376:645
mutated enzyme, 373:515
mutation, 369:563, 370:141
mutation avoidance, 372:651
mutation cycle, 374:633
Myc, 370:291, 370:307
mycobacteria, 374:657
Mycobacterium smegmatis, 372:77
mycorrhizal fungi, 373:357
mycothiol, 374:657
myeloid cell, 373:681
myeloperoxidase, 370:729, 375:33, 376:219
myelopoiesis, 370:315
myoclonus epilepsy with ragged red fibres (MERRF), 374:131
myocyte enhancer factor-2 (MEF-2), 372:617
myocyte hypertrophy, 371:71
myogenesis, 369:477
myoglobin, 375:33
myo-inositol, 369:369
myosin, 370:839
myosin light chain, 374:145, 374:697
myosin phosphorylation, 369:117

NAADP, 375:805
N-acetylation, 375:593
NAD^+, 370:175
NADH, 373:319
NADH dehydrogenase, 371:1005
NADH-dependent dehydrogenase, 371:191
NADPH, 370:935, 373:319
NADPH oxidase, 373:221, 374:315
Na^+/H^+ exchanger regulatory factor (NHERF), 376:505
Namiki pathway, 376:109
nanoelectrospray ionization-ion-trap MS (nano-ESI-IT MS^n), 369:89
nanoelectrospray ionization MS (nanoESI MS), 375:323
necrosis, 369:239, 370:609
Nedd4, 371:183
nematode, 371:663
nervous system, 370:979
neurite outgrowth, 376:655
neuroblastoma cell, 370:901
NeuroD/BETA2, 376:707
neurodegeneration, 372:129, 376:369
neurological disease, 371:653
neuron, 373:641
neuronal calcium sensor protein (NCS protein), 375:87
neuronal ceroid lipofuscinosis, 369:55, 376:369
neuronal differentiation, 376:655
neuronal nitric oxide synthase (nNOS), 372:465
neuronal tissue, 372:503
neuropeptide, 375:111
neuroprotection, 373:25
neurosecretion, 375:159
Neurospora, 370:417
neurosteroid, 375:785
neurotoxicity, 372:129
α-neurotoxin, 372:543
neurotransmitter release, 373:313
neurotrophin, 373:613
neutralizing monoclonal antibody, 371:603
neutral trehalase activity, 376:209
neutrophil, 375:33
N-glycan, 376:687
N-glycanase, 373:901
N-glycan biosynthesis, 372:53
N-glycosylation, 373:893, 375:769
nicotinamide–adenine dinucleotide (NAD^+), 375:395
nicotinamide–guanine dinucleotide, 370:175
nicotinic acid–adenine dinucleotide phosphate (NAADP), 373:e3, 373:313
nitrate reductase, 369:185
nitric oxide (NO), 369:429, 371:49, 371:1055, 374:63, 376:e5, 376:537, 376:789
nitric oxide synthase, 370:439, 371:151, 374:63
nitrite reductase, 369:185, 375:721
nitrogen monoxide, 369:429
nitrogen regulation, 371:589
3-nitro-4-hydroxyphenylacetic acid, 374:521
nitrosation, 371:1055
nitrosative stress, 372:381
S-nitrosogluathione, 371:49
S-nitrosomycothiol reductase, 374:657
nitrosothiol reductase, 371:49
3-nitrotyrosine, 370:339, 375:581
nitrotyrosine, 374:521
NK-lysin, 375:737
N-linked glycosylation, 370:881
N-linked oligosaccharide, 374:185
NMR, 369:39, 370:489, 370:517, 372:113, 372:757, 372:821, 373:281
NMR three-dimensional structure, 374:71
non-active site, 373:759
nonaprenyl diphosphate, 370:679
non-dissociative electrophoresis, 374:793
non-enzymic glycation, 370:1097
non-haem iron, 369:509
non-haem iron enzyme, 372:687
non-ribosomal peptide, 373:909
nonsense-mediated mRNA decay (NMD), 373:e5, 373:775
non-steroidal anti-inflammatory drug, 374:481
notanarin D, 369:635
notecarin D, 369:635
NPXY sequence, 370:1039
NPY receptor, 369:667
Nrf2, 374:337
NUC-1, 371:867
nuclear export signal (NES), 376:383
nuclear factor-κB inhibitor kinase complex (IKK complex), 373:101
nuclear factor κB (NF-κB), 370:159, 370:459, 370:1011, 371:205, 373:547, 376:303, 376:393
nuclear factor I (NF-I), 371:843
nuclear factor of activated T-cells (NF-AT), 374:567
nuclear factor Y (NF-Y), 371:265, 373:747, 374:723
nuclear hormone receptor, 371:89
nuclear localization, 373:167
nuclear localization sequence recognition (NLS recognition), 375:339
nuclear localization signal, 373:747, 376:377
nuclear magnetic resonance (NMR), 374:687
nuclear receptor constitutive androstane receptor (nuclear receptor CAR), 376:465
nuclear respiratory factor-1, 373:713
nuclear speckle, 371:937
nuclear transport, 373:251
nucleolus, 376:553
nucleoside transporter, 375:777
nucleosomal unit, 370:195
nucleotide, 369:627, 370:1027
nucleotide-binding domain, 370:357, 376:749
nucleotide-binding site, 374:473
nucleotide domain, 371:451
nucleotide exchange, 376:571
nucleotide metabolism, 374:329
nucleotide pyrophosphatase/phosphodiesterase (NPP), 371:321
nucleotide-sugar, 370:409
nucleus, 370:129, 370:873, 375:643
nudix hydrolase, 369:519, 374:329

obesity, 369:667, 374:21, 376:e7
1-*O*-octadecyl-2-*O*-methyl-*rac*-glycero-3-phosphocholine (Et-18-OCH_3), 374:747
octadecylrhodamine B chloride (R18), 370:641
octamer-binding protein (OCT3)/Oct-3, 375:199
oenology, 370:35
oestrogen, 376:465
oestrogen receptor α, 372:831
O-glycosylation, 369:659
okadaic acid, 373:505
Olea europaea, 369:593
oleic acid, 375:275
olfaction, 371:573
oligogalacturonide, 372:211
oligomannoside structure, 376:687
oligomeric structure, 369:469
oligomerization, 370:881, 372:347
oligomerization domain, 376:795
oligopeptide, 372:137
oligosaccharide, 375:131, 376:677
oligosaccharyltransferase, 370:351
olive, 369:593
O-methylated quercetin, 372:173
OmpF porin, 376:245
oncogene, 372:897
oncorhyncin III, 373:621
oocyte maturation, 370:91
μ-opioid, 375:713
opioid peptide, 375:17
oral squamous carcinoma, 376:393
organophosphate inhibition, 373:33
orlistat, 369:173
ornithine acetyltransferase, 372:279
ornithine decarboxylase, 375:465
osmolyte, 375:441
osteoarthritis, 376:511
osteoblast, 372:831
osteonectin, 373:805
O-sulphation, 372:371
over-expression, 373:987
overexpression, 369:55, 373:629
oviduct, 374:551
oviduct-specific glycoprotein (OGP), 374:551
oxazolinone, 370:339
oxene process, 374:761
oxidant stress, 371:877
oxidase, 372:687
oxidation, 371:753
β-oxidation, 369:721
oxidation of polyphenol, 374:157
oxidative inactivation, 375:275
oxidative phosphorylation, 370:751, 374:37, 375:799
oxidative stress, 369:213, 370:927, 371:151, 371:743, 372:173, 372:611, 372:643, 374:337, 374:513, 375:581, 376:159, 376:369
oxidoreduction, 371:965
3-(1-oxo-hexadecyl)oxiranecarboxamide, 373:91
oxo-iron cluster, 376:35
oxygen, 376:537
oxygen activation, 369:417
oxygenase, 369:573
oxygen evolution, 371:597, 375:215
oxygen rebound, 374:761

© 2004 Biochemical Society

oxygen-uptake kinetics, 374:37
oxysterol, 376:351

p27, 371:957
p38, 370:927
p50, 373:211
p53, 374:505, 371:789, 376:725
p65, 373:211
p73, 373:739
p97, 374:463
p130, 375:263
Pak-interacting exchange factor, 372:391
palmitoyl-acyl transferase, 373:91
palmitoylation, 373:91
palmitoyl-coenzyme A, 373:91
pancreas, 370:763, 371:675, 374:51, 374:779
pancreatic acinar cell, 369:441
pancreatic differentiation, 371:831, 376:707
pancreatic duodenal homeobox-1 (Pdx-1), 375:41
pancreatic islet β-cell, 375:1
pancreatic secretory trypsin inhibitor, 372:227
papain, 372:735
para-hydroxyphenylacetic acid, 374:521
parallel activation of ATP supply and demand, 374:37
parallel packing, 374:755
paramagnetic NMR, 371:377
paramagnetic shift, 370:489
paraoxonase, 376:261
paraoxonase 1 (PON1), 375:275
paraquat, 370:927
parasite, 371:663
parathyroid hormone-related protein, 372:787
Parkinson's disease, 371:151, 373:25
particulate methane mono-oxygenase, 369:417
patch-clamp, 371:1045
pathogenesis-related protein, 373:261
pathogenic micro-organism, 374:799
pathogen receptor, 370:601
paucimannose N-glycan, 372:53
PAX6, 376:707
PC-1, 371:321
p300/cAMP-response-element-binding protein, 373:713
PC12 cell, 370:213, 376:655
PCR, 371:557
PDK1, 375:531
PDZ domain, 372:465
PECAM-1 (platelet endothelial cell adhesion molecule-1), 376:147
pectate lyase, 370:651
pectin, 370:651
pectinase, 370:651
pectin degradation, 372:329
pectin methylesterase, 372:211
P19 embryonal carcinoma cells, 370:1087
penicillin-binding protein, 373:949
penicillin biosynthesis, 372:687
pentitol phosphate metabolism, 371:191
pentraxin, 375:323
pepsin, 372:671
pepstatin-insensitive carboxyl proteinase, 371:541
peptidase, 370:567
peptide A, 370:517
peptide–bilayer interactions, 370:233
peptide *C*, 372:305
peptide cleavage, 372:263
peptide mapping, 370:829
peptide mass fingerprinting, 371:331
peptide–membrane interaction, 374:71
peptide metabolism, 370:567
peptide N-glycosidase (PNGase), 371:867, 376:687
peptide screening, 375:221
peptide substrate, 373:949
peptide synthesis, 376:269
peptidoglycan, 373:949
peripheral blood mononuclear cell, 375:395
peripheral membrane protein, 370:913
periplasmic protein, 370:793
permeability transition pore complex, 371:799
permease, 376:633, 376:645
peroxidase compound II, 374:761
peroxiredoxin, 371:743
peroxisomal protein targeting, 374:79
peroxisome, 370:223
peroxisome-proliferator-activated receptor (PPAR), 370:719, 372:703
peroxisome proliferator-activated receptor α (PPARα), 369:687
peroxisome proliferator-activated receptor γ (PPARγ), 370:1019
peroxisome-proliferator-activated receptor-γ co-activator 1 (PGC1), 373:155
peroxisome proliferator-activated receptor γ ligand, 375:539
peroxisome-proliferator-activated receptor ligand (PPAR ligand), 376:607
peroxisome proliferator-activated receptor α (PPARα)-null mouse, 369:539
peroxynitrite, 369:399
pertussis toxin (PTX), 376:e9, 376:571
PEST box, 370:91
Peutz–Jeghers syndrome, 370:849
phage display, 371:603
phagocytosis, 371:233
pharmacogenetics, 371:223
PHA synthase, 376:15
pH dependency, 376:473
pH-dependent kinetics, 372:735
phenolate formation, 371:175
phenol oxidase, 371:515
phenylalanine hydroxylase, 369:509
phenylalanine hydroxylation, 373:993
phenylalanine residue, 373:539
phenylarsine oxide–agarose, 371:495
phenylephrine, 373:603
phenylhydrazine, 375:613
pheromone-binding protein, 369:39, 371:573
PHEX substrate specificity, 373:271
phorbol ester, 372:787, 373:835, 375:313
phosphatase, 369:227, 371:15, 371:463, 373:641, 374:453
phosphatase and tensin homologue deleted on chromosome 10 (PTEN), 374:297
phosphatase inhibitor, 373:393, 373:703
phosphatase-specific inhibitor, 374:647
phosphate acetyltransferase, 369:275
phosphate binding, 372:679
phosphatidic acid, 369:319
phosphatidylcholine, 370:987, 372:811
phosphatidylcholine biosynthesis, 374:747
phosphatidylinositol kinase, 373:57, 376:497
phosphatidylinositol 3-kinase (*see* phosphoinositide 3-kinase)
phosphatidylinositol 3,4,5-trisphosphate 3-phosphatase, 371:947
phosphatidylserine, 375:673, 376:489
phosphocholine, 369:89, 370:987
phosphocreatine, 375:799
phosphodiesterase, 370:429
phosphodiesterase-5, 372:419
phosphoenolpyruvate carboxykinase, 369:17
phosphoesterase, 372:625
phosphoethanolamine, 369:89
phosphofructo-2-kinase, 369:173
phosphofructokinase-2, 376:277
phosphoinositide, 371:533, 376:525
phosphoinositide-dependent kinase-1 (PDK1), 370:361, 370:469, 372:1
3-phosphoinositide-dependent protein kinase-1 (PDK1), 375:255
phosphoinositide-dependent protein kinase (PDK1), 373:583
phosphoinositide 3-kinase (PI 3-kinase), 369:351, 369:363, 370:361, 370:1063, 371:721, 372:767, 372:861, 373:583, 374:137, 374:297, 375:531, 376:525, 376:577
phosphoinositide signalling, 373:57, 376:497
phosphoinositol-glycan, 369:351
phospholipase A_2, 374:109, 374:315
phospholipase activation, 374:269
phospholipase C (PLC), 374:137, 376:667
phospholipase Cγ2 (PLCγ2), 374:269
phospholipid, 369:539, 376:741
phospholipid bilayer, 375:653
phospholipid binding, 373:437
phospholipid vesicle, 372:757
phosphomannose isomerase (PMI), 372:77
phosphonate synthesis, 376:813
phosphopeptide mapping, 372:567
phosphoric ester hydrolase, 370:429
(phosphorothio)adenylylated polyol, 373:635
phosphorylase, 370:995
phosphorylation, 369:1, 369:117, 369:213, 370:1, 370:469, 370:1063, 372:1, 372:113, 372:359, 372:419, 372:555, 373:289, 374:423, 374:537, 375:339, 376:291
phosphorylation/dephosphorylation, 370:373
phosphorylation motif, 370:361
phosphoserine aminotransferase α and β, 373:191
phosphotyrosine binding domain, 370:1039
photoaffinity labelling, 370:829
photocarcinogenesis, 369:341
photoconversion, 373:403
Photosystem II, 371:597
phototransduction, 374:537
phox homology domain, 373:221
pH regulation, 371:687
pH-sensitive polymers, 372:65
phylogenetic analysis, 371:505
phylogenetic tree, 369:387
phylogeny, 371:811
phytohaemagglutinin, 373:133
Pichia pastoris, 376:781
pigeon liver, 374:633
pigment-epithelium-derived factor (PEDF), 374:199
pinocytosis, 371:233
$p27^{KIP1}$, 375:263
placenta, 371:897
placentation, 371:39
plant cell wall, 370:417
plant growth regulator, 369:71
plant model, 371:97
plant N-glycan, 375:61
plasma, 374:199
plasma membrane, 373:289, 376:489
plasma-membrane calcium ATPase (PMCA), 371:775
plasma membrane translocation, 371:709
plasminogen activator inhibitor type 1 (PAI-1), 371:277
Plasmodium, 374:193
Plasmodium falciparum, 374:559, 375:653
plastoquinol, 375:215
plastoquinone, 370:679
platelet, 376:199, 376:733
platelet-activating factor (PAF)-acetylhydrolase, 375:351

© 2004 Biochemical Society

platelet adhesion, 372:163
platelet-derived growth factor (PDGF), 376:505
platelet endothelial cell adhesion molecule-1 (PECAM-1), 376:147
platelet exocytosis, 374:207
platelet glycoprotein Ib, 373:593
PMA, 369:319, 372:529
p38 mitogen-activated protein kinase, 371:89
polarity, 376:43
pollinosis, 372:889
poly(A)-binding protein (Pabp), 373:e5, 373:775
poly(ADP-ribose) (pADPr), 371:331
poly(ADP-ribose) polymerase (PARP), 372:87
polyalanine, 375:681
polyamine, 370:19, 371:549, 373:629, 374:481, 375:465
polyamine analogue, 373:661, 373:885
polyamine analogues, 370:19
polyamine oxidase, 370:19, 373:661
polydiacetylene, 375:405
poly-drug chemotherapy, 371:243
polyester synthase, 376:15
polyhydroxyalkanoate (PHA), 374:413, 376:15
polyhydroxyalkanoate synthase (PHA synthase), 376:15
polymerization, 372:747
polymorphism, 371:223, 372:643
polymyxin B, 375:405
polyphenol oxidase, 374:157
polyproline II helix-coil (PhC) motif, 374:687
polysaccharide, 375:231
polyvalency, 371:311
PON3, 376:261
porcine pancreatic elastase, 370:345
pore formation, 374:255
pore-forming peptide, 375:737
pore protein, 375:681
porphyrin, 371:351
positive-feedback control, 372:419
postsynaptic density, 373:49
postsynaptic density-95 (PSD-95), 372:465, 373:381
post-transcriptional control, 374:799
post-transcriptional regulation, 373:629
post-translational modification, 370:167, 373:531, 373:865, 374:677, 376:339, 376:449
potassium channel, 375:761
potassium efflux, 376:245
potato, 376:481
potentiation, 374:281
potentiometry, 372:317
POU homeodomain protein, 375:199
PP-2B, 374:567
p47-phox, 373:221
precursor processing, 373:475
precursor proteins, 371:125
pregnancy, 371:39, 371:897
prenylation, 370:1047, 372:695, 376:e3
prenyltransferase, 370:679
p70 ribosomal S6 kinase (S6K), 373:583, 373:603
primary hyperoxaluria type 1, 374:79
primer extension, 372:595
prion, 372:129
prion protein, 373:485
procarboxypeptidase A2 activation domain (ADA2h), 374:489
procollagen hydroxylation, 370:913
prodomain peptide, 373:231
product inhibition, 370:963
profiling, 376:553
progeroid syndrome, 374:577
progesterone signalling, 369:227
prolactin, 372:41
cis-proline, 375:297
proline residue, 373:539
proline-rich region, 373:221
prolyl oligopeptidase, 373:933
promoter, 369:375, 371:675, 372:643, 373:925, 376:441
promoter analysis, 370:771, 372:851
promoter construct, 369:341
promoter regulation, 371:211
promyelocytic cell, 370:315
pro-opiomelanocortin, 369:453
proprotein convertase 5A (PC5A), 373:475
prostaglandin D synthase, 374:239
prostaglandin E_2, 370:459
prostate, 371:631
prostate cancer, 375:373
protease, 370:867, 371:39, 371:165, 373:723, 374:123, 374:739, 375:75
protease-activated receptor (PAR), 373:65
protease-activated receptor 1 (PAR1), 375:99, 376:733
protease-activated receptor 4 (PAR4), 376:733
protease inhibitor, 374:739
proteasomal activator, 373:71
proteasomal inhibitor, 373:893
proteasome, 370:205, 370:265, 370:849, 371:957, 375:75, 375:663, 376:607, 376:789
protection, 375:275
protein aggregation, 373:875, 374:489, 374:779, 375:33
proteinase, 373:19
proteinase inhibitor, 373:19
proteinase unfolding intermediate, 370:345
protein complex modelling, 371:423
protein conformation, 376:757
protein cross-linking, 371:413
protein degradation, 373:201, 371:937
protein dephosphorylation, 376:525
protein engineering, 371:369
protein expression, 370:417
protein folding, 370:805, 371:669, 371:965, 374:489, 374:785
protein glycosylation, 375:61
protein interaction, 370:469
protein kinase, 372:1, 374:453, 374:559
protein kinase A (PKA), 370:361, 372:271, 375:167, 375:517
protein kinase B (PKB), 374:297, 375:99, 376:697
protein kinase B kinase, 376:303
protein kinase B (PKB)/Akt, 370:361, 372:e1, 372:33
protein kinase CK2, 375:623
protein kinase C (PKC), 369:117, 369:485, 370:361, 370:497, 371:733, 372:163, 372:787, 373:571, 373:603, 374:145, 374:537, 375:313, 375:385, 375:705, 376:545, 376:667
protein kinase C (PKC) regulation, 373:815, 373:917
protein kinase inhibitor, 371:199, 374:639
protein labelling, 371:109, 373:403
protein localization, 374:545
protein modification, 369:179
protein oxidation, 370:729, 373:531, 375:33, 376:219
protein phosphatase, 371:621, 372:193, 376:587
protein phosphatase 1 (PP1), 371:857, 373:703
protein phosphorylation, 371:199, 374:639, 375:623, 376:587
protein processing, 369:179
protein–protein interaction, 370:141, 370:805, 370:1087, 371:423, 373:855, 374:497, 375:159, 375:623
protein renaturation, 371:965
protein segregation, 369:301
protein sequence, 372:725
protein S-thiolation, 374:513
protein structure, 376:339
protein synthesis, 369:213, 371:609, 373:603
protein targeting, 370:913, 372:427, 373:49
protein trafficking, 371:533
protein unfolding, 373:485
proteoglycan, 369:603, 375:183, 376:511
proteolysis, 370:265, 370:1047, 371:277, 375:75, 375:191, 376:577
proteolytic processing, 369:659
proteome, 372:359, 374:239
proteomics, 369:301, 371:331, 373:505, 376:553
Proteus mirabilis glutathione S-transferase, 373:305
prothrombinase, 369:635
proton channel, 374:315
proton conductance, 376:741
proton pump, 370:185
protozoa, 373:495
protozoan parasite, 375:737
PSD-95/*Drosophila* discs-large/zona occludens 1 (PDZ) domain, 373:381
Pseudomonas aeruginosa, 374:413
pseudosubstrate-independent, 373:571
psoralen, 372:235
PtdIns(3,4,5)P_3, 376:199
pteridine, 373:681
puff, 370:621
purification, 376:261
purinergic $P2X_7$ receptor, 374:51
Purkinje cell, 372:435
putrescine, 376:1
pyrene N-(1-pyrenyl) maleimide, 376:277
pyridoxal 5′-phosphate, 369:469, 371:473
pyrin, 373:e1, 373:101
pyroglutamate, 374:199
pyrolysin, 370:57
pyrophosphatase, 374:329
pyruvate, 374:e1
pyruvate carboxylase deficiency, 370:275
pyruvate carrier, 374:e1
pyruvate dehydrogenase kinase 4 (PDK4), 375:365
pyruvate metabolism, 374:e1, 374:607
6-pyruvoyl tetrahydropterin synthase, 373:681

qualitative criteria of kinetic behaviour, 372:713
quenched flow, 375:697
quiescent cell proline dipeptidase, 371:525
quinone reductase, 374:337

Rab protein, 374:443
Rac, 372:391, 374:715
Rac-GTPase-activating protein (Rac-GAP), 375:313
radicicol, 370:849
raft, 375:517
rapamycin, 371:609
Rapana venosa, 374:185
rapid coupling, 375:697
rapid kinetic methods, 370:839
Ras, 370:1047, 376:e9, 376:571
rat liver, 376:261
reaction intermediate, 373:733
reaction mechanism, 371:997
reactive nitrogen species, 374:521
reactive oxygen species (ROS), 371:243, 374:505, 375:567
receptor, 370:971, 370:111
receptor binding, 376:457
receptor degradation, 375:151
receptor dimerization, 371:581

© 2004 Biochemical Society

receptor-interacting protein, 370:1011
receptor localization, 369:441
receptor tyrosine kinase, 376:587
recombinant allergen, 372:889, 376:e1
recombinant periwinkle protein, 373:261
recombinant production, 369:593
recombinant protein, 371:289, 373:987, 376:677
recombinant protein expression, 370:567
RecQ helicase, 374:577
red fluorescent protein, 371:109
redox compartmentalization, 375:567
reductive dehalogenation, 373:297
regulated secretory pathway, 369:453
regulation of metabolism, 374:37, 374:513, 375:799
regulators of G-protein signalling protein (RGS protein), 371:709, 371:973
regulatory domain, 373:571
regulatory myosin, 374:89
renal cell, 370:185
resistance to therapeutic drugs, 376:313
respiratory chain, 369:619, 371:1005
resveratrol, 374:157
retinal degeneration, 372:427
retinoblastoma protein, 371:621
retinoic acid, 373:973, 376:351
retinoic acid-receptor-related orphan receptor-binding site, 370:557
retinol, 373:973
retroviral gene transfer, 370:275
reverse transcriptase–PCR, 371:1045
reversibility of binding, 369:249
reversible folding, 369:731
revertant cell, 375:121
RhoA, 371:565
Rho-associated kinase, 369:117
rhodanese, 371:669, 374:433
rhodopsin, 374:537
rhodopsin kinase (RK), 374:537
Rhodotorula glutinis, 372:587
Rho GTPase, 375:313
Rho GTPase-activating protein (RhoGAP), 372:105
riboflavin, 369:399
riboflavin overproduction, 369:263
ribonuclease A, 373:793
ribosomal protein, 371:641
ribosomal S6 kinase 2 (S6K2), 373:583
ribosome, 371:641
ribwort, 372:889
RING-H2 target protein, 371:97
RNA-binding protein, 372:253, 376:383
RNA hairpin, 374:799
RNA interference, 371:743
RNA polymerase II, 373:133
RNA–protein interaction, 373:e5
RNA splicing, 373:681, 374:261
RNA surveillance, 373:775
rolipram, 370:429, 370:1
Ron, 376:587
root, 373:289
Roscovitine, 371:199
rRNA, 371:641
rumen, 373:495
ryanodine, 375:561
ryanodine receptor (RyR), 369:441, 370:517, 370:579, 371:81, 372:305
ryanodine receptor calcium channel type 1, 376:807

Saccharomyces, 374:607
Saccharomyces cerevisiae, 369:263, 371:533, 371:589
salt bridge, 369:563
Saos2 osteosarcoma cell line, 376:303
saposin, 373:785
sarcoplasmic reticulum, 370:873, 376:807
saturation mutagenesis, 372:247
S9B subfamily, 373:179
scaffolding protein, 376:525
scallop, 374:89
scarring, 371:413
scavenger receptor BI, 373:941
scFv fragment, 371:423
Schizosaccharomyces pombe, 372:97, 376:209
scintillation proximity assay, 375:539
scorpion α-toxin, 375:551
Scp1p, 375:287
SEA (sea-urchin sperm protein, enterokinase and agrin) module, 372:263
sea urchin, 375:805
secondary structure, 372:757, 375:175
second membrane-spanning domain, 375:633
secreted factor, 376:61
secretion, 370:641, 371:761
secretory phospholipase A_2, 376:351, 376:655
segmental RNA stability, 374:799
selenium, 370:283
selenium transport, 370:397
self-preservation, 376:71
senescence, 373:523, 375:263, 376:403
sensitivity analysis, 370:47
sepsis, 370:315
sequence comparison, 369:275, 369:469
sequence context, 369:611
sequence homology, 376:553
sequence motif, 372:625
sequence-specific transcription factor (SPI), 370:557
sequestration, 370:867
D-serine, 371:653
L-serine, 371:653, 373:191
serine/arginine-rich (SR protein kinase) protein kinase, 371:937
serine biosynthesis, 375:729
serine endoprotease, 370:57
serine protease, 369:191, 369:603, 371:631, 371:1021, 373:689, 374:97
serine protease inhibitor (*see* serpin)
serine proteinase, 369:635, 371:541
serpin, 372:747, 373:723, 374:199
Serpina3g, 371:165
serum- and glucocorticoid-inducible kinase (SGK), 371:1
SETDB1, 369:651
seven-membranespanning-receptor (7MSR), 375:503
sex-lethal protein, 372:235
shape complementarity, 369:249
SH group, 376:277
short-chain dehydrogenase/reductase, 376:49
SHP-2, 376:147
SH3PX1, 376:123
sialic acid, 370:601, 376:765
side reaction, 371:473
sigma receptor, 374:229
signalling, 370:927, 371:463, 376:697
signal peptide, 374:117
signal-recognition-particle (SRP) components, 374:247
signal transducer and activator of transcription (STAT), 370:391, 374:1
signal transducer and activator of transcription 1 (STAT1), 376:393
signal transducer and activation of transcription 3 (STAT3), 376:457
signal transducer and activator of transcription 5 (STAT5), 372:41, 375:489
signal transduction, 369:301, 370:391, 370:469, 370:591, 370:1019, 371:395, 371:709, 371:907, 373:25, 373:451, 373:641, 374:453, 374:537, 374:559, 375:385, 375:777, 376:449, 376:577, 376:725
silane derivatization, 374:625
simian-virus-40 (SV40) large tumour-antigen nuclear localization sequence, 375:339
single nucleotide polymorphism, 373:767
SirA, 370:505
SirB, 370:505
SirC, 370:505
sirohydrochlorin, 370:505
site-directed mutagenesis, 369:469, 370:567, 370:945, 371:423, 372:799, 373:41, 373:539, 374:731, 375:23, 375:297, 375:673, 376:237
site-directed mutants, 374:545
skeletal growth, 369:63
skeletal muscle, 370:873, 375:365, 375:799
S6 kinase, 370:713, 372:555
S6 kinase 1, 370:469, 374:137
S6 kinase (S6K), 374:297
Skp2, 371:957
SLC2A5, 375:167
sleeping sickness, 373:933
SM22, 375:287
small glutamine-rich tetratricopeptide repeat-containing protein (SGT), 373:855
small G protein, 374:443
small heat-shock protein, 370:859
small intestine, 373:125
S31 methyltransferase, 370:713
smooth muscle, 372:347
smooth-muscle cell, 376:351
smooth muscle contraction, 369:117, 374:145
snake venom protein, 372:725
SNARE, 374:207, 375:433
sodium-coupled citrate transporter, 374:21
Solanaceae, 376:717
solubility, 375:471
soluble ecto-5′-nucleotidase, 372:443
soluble guanylate cyclase, 369:399
soluble *N*-ethylmaleimide-sensitive fusion protein attachment protein receptor (*see* SNARE)
soluble-type receptor, 370:1097
solute carrier, 370:881
solvent accessibility, 371:175
somatomedin B, 371:321
sorting nexin 9 (SNX9), 376:123
sorting receptor, 369:453
SP 600125, 371:199
Sp1, 373:925, 375:351
Sp3, 371:265, 373:925
SPARC (*see* osteorectin), 373:805
specificity factors 1 and 3 (Sp1 and Sp3), 374:723
spectrin, 374:613
spectrin dimer self-association, 374:613
spectrophotometry, 374:731
S1P/Edg receptor, 374:715
spermatozoa, 375:477
sperm-binding protein, 372:473
spermidine, 370:19, 373:661, 374:481, 376:1
spermidine/spermine N^1-acetyltransferase, 370:19, 373:661
spermine, 370:19, 373:885, 374:481, 376:1, 376:245
spermine oxidase, 370:19, 373:661
S phase, 371:621
sphingolipid, 369:199, 370:111, 371:243, 371:1013, 373:785, 376:473
Sphingomonas paucimobilis, 370:793
sphingomyelin synthesis, 373:917
sphingosine 1-phosphate, 369:363, 374:715
sphingosine 1-phosphate receptor, 370:817, 371:973

© 2004 Biochemical Society

spin state, 370:671
Spisula solidissima, 370:91
splicing, 372:235
splicing isoform, 372:775
split-ubiquitin, 370:141
SpoIIAA, 372:113
spongiform encephalopathy, 372:129
sporulation, 372:113
Src, 369:407, 371:199, 371:733, 372:271, 376:159
Src homology domain 2 (SH2)-containing inositol 5-phosphatase, 376:199
Src homology 2 domain (SH2 domain), 374:269, 376:457
Src homology 3 domain (SH3 domain), 373:221
Src homology phosphatase (SHP), 370:537
Src homology 3 (SH3), 372:271
Src tyrosine kinase, 372:841
5S rRNA, 371:641
stability, 374:529
stabilization of protein fold, 372:151
starvation, 375:365
STAT (*see* signal transducer and activator of transcription)
staurosporine, 370:1063
steady-state kinetics, 373:949
stem cell, 370:537, 370:763, 371:165
stem–loop structure, 372:253
stepwise hydrogen transfer, 375:141
stereoselectivity, 373:33
stereospecificity, 376:413
sternal gland, 372:535
steroid, 370:763, 371:361
steroid hormone metabolism, 376:49
stimulating protein-1, 372:787
stopped-flow kinetics, 372:317, 371:997
store-operated channel, 372:517
stress, 371:589
stress factor, 373:305
stress-induced tyrosine phosphorylation, 376:159
stress signalling, 373:71
stretch activation, 371:811
stromal keratocyte, 376:615
structural change, 372:113
structural integrity, 375:297
structural modelling, 370:945
structure–function relationship, 369:249, 371:443, 372:671, 373:759, 376:413
S1 trypsin/chymotrypsin-like serine protease, 374:97
subacute combined degeneration, 374:239
subcellular fractionation, 373:57, 376:497
subsite, 370:331
subsite affinity, 374:369
substrate-binding cleft, 376:237
substrate inhibition, 370:417
substrate recognition, 372:247
substrate specificity, 372:137, 376:645
substrate-trapping, 376:147
subtilase, 373:231
subunit interaction, 369:469
suicide vector, 373:305
sulphation, 372:371, 375:131
sulphide radical cation, 374:761
sulphoacetaldehyde sulpho-lyase, 369:275
N-sulphoglucosamine, 371:131
sulphoquinovosyl diacylglycerol (SQDG), 370:299
sulphoquinovosyl monoacylglycerol (SQMG), 370:299
sulphoraphane, 374:337
sulphotransferase, 375:785
sulphydryl group, 371:495
SULT2, 375:785
sumoylation, 372:97, 373:925
superoxide, 375:215
superoxide dismutase (SOD), 369:447, 374:219
suppressor of cytokine signalling (SOCS), 372:495
surface dilution analysis, 371:947
surface plasmon resonance (SPR), 369:509, 372:271, 373:115, 375:623
surface protein, 372:535
synapse-associated protein 97 (SAP97), 373:381
synaptic-signalling complex, 372:183
synaptic transmission, 375:159
synaptosome-associated protein-23 (SNAP23), 375:433
synergy, 374:281
syntaxin, 374:207, 375:433
synthetase, 374:773
System A transporter 2 (SAT2), 373:1

tachylectin-1, 376:433
tandem-affinity purification, 373:775
T antigen, 369:387
Taq polymerase, 374:785
targeted drug delivery, 372:219
targeted gene disruption, 370:397
targeted therapy, 370:129
targeting, 370:1, 370:805, 370:873
target profiling, 373:987
taurine, 375:441
tautomerism, 369:611
T-cell, 371:15
T-cell receptor (TCR), 376:545
tectonin, 376:433
teleost, 373:621
telomerase, 373:523
telomere, 372:87, 373:523
telomere repeat factor 1 (TRF1), 372:87
temperature adaptation, 370:245
temperature-induced denaturation, 372:151
testicular protein kinase 1 (TESK1), 369:45
testis, 372:105
tetanus toxin, 373:613
4,5,6,7-tetrabromobenzotriazole (TBB), 374:639
tetracycline, 369:255
tetraether phospholipids, 374:247
S-(1,1,2,2-tetrafluoroethyl)-L-cysteine, 376:169
tetrahydrobiopterin, 373:993
tetramerization, 371:109
tetramerization of spectrin, 374:613
tetraspanin, 373:409
tetraspanin web, 373:409
tetratricopeptide repeat, 373:855
TFII-I transcription factor, 374:359
TGGG box, 375:457
TG-interacting factor (TGIF), 371:257
thale cress, 371:823
thapsigargin, 373:133, 373:313, 373:327, 375:561
therapeutic target, 373:723
thermal stability, 373:437
thermal unfolding, 369:731
thermodynamics, 372:151, 373:337
thermodynamic stability, 373:485
thermogenesis, 375:753
thermophile, 374:529, 374:785, 375:449
thermosome, 371:669
thermostability, 370:651, 372:577, 373:875
Thermotoga, 370:651
thiamin diphosphate, 369:275
thiamine, 376:43
thiamine transporter, 369:31
thimet oligopeptidase (EP24.15), 376:189
thimet oligopeptidase (TOP), 375:111
thiol, 370:935
thiol group, 371:495, 376:277
thioredoxin, 373:845, 373:875
thioredoxin fold, 372:241
thioredoxin reductase, 370:397
thiostatin, 374:239
three-dimensional model, 373:41
three-dimensional structure, 370:331, 371:143
threonine, 369:191
threshold effect, 370:751
thrombin, 373:593, 375:99
thrombin receptor, 376:733
thrombosis, 369:129, 372:747, 373:723
thromboxane receptor, 371:733
thylakoid lipid, 375:215
thymus, 372:851
thyroglobulin, 370:449
thyroid hormone, 372:529
thyroid hormone receptor (TR), 369:477
thyroid hormone-responsive element, 376:423
thyrotropin-releasing hormone (TRH), 372:851
thyrotropin-releasing hormone receptor (TRHR), 372:851
Tip60 (60 kDa *trans*-acting regulatory protein of HIV type 1-interacting protein), 374:165
tissue distribution, 370:737
tissue engineering, 369:705
tissue factor, 369:563
tissue inhibitor of matrix metalloproteinase 2 (TIMP-2), 373:19
tissue inhibitor of metalloproteinases 1 (TIMP-1), 372:767
tissue remodelling, 371:39
tissue specificity, 373:191
titin, 374:687
3T3-L1 cell, 375:539, 376:625
T lymphocyte, 369:301, 371:907
tobacco, 376:291
tolbutamide, 370:921
Toll, 371:663
tolrestat, 373:973
tomato, 376:717
topoisomerase, 374:577
topoisomerase IIα, 374:723
torsinA, 374:117
toxicity of halogenated alkenes, 376:169
trafficking, 375:433, 375:761
transactivation, 376:571
transcription, 369:103, 370:141, 370:291, 370:719, 371:257, 371:675, 372:603, 373:669, 373:713, 373:835
transcriptional co-activator, 371:89
transcriptional regulation, 371:385, 375:351, 376:393, 376:517
transcriptional repression, 374:165, 374:667
transcriptional repressor, 373:167, 373:747
transcriptional synergism, 376:423
transcription factor, 369:331, 369:583, 370:1019, 370:953, 371:831, 372:831, 374:423, 375:457, 376:441
transcription factor IIIA (TFIIIA), 371:641
transcription inhibitor, 371:937
transcription promoter, 371:385
transcription regulation, 370:323
transcriptome, 372:703
transcytosis, 373:125
transfection, 372:695
transferrin, 376:35
transferrin receptor, 370:891, 373:145
transforming growth factor β (TGFβ), 370:1019, 371:211, 371:257, 374:123
transforming-growth-factor-β receptor, 375:385
transgelin, 375:287
transgenic, 370:121
transglutaminase, 370:205
transglycosylation, 375:61
trans-Golgi, 371:775

© 2004 Biochemical Society

transient receptor potential, 371:341
translation, 369:369, 369:667
translational masking, 370:91
translational regulation, 374:175
translation initiation, 373:603
translocase of the outer mitochondrial membrane (40 kDa) (Tom 40p)
translocation, 376:625
translocation E26 transforming-specific leukaemia (TEL), 374:165
translocon, 370:351
transmembrane protein, 374:117
transmissible spongiform encephalopathy, 373:485
transport, 369:23, 371:897, 376:633, 376:645
transporter, 375:441
transport mechanism, 376:413
transport site, 369:681
transposon-5 mutagenesis, 373:465
trans-to-*cis*-proline isomerization, 374:687
trapped intermediate, 373:733
triacylglycerol, 371:753, 373:941
triacylglycerol biosynthetic complex, 372:587
trichostatin A, 369:651
trifluoromethanesulphonic acid (TFMS), 376:339
trimolecular complex, 372:799
triosephosphate isomerase (TIM) barrel, 370:785
trophoblast, 371:897
trout, 373:621
truA, 372:595
Trypanosoma, 374:443
trypanosome, 375:307
trypanosome transformation, 374:647
trypsin inhibitor, 369:603
trypsin-like specificity, 371:541
tubulin, 375:121
tubulin-folding cofactor, 372:427
tudor domain, 369:651
tumour, 370:403
tumour cell, 373:19
tumour-necrosis-factor-like weak inducer of apoptosis (TWEAK), 371:395
tumour necrosis factor (TNF), 371:205, 371:395, 375:663
tumour necrosis factor α (TNF-α), 370:609, 370:1011, 372:821
tumour suppression, 376:403
tumour suppressor, 370:849
tumour suppressor gene, 371:301
tunnel, 369:497
two-dimensional electrophoresis, 370:35, 373:289
two-dimensional IR correlation analysis, 373:875
two-hybrid system, 373:167
type 2 copper site, 369:417
type X collagen, 372:485
tyramine, 369:675
tyrosinase, 374:157
tyrosination state, 375:121
tyrosine kinase, 370:29, 371:405, 371:485, 371:907
tyrosine kinase receptor, 372:897
tyrosine phosphorylation, 372:841, 374:269

U2 auxillary factor, 372:235
UBC9, 372:97
ubiquinone, 370:679
ubiquitin, 370:205, 373:965, 371:957
ubiquitination, 370:1033, 370:29
ubiquitination pathway, 371:97
ubiquitin–proteasome, 376:687
UDP-*N*-acetyl-α-D-galactosamine: polypeptide *N*-acetylqalaeto, 373:713
UDP-GlcNAc, 371:989
UDP-GalNAc:Neu5Acα2-3Galβ-R β1,4-*N*-acetylgalactosaminyltransferase, 373:369
UDP-glucose dehydrogenase, 374:767
UDP-glucuronic acid, 374:767
UDP-L-RhaNAc, 371:989
ultrathin section electron microscopy, 373:465
unbranched and branched mechanisms, 372:713
unfolded protein response, 372:603
unfolding/refolding, 370:785
3′ untranslated region, 370:631
5′ untranslated region, 369:667
up-frameshift, 373:e5
upstream regulatory factor, 370:979
upstream stimulatory factor, 369:549
uraemia, 375:581
urea cycle, 372:279
urea denaturation, 369:731, 373:485
urea synthesis, 376:179
urinary protein, 370:101
urokinase, 372:747
urokinase-type plasminogen activator receptor (uPAR), 371:277
U1 small nuclear ribonucleoparticle (U1 snRNP), 372:235
utrophin, 375:329

vacuolar mannosidase, 373:901
vacuole, 373:901
valosin-containing protein (VCP), 373:57, 374:473
vanadium-containing enzyme, 369:185
vanilloid receptor, 371:341
variant surface glycoprotein, 374:443
vascular cell, 371:733
vascular smooth muscle, 370:439
vasoactive intestinal peptide (VIP) binding site, 370:1003
vasopressin, 370:695
ventricular remodelling, 369:485
vesicle, 375:433
vesicle trafficking, 374:443
vesicular trafficking, 369:199
Vibrio cholerae, 371:989
virus neutralization, 376:269
viscotoxin, 374:71
visinin-like domain, 375:87
vitamin, 376:43
vitamin B_{12}, 374:239
vitronectin, 369:311
v-Kit, 370:1033
voltage-activated sodium channel, 375:551
voltage-dependent anion channel (VDAC), 374:393
voltage-gated potassium channel, 375:769
VP8, 376:269
$VPAC_1$ antagonist, 370:1003
$VPAC_2$ receptor, 370:1003
$VPAC_1$ selective agonist, 370:1003

Wa strain, 376:269
wheat, 372:399
whey acidic protein (WAP), 372:41
Wiskott–Aldrich syndrome protein (WASP), 371:485, 372:453
wortmannin, 372:861, 374:63
wound healing, 370:551, 370:1039

xanthine dehydrogenase, 372:15
xanthine oxidase, 372:15
XB51, 374:261
xenobiotic-metabolizing-enzyme gene expression, 375:593
X11-like protein, 374:261
X-ray crystallography, 376:35
X-ray crystal structure, 375:339
X-ray structure, 372:399, 373:733
xylanase inhibitor, 372:399
xyloglucan endotransglycosylase (XET), 375:61
xylose fermentation, 373:319
xyloside, 376:511
xylulose 5-phosphate, 371:191

YAH1, 375:247
yeast, 370:35, 372:247, 374:393, 374:513, 375:793, 376:781
yeast two-hybrid system, 372:435, 372:453, 374:497, 376:595
Yersinia pestis, 373:515
YFH1, 375:247

Zap, 371:15
zebrafish, 375:785, 376:433
Zeta-class glutathione transferase, 374:731
zinc, 372:577, 375:247
zinc finger, 370:719
zinc-fingers and homeoboxes 1 (ZHX1), 373:747
zinc-fingers and homeoboxes family (ZHX family), 373:167
zinc metalloenzyme, 372:625
zinc transporter, 375:51
ZIP (Zrt-, Irt-like protein) transporter, 375:51
ZNF202, 370:719
zonadhesin, 375:477
zona pellucida, 375:477
zymogen, 374:739
zymogenicity, 369:563

© 2004 Biochemical Society

Biochemical Society
Symposia Series

ISSN: 0067-8694

Highly Cited!

Free Radicals: Enzymology, Signalling and Disease

No. 71 Edited by Chris Cooper (Essex, UK) Mike Wilson (Essex, UK) and Victor Darley-Usmar (Birmingham, AL, USA)

Free Radicals: Enzymology, Signalling and Disease is the published proceedings of the Biochemical Society's Annual Symposium held at the University of Essex in July 2003. The book aims to provide an overview of current research in free radical biochemistry from a variety of perspectives.

Topics covered include the role of radicals in enzymology, novel radical-mediated chemistry and new tricks to traditional 'radical enzymes', the role of radicals in signalling pathways, new targets for the nitric oxide pathway, signalling by oxygen radicals, and the toxicity of oxygen-based free radicals, nitrogen-based free radicals and the interaction between the two.

Chapters by D. Stuehr, M. Brand, D. Brown, V. Darley-Usmar, D. Lambeth, G. Mann, M. McPherson, R. Motterlini, N. Scrutton, T. Munzel, R. Patel, E. Raven, D. Koesling, B. Trimmer, J. Mathers and M. Burkitt

1 85578 161 1 Hardback February 2004 230 pages £65.00

Proteases and the Regulation of Biological Processes

No. 70 Edited by J. Saklatvala, London, UK, H. Nagase, London, UK, and G. Salvesen, San Diego, USA

This volume of the Biochemical Society Symposia series contains contributions presented at a meeting that took place from 16–18 December 2002. It covers topics covered such as enzyme structure and function, the roles of proteases in development, cell signalling, cell migration, apoptosis and disease conditions such as cancer, arthritis, inflammation and neurodegeneration, and the use of protease inhibitors as potential therapies.

The symposium was dedicated to Dr Alan J Barrett to celebrate his scientific achievements on his 65th birthday. Dr Barrett has made many internationally recognized contributions to the field and to the Biochemical Society. Readers will learn about current advancement of the field and the role of proteases in chemistry, biology and medicine.

Chapters by W. Bode, D. Turk, R. Black, J. Bond, G. Murphy, T. Cawston, R. Carrell, J. Tang, R. Rawson, F. Uhlmann, M. Seiki, B. Sloane, P. Friedl, H. Nagase, R. Dean, R. Farndale, J. Saklatvala, J. Mort, R. Poole, G. Salvesen, A. Docherty, M. Abrahamson and C. Watts

1 85578 155 7 Hardback August 2003 300 pages £65.00

Glycogenomics: the Impact of Genomics and Informatics in Glycobiology

No. 69 Edited by A Dell, Imperial College of Science, Technology and Medicine, UK and K. Drickamer, Glycobiology Institute, University of Oxford, UK

Glycogenomics: the Impact of Genomics and Informatics in Glycobiology aims to highlight the special challenges of connecting genomic information with the biochemical processes of glycobiology. This book focuses on the biological functions of glycans in relation to their biosynthetic enzymes, the role of lectins and the special tactics that are needed to develop an overview of which glycans are present in an organism and what their functions are. It will be of interest to those involved in the study of glycobiology and the related disciplines of intracellular trafficking and cell adhesion, and to those involved in bio-informatics and functional genomics.

Chapters by H. Schachter, A. Imberty, J.B. Lowe, C.L.R. Merry, K. Drickamer, H.-P. Hauri, P.R. Crocker, F. Poirier, A. Dell, S.M. Haslam, J.C. Paulson and N.V. Bovin

1 85578 154 9 Hardback October 2002 200 pages £65.00

From Protein Folding to New Enzymes

No. 68 Edited by A. Berry and S. Radford, University of Leeds, UK

From Protein Folding to New Enzymes deals with the structures of proteins, the consequences of misfolding transitions in human disease,and the engineering of structures for new functions. The articles present an up-to-date view of protein folding *in vitro* and *in vivo*, the role of chaperones in folding, and the consequences of protein misfolding, for example in amyloid diseases. In addition, simulations of folding mechanisms, protein design principles, and protein engineering to produce novel enzymes are discussed.

Chapters by C.M. Dobson, P.J. Booth, S.L. Lindquist, F.-U. Hartl, L.M. Gierasch, V. Daggett, A.J. Doig, D.N. Woolfson, M.J. McPherson and N.C. Bruce

1 85578 143 3 Hardback July 2001 166 pages £65.00

Biochemical Society members save 25%

Orders – Please quote ZPPA 2023 when ordering

Portland Customer Services,
Portland Press Ltd, Commerce Way,
Colchester, Essex, CO2 8HP, UK

t: +44 (0)1206 796351
f: +44 (0)1206 799331

sales@portland-services.com
www.portlandpress.com/books

Please add £2.50 per book up to £7.50

Published by Portland Press on behalf of the Biochemical Society

www.biochemsoctrans.org

● Biochemical Society

transactions

Honorary Editor: John Wrigglesworth, London, UK

Biochemical Society Transactions

captures the cutting edge science presented at the Biochemical Society's meetings held in the UK and Ireland including the prestigious Medal Lectures.

The transactions are in the format of a series of mini-review articles and provide a timely snapshot of a given topic that is prized by both lecturers and students alike.

In 2004 the journal will also include the proceedings of the new Annual Meeting - ***BioScience2004,*** a four-day meeting comprising symposia, plenary lectures and special lectures/presentations by keynote speakers.

Forthcoming Medal Lectures:

- The Biochemical Society Award
  Professor Sir David Lane (Dundee)
- Sir Fredrick Gowland Hopkins Memorial Lecture
  Professor Chris Somerville (Carnegie Institute, USA)
- Morton Lecture
  Professor Peter Parker (Cancer Research UK)
- The Colworth Medal
  Professor James Naismith (St. Andrew's)
- The Novartis Medal
  Professor Jean Beggs (Edinburgh)
- GlaxoSmithKline Award
  Professor David A Lomas (Cambridge)

Forthcoming issues will include the following meetings:

- ***PI 3-kinase in Signalling and Disease*** (Novartis Horsham Research Centre, November 2003)
- ***Apoptosis in Myeloid Cells: Molecular Insights into Disease Processes*** (New Edinburgh Royal Infirmary, November 2003)
- ***Proteomics of Plant Proteins*** (Rothamsted Research, Harpenden, November 2003)
- ***Molecular Structure in Ligand-Gated Ion Channel Function*** (Merck Sharp & Dohme, Harlow, January 2004)

Biochemical Society Transactions Online!

Biochemical Society Transactions online has a number of benefits and value-added features for subscribers including:

- ***Access to full proceedings***
- ***Inter-journal linking***
- ***Medline links***
- ***Multi-media adjuncts***
- ***Available online in advance of the print edition***
- ***Full text searching***
- ***Online archive free***

Join the Table of Contents by email service to receive a copy of the HTML version of the table of contents before the paper copy is published.

Subscriptions 2004: volume 32 (6 parts)

	Paper/Online	***Online only***	
N. America	US$373.00	US$342.00	
Rest of World	£219.00	£201.00	
Euro Price	€372.00	€343.00	
Biochemical Society Member Price *(includes free online access)*	US$89.50	£55.00	€92.00

ZPPA2026

http://www.biochemsoctrans.org

Portland Press, Commerce Way, Colchester CO2 8HP Tel: +44 (0) 1206 796351 Fax: +44 (0) 1206 799331 Email: sales@portland-services.com

Published by Portland Press on behalf of the Biochemical Society

Essays in Biochemistry

ISSN: 0071-1365

Essays in Biochemistry Volume 40: NEW 2004 Nuclear Receptor Superfamily

Edited by I McEwan, Aberdeen, UK

1 85578 150 6 Paperback 2004 200 pages (approx) £19.00/US$28.50

The nuclear receptor superfamily represents a large number of structurally related proteins, which mediate the diverse responses of both steroid and non-steroid ligands. In addition, a large proportion of nuclear receptors are termed orphans, as the natural ligand, if it exists, remain to be identified. Since the first steroid receptors were cloned in the mid-1980s, the intervening period has seen a tremendous increase in our understanding of the molecular mechanisms of nuclear receptor signalling.

The aim of this volume is to summarize for science and medical, undergraduate and graduate, students the most recent developments and highlight future directions in this exciting field. The topics should also be of interest to researchers who need to 'brush up' on unfamiliar aspects of this burgeoning field.

Essays in Biochemistry Volume 39: NEW 2003 Programmed Cell Death

Edited by T Cotter, Cork, Ireland

1 85578 148 4 Paperback October 2003 200 pages (approx) £19.00/US$28.50

Programmed Cell Death aims to highlight the current research on this topic by focusing on the following areas: the role of apoptosis in development; the role of caspases in apoptosis; the role of the mitochondrion in apoptosis; the role of death receptors such as Fas and other members of the TNF family; regulation of apoptosis by the bcl-2 family of proteins; the role of oncogenes in the regulation of apoptosis; recognition and removal of dead cell; apoptosis and disease, and the manipulation of apoptosis for therapeutic purposes.

Programmed Cell Death is aimed at postgraduates, researchers and lecturers who are interested in the field of apoptosis.

Essays in Biochemistry Volume 38: Proteases in Biology and Medicine

Edited by NM Hooper, University of Leeds, UK

1 85578 147 6 Paperback September 2002 200 pages £19.00

Proteases in Biology and Medicine aims to provide a wide-ranging overview of the many and varied roles of proteases in biological systems, to highlight some of the more recent developments in this area and to provide an insight into future research in the field of proteases.

For many researchers, proteases are often considered to be unwanted biological pests, however, more and more researchers are recognizing that proteases are often key players in a wide range of biological processes, such as cell cycle regulation, cell growth and differentiation, antigen processing and angiogenesis. In addition, it is becoming apparent that the aberrant functioning of certain proteases may underlie several disease states, including Alzheimer's disease, cancer metastasis and inflammation. An understanding of the role played by proteases in these processes may provide the opportunity for therapeutic intervention.

Aimed at final year undergraduates, early postgraduates and lecturers, this series of short, punchy and well-illustrated articles written by experts in the field is the first book of its kind to deal with so many aspects of proteases at this level.

Essays in Biochemistry Volume 37: Regulation of Gene Expression

Edited by K Chapman, The University of Edinburgh, UK and S Higgins, University of Leeds, UK

1 85578 138 7 Paperback April 2001 132 pages £19.00

In all organisms, precise and exquisite control of the expression of the many thousands of genes comprising their genomes is essential for correct development, growth and function. The essays in this volume have been written by international experts working at the forefront of current research. They provide insights into current work and concepts which are elucidating the mechanisms which lead to protein synthesis in the correct cell, at the precise time and in response to appropriate signals.

The essays contained in this volume are thought provoking, clearly written, well illustrated and accessible and will enable senior undergraduate and junior postgraduate students to appreciate the amazing subtlety and diversity of gene regulatory mechanisms.

Biochemical Society members save 25% - only £14.25 per title!

Orders: Please quote reference ZPPA2024 when ordering

Portland Customer Services, Commerce Way, Colchester, CO2 8HP, UK
t: 01206 796351 f: 01206 799331 e: sales@portland-services.com
*Please add £2.50 per book to a maximum of £7.50

Published by Portland Press on behalf of the Biochemical Society

www.portlandpress.com/books

Printed in Great Britain by the University Press, Cambridge


1.0
1.1
1.25
1.4
1.6
2.2
2.0
1.8